Мангалы и грили

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47



DISCONTINUED

48-inch heavy-duty flattop gas griddle with thermostatic controls

The heavy-duty flattop gas griddle by Vollrath is built to impress. The body of this unit and the custom burners are made of durable stainless steel, and the polished steel griddle plate is 1 inch thick for even heat distribution and retention. The U-shape of the custom steel burners also helps distribute heat evenly while offering 30,000 BTU per burner. Thermostatic controls ensure accurate heating, and knob guards prevent accidental adjustments. The metal control knobs are easy to use and will never break or crack,

protecting the interior gas valves. Heavy-duty backsplash and sloped side splashes are 3 millimeters thick and prevent messes, and the welded seams make cleaning simple. Narrow grease trays fit easily into commercial dishwashers, and heavy-duty legs allow leveling adjustments to provide maximum stability. With reliable heat and powerful burners, this griddle is ideal for any steak house, pub, coffee shop or restaurant.

Large griddle surface provides plenty of room for burgers, chicken, fish and more

Durable stainless steel body is built for years of service

Thermostatic controls ensure accurate heating

Metal gas knobs protect interior gas valves and are guaranteed for life

Includes regulator and gas valve

Shipped setup for natural gas — includes kit for conversion to propane


Burners are placed every 12 inches for 30,000 BTU per 12-inch cooking surface


3/4-inch gas inlet

Clearance and Positioning: This appliance must be installed with a minimum clearance of 6 inches between the left, right and backsides, and any combustible surface. The supplied 4-inch legs must be installed and the unit placed on a noncombustible surface.

All-metal knobs and knob guards to protectfrom damage - guaranteed for life


PRODUCT **SPECIFICATIONS**





SIDE VIEW

FRONT VIEW



TOP VIEW

Model Information

Model	FTT2048
UPC	029419858811

Gas Specifications

- · · · · · · · · · · · · · · · · · · ·	
Output (BTU)	120000

Num	her	of	Bur	ners
INGILL	\sim	\sim 1	Dan	1013

4

Pil	lot	Tν	pe
	υc	·у	\sim

Standing

Unit Dimensions

Overall Dimensions (IN)	48 x 31 x 17.375
(W) Width (IN)	48
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
(HB) Height of Body (IN) Overall Dimensions (CM)	8.375 121.9 x 78.7 x 44.1
Overall Dimensions (CM)	121.9 x 78.7 x 44.1
Overall Dimensions (CM) (W) Width (CM)	121.9 x 78.7 x 44.1 121.9
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM)	121.9 x 78.7 x 44.1 121.9 3.8
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM) (D) Depth (CM)	121.9 x 78.7 x 44.1 121.9 3.8 78.7
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM) (D) Depth (CM) (D2) Secondary Depth (CM)	121.9 x 78.7 x 44.1 121.9 3.8 78.7 5.1
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM) (D) Depth (CM) (D2) Secondary Depth (CM) (D3) Additional Depth (CM)	121.9 x 78.7 x 44.1 121.9 3.8 78.7 5.1
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM) (D) Depth (CM) (D2) Secondary Depth (CM) (D3) Additional Depth (CM) (D4) Additional Depth (CM)	121.9 x 78.7 x 44.1 121.9 3.8 78.7 5.1 8.3 8.6

(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	48

Construction

Countertop or Drop-In	Countertop
Additional Specifications	

1

Case Lot Measurement

PRODUCT ACCESSORIES

Number of Drip Trays

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
48-inch heavy-duty mobile equipment stand	4087948

PRODUCT **PARTS**

Name	Part #
CONTROL KNOB - THERMO GRIDDLE	XFTG9009
THERMOCOUPLE	21485-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
LEG GAS APPLIANCE	XFTG9012
PILOT BURNER BRACKET	XFTG7018
REGULATOR 4IN WC	353374-1
KNOB GUARD	2351608-1

Name	Part #
PILOT SAFETY VALVE	21474-1
U-BURNER 30 000 BTU	21471-1
MANIFOLD FTT2048	2146448-1
THERMOSTAT - HD GRIDDLE	21473-1
GREASE DRAWER HD GRIDDLES	21465-1



DISCONTINUED

60-inch Cayenne® heavy-duty flattop gas griddle with manual controls

The Vollrath® Cayenne heavy-duty flat-top gas griddle is built to impress. The body of this unit and the custom burners are made out of durable stainless steel, and the polished steel griddle plate is 1 inch thick for even heat distribution and retention. The U-shape of the custom steel burners also helps evenly distribute heat while providing 30,000 BTU per burner. The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves, while knob guards prevent accidental temperature adjustments. Heavy-duty back and sloped side splashes are 3 millimeters thick and prevent messes, while the welded seams make cleaning simple. Narrow grease trays fit easily into commercial

dishwashers, and heavy-duty legs allow leveling adjustments to provide maximum stability. With five powerful burners, this griddle is ideal for any steak house, pub, coffee shop or restaurant.

The large griddle surface provides plenty of room for burgers, chicken, fish and more

Durable stainless steel body is built for years of service

Metal gas knobs protect interior gas valves and are guaranteed for life

Includes regulator and gas valve


Shipped setup for natural gas, but includes kit for conversion to propane


Burners are placed every 12 inches for 30,000 BTU per 12-inch cooking surface

3/4-inch gas inlet

Clearance and Positioning: This appliance must be installed with a minimum clearance of 6 inches between the left, right and back sides, and any combustible surface. The supplied 4-inch legs must be installed and the unit placed on a noncombustible surface.


PRODUCT SPECIFICATIONS





FRONT VIEW

SIDE VIEW



TOP VIEW

Model Information

Model	FTG2060
UPC	029419846917

Gas Specifications

Output (BTU)	150000
Number of Burners	5
Pilot Type	Standing

Unit Dimensions

Overall Dimensions (IN)	60 x 31 x 17.375
(W) Width (IN)	60
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25

(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	152.4 x 78.7 x 44.1
(W) Width (CM)	152.4
(W2) Secondary Width (CM)	3.8
(D) Depth (CM)	78.7
(D2) Secondary Depth (CM)	5.1
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	44.1
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	30

Construction

Countertop of Drop-in Countertop	Countertop or Drop-In	Countertop	
----------------------------------	-----------------------	------------	--

Additional Specifications

Number of Drip Trays	2		
----------------------	---	--	--

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

PRODUCT **PARTS**

Name	Part #
PILOT W/158MM TUBING FTG	XFTG9004
GREASE DRAWER HD GRIDDLES	21465-1
U-BURNER 30 000 BTU	21471-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
MANIFOLD FTG2060	2146360-1
GAS VALVE TYPE B 1.15MM HOLE	2146715-1
KNOB GUARD	2351608-1
REGULATOR 4IN WC	353374-1
LEG GAS APPLIANCE	XFTG9012
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003



24-inch 220-volt Cayenne® flat-top griddle

The Vollrath® 24-inch Cayenne griddle is versatile, powerful and built to last. The superior heating element design ensures even heating over the entire cooking surface of this unit, which is thermostatically controlled for accurate heating up to 570°F. The heavy-duty polished cooking surface retains heat, and the knob guard prevents accidental temperature adjustments. The back and sloped side splashes prevent messes, and the internally-mounted grease collection pan makes cleaning easier and gives this griddle a sleeker appearance.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Powerful heating element ensures fast heating and recovery times

Heavy-duty legs allow adjustments based on your preference

Griddle plate is fully welded to base for additional stability


All units ship with cord and plug installed


16½-inch cooking surface depth

2½-inch back and sloped side splashes minimize messes




PRODUCT **SPECIFICATIONS**





FRONT VIEW

SIDE VIEW



TOP VIEW

Model Information

Model	FTA8024
UPC	029419719006

Unit Dimensions

Overall Dimensions (IN)	23.75 x 20 x 11	

(W) Width (IN)	23.75
(D) Depth (IN)	20
(H) Height (IN)	11
(HLR) Adjustable Legs (IN)	2.375 - 3.375
(DCS) Cooking Surface Depth (IN)	16.5
(HBS) Backsplash Height (IN)	2.5
(HSS) Sidesplash Height (IN)	2.5
Overall Dimensions (CM)	60.3 x 50.8 x 27.9
(W) Width (CM)	60.3
(D) Depth (CM)	50.8
(H) Height (CM)	27.9
(HLR) Adjustable Legs (CM)	6 - 8.6
(DCS) Cooking Surface Depth (CM)	41.9
(HBS) Backsplash Height (CM)	6.4
(HSS) Sidesplash Height (CM)	6.4
Size	24

Electrical

Amps	13.6
Cord Length (IN)	36
Cord Length (CM)	91.4
Plug	NEMA 6-15P
Voltage	220
Watts	3000

Weight

Weight (LB)	71
Weight (KG)	32.21

Construction

Countertop or Drop-In	Countertop
Number of Controls	1

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
24-inch equipment stand	40740
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

PRODUCT **PARTS**

Name	Part #
THERMOSTAT TSI; TSA(ALL) (#43	XTSA0007
POWERCORD 220V (NEMA6-15P)	XAA0006
CABLE RESTRAINT COA7001/7002/8	XCOA1013
CONTROL PANEL FASCIA - BLACK	XAA0009
GRIDDLE ELECTRIC LEG	XFTA0010
PILOT LIGHT 220V (RED)	XAA0002
CONNECTOR BLOCK TSA(ALL) SAA(A	XTSA0005
ELEMENT COVER	XFTA0003
PROBE CLAMP	XFTA0009
VOLLRATH CONTROL KNOB TSA7009/	XTSA0015

Name	Part #
INSULATION PAD	XFTA0013
ELEMENT FTA8024 (#4) 220V 15	XFTA0005
ELEMENT CLAMP BAR	XFTA0007



DISCONTINUED

72-inch heavy-duty flat-top gas griddle with thermostatic controls

Vollrath's heavy-duty gas flat top gas griddles provide a simple and effective way to prepare high volumes of food in an economical, safe and hasslefree way. These griddles are ideally suited for use in steak houses, restaurants, coffee shops, clubs and pubs.

Thermostatic controls maintain user settings to ensure consistent surface temperature

Burners placed every 12" for 30,000 BTUper 12" of cooking surface

24" cooking surface depth

Extra-heavy 5" back splashes and tapered side splashes

Smaller-width grease trays are easier to clean and sized to fit in commercial dishwashers

Stainless steel burner construction and all-stainless exterior for corrosion resistance

Shipped set up for natural gas, includes kit for conversion to propane


Polished 1" (2.5 cm) thick, welded steel griddle plate for even heat distribution and retention, in addition to eliminating grease and dirt traps


Heavy-duty adjustable legs

Mechanical safety pilots are the best for standing up to intense commercial cooking and ensure the gas will automatically shut off if the pilot goes out; no electrical setup needed


All-metal knobs and knob guards to protectfrom damage - guaranteed for life

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTT2072
UPC	029419858835

Gas Specifications

Output (BTU)	180000
Number of Burners	6
Pilot Type	Standing

Unit Dimensions

Overall Dimensions (IN)	72 x 31 x 17.375
(W) Width (IN)	72
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25

(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	182.9 x 78.7 x 44.1
(W) Width (CM)	182.9
(W2) Secondary Width (CM)	3.8
(D) Depth (CM)	78.7
(D2) Secondary Depth (CM)	5.1
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	44.1
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	72

Construction

Additional Specifications	
Number of Controls	6
Countertop or Drop-In	Countertop

Number of Dr	in Travs
Trainber of Dr	ip ilays

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

PRODUCT **PARTS**

Name	Part #
CONTROL KNOB - THERMO GRIDDLE	XFTG9009
THERMOCOUPLE	21485-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
LEG GAS APPLIANCE	XFTG9012
MANIFOLD FTT2072	2146472-1
PILOT BURNER BRACKET	XFTG7018
PILOT SAFETY VALVE	21474-1
CONTROL KNOB - GAS FTG/CB	XFTG9010
U-BURNER 30 000 BTU	21471-1
THERMOSTAT - HD GRIDDLE	21473-1
GREASE DRAWER HD GRIDDLES	21465-1



DISCONTINUED

24-inch Cayenne® heavy-duty radiant / lava rock charbroiler

The Vollrath® Cayenne heavy-duty charbroiler is built for years of hard work. The stainless steel burner design and heavy-duty cast-iron radiants provide even heat distribution and retention, while durable gas valves last for years. Manual controls ensure accurate cooking temperatures, and their strong metal construction prevents breaking or cracking, protecting the interior gas valves. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider

grill surfaces for more delicate items like fish. Angled adaptor bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. Adjustable legs allow height flexibility based on your preference, while the fully welded stainless steel construction, back and side splashes, and narrow grease trays make cleaning easy and prevent grease and dirt buildup.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Strong metal knobs and knob guards won't break or crack, protecting interior gas valves, and are guaranteed for life

Narrow grease trays are easy to clean and fit in commercial dishwashers

Ships complete with kits for both radiant and lava rock setups


Shipped setup for natural gas — includes kit with regulator for field conversion to propane


Burners are placed only 6 inches apart to ensure powerful heating

3/4-inch NPT gas inlet


40,000-BTU per 12-inch cooking surface

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419846832

Gas Specifications

Output (BTU)	80000
Number of Burners	4
Pilot Type	Standing

Unit Dimensions

Overall Dimensions (IN)	24 x 31 x 17.062
(W) Width (IN)	24
(D) Depth (IN)	32.5
(D2) Secondary Depth (IN)	31
(D3) Additional Depth (IN)	3.25
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5

(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
Overall Dimensions (CM)	61 x 78.7 x 43.3
(W) Width (CM)	61
(D) Depth (CM)	64.8
(D2) Secondary Depth (CM)	78.7
(D3) Additional Depth (CM)	8.3
(H) Height (CM)	44.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
Size	24

Construction

Countertop or Drop-In	Countertop	
Control Type	Manual	
Additional Specifications		
Number of Drip Trays	1	

Case Lot Measurement

PRODUCT **PARTS**

Name	Part #
LEG GAS APPLIANCE	XFTG9012
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022

Name	Part #
STRAIGHT BURNER 20 000 BTU	21472-1
BURNER COVER LAVA ROCK	XCBL9005
LAVA ROCK 5LB	XCBL0005
TOP GRATE SUPPORT CBL9024	XCBL9010
KNOB GUARD	2351608-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
HD CHAR GRILL	21484-1
PILOT BURNER	21486-1
CONTROL KNOB - GAS FTG/CB	XFTG9010
GAS VALVE TYPE B 1.15MM HOLE	2146715-1
HD LAVA ROCK GRATE-SMALL	2146810-1
DRIP PAN HD CHAR CB2024	21467-1
HD CAST IRON RADIANT	21481-1
MANIFOLD CBL2024	2146224-1
REGULATOR 4IN WC	353374-1
JET NAT 2.40 #40	XFTG9007



DISCONTINUED

24-inch Cayenne® heavy-duty flattop gas griddle with manual controls

Vollrath's Cayenne® heavy-duty gas flat top gasgriddles provide a simple and effective way to prepare high volumes of food in an economical, safe and hasslefree way. These griddles are ideally suited for use in steak houses, restaurants, coffee shops, clubs and pubs.

Custom stainless steel, U-shaped 30,000 BTUburners

Burners placed every 12" (30.5 cm) for 30,000 BTUper 12 of cooking surface

All stainless steel exterior

Shipped set up for natural gas, includes kit for conversion to propane

Includes regulator and gas valve

Polished 1" (2.5 cm) thick steel griddle plate for evenheat distribution and retention

Welded griddle plate seams eliminate grease anddirt traps


Smaller-width grease trays are easier to clean and are sized to fit into commercial dishwashers


Heavy-duty adjustable legs

Heavy-duty 3mm thick back and side splashes contain splash and keep food on the unit

Clearance and Positioning. This appliance must be installed with a minimum clearance of 6" (15.2 cm) between the left, right andback sides, and any combustible surface. The supplied 4" (10.2 cm) legs must be installed and the unit placed on a noncombustible surface.


PRODUCT SPECIFICATIONS





D2 -

FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG2024
UPC	029419846887

Gas Specifications

Output (BTU)	60000
Number of Burners	2
Pilot Type	Standing

Unit Dimensions

Overall Dimensions (IN)	24 x 31 x 17.375
(W) Width (IN)	24
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25

(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	61 x 78.7 x 44.1
(W) Width (CM)	61
(W2) Secondary Width (CM)	3.8
(D) Depth (CM)	78.7
(D2) Secondary Depth (CM)	5.1
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	44.1
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	24

Construction

Countertop or Drop-In	Countertop
Control Type	Manual

Additional Specifications

Case Lot Measurement

PRODUCT ACCESSORIES

N	Name	Item #
G	Griddle stone	47710
7.	7.75- x 3.5-inch aluminum handle for griddle stone	47711
2	24-inch heavy-duty mobile equipment stand	4087924

PRODUCT **PARTS**

Name	Part #
LEG GAS APPLIANCE	XFTG9012
KNOB GUARD	2351608-1
PILOT W/158MM TUBING FTG	XFTG9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
GREASE DRAWER HD GRIDDLES	21465-1
U-BURNER 30 000 BTU	21471-1
GAS VALVE TYPE B 1.15MM HOLE	2146715-1
REGULATOR 4IN WC	353374-1



DISCONTINUED

24-inch heavy-duty flattop gas griddle with thermostatic controls

The heavy-duty flattop gas griddle by Vollrath is built to impress. The body of this unit and the custom burners are made of durable stainless steel, and the polished steel griddle plate is 1 inch thick for even heat distribution and retention. The U-shape of the custom steel burners also helps distribute heat evenly while offering 30,000 BTU per burner. Thermostatic controls ensure accurate heating, and knob guards prevent accidental adjustments. The metal control knobs are easy to use and will never break or crack,

protecting the interior gas valves. Heavy-duty backsplash and sloped side splashes are 3 millimeters thick and prevent messes, and the welded seams make cleaning simple. Narrow grease trays fit easily into commercial dishwashers, and heavy-duty legs allow leveling adjustments to provide maximum stability. With reliable heat and powerful burners, this griddle is ideal for any steak house, pub, coffee shop or restaurant.

Large griddle surface provides plenty of room for burgers, chicken, fish and more

Durable stainless steel body is built for years of service

Thermostatic controls ensure accurate heating

Metal gas knobs protect interior gas valves and are guaranteed for life

Includes regulator and gas valve

Shipped setup for natural gas — includes kit for conversion to propane


Burners are placed every 12 inches for 30,000 BTU per 12-inch cooking surface


3/4-inch gas inlet

Clearance and Positioning: This appliance must be installed with a minimum clearance of 6 inches between the left, right and backsides, and any combustible surface. The supplied 4-inch legs must be installed and the unit placed on a noncombustible surface.


All-metal knobs and knob guards to protectfrom damage - guaranteed for life

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTT2024
UPC	029419858798

Gas Specifications

Output (BTU)	60000	

Number of Burners	
-------------------	--

Pilot Type	Standing	
------------	----------	--

2

Overall Dimensions (IN)	24 x 31 x 17.375
(W) Width (IN)	24
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(UD) Height of Rady (INI)	0.075
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	8.375 61 x 78.7 x 44.1
Overall Dimensions (CM)	61 x 78.7 x 44.1
Overall Dimensions (CM) (W) Width (CM)	61 x 78.7 x 44.1 61
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM)	61 x 78.7 x 44.1 61 3.8
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM) (D) Depth (CM)	61 x 78.7 x 44.1 61 3.8 78.7
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM) (D) Depth (CM) (D2) Secondary Depth (CM)	61 x 78.7 x 44.1 61 3.8 78.7 5.1
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM) (D) Depth (CM) (D2) Secondary Depth (CM) (D3) Additional Depth (CM)	61 x 78.7 x 44.1 61 3.8 78.7 5.1
Overall Dimensions (CM) (W) Width (CM) (W2) Secondary Width (CM) (D) Depth (CM) (D2) Secondary Depth (CM) (D3) Additional Depth (CM) (D4) Additional Depth (CM)	61 x 78.7 x 44.1 61 3.8 78.7 5.1 8.3

(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	24

C	ountertop or Drop-In	Countertop

Additional Specifications

Number of Drip Trays 1	
------------------------	--

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
36-inch heavy-duty mobile equipment stand	4087936

Name	Part #
THERMOSTAT - HD GRIDDLE	21473-1
THERMOCOUPLE	21485-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
MANIFOLD FTT2024	2146424-1
LEG GAS APPLIANCE	XFTG9012
PILOT BURNER BRACKET	XFTG7018
CONTROL KNOB - THERMO GRIDDLE	XFTG9009

Name	Part #
PILOT SAFETY VALVE	21474-1
KNOB GUARD	2351608-1
GREASE DRAWER HD GRIDDLES	21465-1
U-BURNER 30 000 BTU	21471-1
REGULATOR 4IN WC	353374-1



36-inch Cayenne® heavy-duty radiant / lava rock charbroiler

The Vollrath® Cayenne heavy-duty charbroiler is built for years of hard work. The stainless steel burner design and heavy-duty cast-iron radiants provide even heat distribution and retention, while durable gas valves last for years. Manual controls ensure accurate cooking temperatures, and their strong metal construction prevents breaking or cracking, protecting the interior gas valves. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider

grill surfaces for more delicate items like fish. Angled adaptor bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. Adjustable legs allow height flexibility based on your preference, while the fully welded stainless steel construction, back and side splashes, and narrow grease trays make cleaning easy and prevent grease and dirt buildup.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Strong metal knobs and knob guards won't break or crack, protecting interior gas valves, and are guaranteed for life

Narrow grease trays are easy to clean and fit in commercial dishwashers

Ships complete with kits for both radiant and lava rock setups

Shipped setup for natural gas — includes kit with regulator for field conversion to propane


Burners are placed only 6 inches apart to ensure powerful heating


3/4-inch NPT gas inlet

40,000-BTU per 12-inch cooking surface




PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419846849

Gas Specifications

Output (BTU)	120000
Number of Burners	6

Pilot Type	Standing	

Unit Dimensions

Overall Dimensions (IN)	36 x 31 x 17.062
(W) Width (IN)	36
(D) Depth (IN)	32.5
(D2) Secondary Depth (IN)	31
(D3) Additional Depth (IN)	3.25
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
Overall Dimensions (CM)	91.4 x 78.7 x 43.3
(W) Width (CM)	91.4
(D) Depth (CM)	64.8
(D2) Secondary Depth (CM)	78.7
(D3) Additional Depth (CM)	8.3
(H) Height (CM)	44.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
Size	36

Construction

Countertop or Drop-In	Countertop
Control Type	Manual

Additional Specifications

Number	Ωf	Drin	Trav	/5
Nullibel	OI.	טווט	11a	10

2

Case Lot Measurement

Name	Part #
LEG GAS APPLIANCE	XFTG9012
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022
STRAIGHT BURNER 20 000 BTU	21472-1
BURNER COVER LAVA ROCK	XCBL9005
LAVA ROCK 5LB	XCBL0005
KNOB GUARD	2351608-1
MANIFOLD CBL2036	2146236-1
JET NAT 2.40 #40	XFTG9007
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
HD CHAR GRILL	21484-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
PILOT BURNER	21486-1
DRIP PAN HD CHAR CB2036	21468-1
HD LAVA ROCK GRATE-LARGE	2146820-1
HD CAST IRON RADIANT	21481-1
GAS VALVE TYPE B 1.15MM HOLE	2146715-1
GRATE REAR BRACKET-36"-HD	XCBL2036BR
FASCIA DECAL	XCBL9006

Name	Part #
REGULATOR 4IN WC	353374-1
CONTROL KNOB - GAS FTG/CB	XFTG9010
HD LAVA ROCK GRATE-SMALL	2146810-1



36-inch Cayenne® heavy-duty flattop gas griddle with manual controls

The Cayenne heavy-duty flattop gas griddle by Vollrath is sure to impress. The body of this unit and the custom burners are made of durable stainless steel, and the polished steel griddle plate is 1 inch thick for even heat distribution and retention. The U-shape of the custom steel burners also helps distribute heat evenly while offering 30,000 BTU per burner.

The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves, while knob guards prevent accidental temperature adjustments. Heavy-duty backsplash and sloped side splashes are 3 millimeters thick and prevent messes, and the welded seams make cleaning simple. Narrow grease trays fit easily into commercial dishwashers, and heavy-duty legs allow leveling adjustments to provide maximum stability. With reliable heat and powerful burners, this griddle is ideal for any steak house, pub, coffee shop or restaurant.

Large griddle surface provides plenty of room for burgers, chicken, fish and more

Durable stainless steel body is built for years of service

Metal gas knobs protect interior gas valves and are guaranteed for life

Includes regulator and gas valve

Shipped setup for natural gas — includes kit for conversion to propane


Burners are placed every 12 inches for 30,000 BTU per 12-inch cooking surface


3/4-inch gas inlet

Clearance and Positioning: This appliance must be installed with a minimum clearance of 6 inches between the left, right and backsides, and any combustible surface. The supplied 4-inch legs must be installed and the unit placed on a noncombustible surface.


Clearance and Positioning. This appliance must be installed with a minimum clearance of 6" (15.2 cm) between the left, right andback sides, and any combustible surface. The supplied 4" (10.2 cm) legs must be installed and the unit placed on a noncombustible surface.

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG2036
UPC	029419846894

Gas Specifications

Output (BTU)	90000
Output (B10)	90000

Number of Burners	
Light of Patricia	

Pilot Type	Standing	
------------	----------	--

3

Overall Dimensions (IN)	36 x 31 x 17.375
(W) Width (IN)	36
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	91.4 x 78.7 x 44.1
(W) Width (CM)	91.4
(W2) Secondary Width (CM)	3.8
(D) Depth (CM)	78.7
(D2) Secondary Depth (CM)	5.1
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(D4) Additional Depth (CM) (H) Height (CM)	8.6 44.1

(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	36

Countertop or Drop-In	Countertop	
Additional Specifications		

Number of Drip Trays	1	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
36-inch heavy-duty mobile equipment stand	4087936

Name	Part #
LEG GAS APPLIANCE	XFTG9012
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
PILOT W/158MM TUBING FTG	XFTG9004
GREASE DRAWER HD GRIDDLES	21465-1
U-BURNER 30 000 BTU	21471-1
GAS VALVE TYPE B 1.15MM HOLE	2146715-1

Name	Part #
REGULATOR 4IN WC	353374-1
KNOB GUARD	2351608-1
MANIFOLD FTG2036	2146336-1
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003



36-inch heavy-duty flattop gas griddle with thermostatic controls

The heavy-duty flattop gas griddle by Vollrath is built to impress. The body of this unit and the custom burners are made of durable stainless steel, and the polished steel griddle plate is 1 inch thick for even heat distribution and retention. The U-shape of the custom steel burners also helps distribute heat evenly while offering 30,000 BTU per burner. Thermostatic controls ensure accurate heating, and knob guards prevent accidental adjustments. The metal control knobs are easy to use and will never break or crack,

protecting the interior gas valves. Heavy-duty backsplash and sloped side splashes are 3 millimeters thick and prevent messes, and the welded seams make cleaning simple. Narrow grease trays fit easily into commercial dishwashers, and heavy-duty legs allow leveling adjustments to provide maximum stability. With reliable heat and powerful burners, this griddle is ideal for any steak house, pub, coffee shop or restaurant.

Large griddle surface provides plenty of room for burgers, chicken, fish and more

Durable stainless steel body is built for years of service

Thermostatic controls ensure accurate heating

Metal gas knobs protect interior gas valves and are guaranteed for life

Includes regulator and gas valve

Shipped setup for natural gas — includes kit for conversion to propane


Burners are placed every 12 inches for 30,000 BTU per 12-inch cooking surface


3/4-inch gas inlet

Clearance and Positioning: This appliance must be installed with a minimum clearance of 6 inches between the left, right and backsides, and any combustible surface. The supplied 4-inch legs must be installed and the unit placed on a noncombustible surface.

All-metal knobs and knob guards to protectfrom damage - guaranteed for life


PRODUCT **SPECIFICATIONS**





FRONT VIEW

SIDE VIEW



TOP VIEW

Model Information

Model	FTT2036
UPC	029419858804

Gas Specifications

Output (BTU)	90000	
Output (BTO)	90000	

Number of Burners	
Light of Patricia	

Pilot Type	Standing	
------------	----------	--

3

Overall Dimensions (IN)	36 x 31 x 17.375
(W) Width (IN)	36
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	91.4 x 78.7 x 44.1
(W) Width (CM)	91.4
(W2) Secondary Width (CM)	3.8
(D) Depth (CM)	78.7
(D2) Secondary Depth (CM)	5.1
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(D4) Additional Depth (CM) (H) Height (CM)	8.6 44.1

(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	36

Countertop or Drop-In	Countertop

Additional Specifications

Number of Drip Trays	1
----------------------	---

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
36-inch heavy-duty mobile equipment stand	4087936

Name	Part #
MANIFOLD FTT2036	2146436-1
CONTROL KNOB - THERMO GRIDDLE	XFTG9009
THERMOCOUPLE	21485-1
THERMOSTAT - HD GRIDDLE	21473-1
GREASE DRAWER HD GRIDDLES	21465-1
REGULATOR 4IN WC	353374-1
KNOB GUARD	2351608-1

Name	Part #
PILOT SAFETY VALVE	21474-1
LEG GAS APPLIANCE	XFTG9012
PILOT BURNER BRACKET	XFTG7018
3/4" NPT MANUAL BALL VALVE	XCGC0018
U-BURNER 30 000 BTU	21471-1



48-inch Cayenne® heavy-duty radiant / lava rock charbroiler

The Vollrath® Cayenne heavy-duty charbroiler is built for years of hard work. The stainless steel burner design and heavy-duty cast-iron radiants provide even heat distribution and retention, while durable gas valves last for years. Manual controls ensure accurate cooking temperatures, and their strong metal construction prevents breaking or cracking, protecting the interior gas valves. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider grill surfaces for more delicate items like fish. Angled adaptor bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing

flare-ups. Adjustable legs allow height flexibility based on your preference, while the fully welded stainless steel construction, back and side splashes, and narrow grease trays make cleaning easy and prevent grease and dirt buildup.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Strong metal knobs and knob guards won't break or crack, protecting interior gas valves, and are guaranteed for life

Narrow grease trays are easy to clean and fit in commercial dishwashers

Ships complete with kits for both radiant and lava rock setups


Shipped setup for natural gas — includes kit with regulator for field conversion to propane


Burners are placed only 6 inches apart to ensure powerful heating

3/4-inch NPT gas inlet


40,000-BTU per 12-inch cooking surface

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419846856

Gas Specifications

Output (BTU)	160000
Number of Burners	8
Pilot Type	Standing

Overall Dimensions (IN)	48 x 31 x 17.062
(W) Width (IN)	48
(D) Depth (IN)	32.5
(D2) Secondary Depth (IN)	31
(D3) Additional Depth (IN)	3.25
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5

(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
Overall Dimensions (CM)	121.9 x 78.7 x 43.3
(W) Width (CM)	121.9
(D) Depth (CM)	64.8
(D2) Secondary Depth (CM)	78.7
(D3) Additional Depth (CM)	8.3
(H) Height (CM)	44.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
Size	48

Countertop or Drop-In	Countertop	
Control Type	Manual	
Additional Specifications		
Number of Drip Trays	3	

Case Lot Measurement

Name	Part #
LEG GAS APPLIANCE	XFTG9012
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022

Name	Part #
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
HD CHAR GRILL	21484-1
MANIFOLD CBL2048	2146248-1
DRIP PAN HD CHAR CB2048	21469-1
STRAIGHT BURNER 20 000 BTU	21472-1
BURNER COVER LAVA ROCK	XCBL9005
HD CAST IRON RADIANT	21481-1
GRATE REAR BRACKET-48"-HD	XCBL2048BR
3/4" NPT MANUAL BALL VALVE	XCGC0018
KNOB GUARD	2351608-1
PILOT BURNER	21486-1
HD LAVA ROCK GRATE-LARGE	2146820-1
CONTROL KNOB - GAS FTG/CB	XFTG9010
REGULATOR 4IN WC	353374-1
LAVA ROCK 5LB	XCBL0005
JET NAT 2.40 #40	XFTG9007
GAS VALVE TYPE B 1.15MM HOLE	2146715-1
HD LAVA ROCK GRATE-SMALL	2146810-1



48-inch Cayenne® heavy-duty flattop gas griddle with manual controls

The Vollrath® Cayenne heavy-duty flat-top gas griddle is sure to impress. The body of this unit and the custom burners are made out of durable stainless steel, and the polished steel griddle plate is 1 inch thick for even heat distribution and retention. The U-shape of the custom steel burners also helps evenly distribute heat while providing 30,000 BTU per

burner. The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves, while knob guards prevent accidental temperature adjustments. Heavy-duty back and sloped side splashes are 3 millimeters thick and prevent messes, while the welded seams make cleaning simple. Narrow grease trays fit easily into commercial dishwashers, and heavy-duty legs allow leveling adjustments to provide maximum stability. With four powerful burners, this griddle is ideal for any steak house, pub, coffee shop or restaurant.

The large griddle surface provides plenty of room for burgers, chicken, fish and more

Durable stainless steel body is built for years of service

Metal gas knobs protect interior gas valves and are guaranteed for life

Includes regulator and gas valve


Shipped setup for natural gas, but includes kit for conversion to propane


Burners are placed every 12 inches for 30,000 BTU per 12-inch cooking surface

3/4-inch gas inlet


Clearance and Positioning: This appliance must be installed with a minimum clearance of 6 inches between the left, right and back sides, and any combustible surface. The supplied 4-inch legs must be installed and the unit placed on a noncombustible surface.

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG2048
UPC	029419846900

Gas Specifications

Output (BTU)	120000
Number of Burners	4
Pilot Type	Standing

Overall Dimensions (IN)	48 x 31 x 17.375
(W) Width (IN)	48
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25

(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	121.9 x 78.7 x 44.1
(W) Width (CM)	121.9
(W2) Secondary Width (CM)	3.8
(D) Depth (CM)	78.7
(D2) Secondary Depth (CM)	5.1
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	44.1
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	48

Countertop or Drop-In	Countertop	
-----------------------	------------	--

Additional Specifications

Number of Drip Trays	1		
----------------------	---	--	--

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
48-inch heavy-duty mobile equipment stand	4087948

Name	Part #
PILOT W/158MM TUBING FTG	XFTG9004
GREASE DRAWER HD GRIDDLES	21465-1
MANIFOLD FTG2048	2146348-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
U-BURNER 30 000 BTU	21471-1
LEG GAS APPLIANCE	XFTG9012
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
GAS VALVE TYPE B 1.15MM HOLE	2146715-1
REGULATOR 4IN WC	353374-1
KNOB GUARD	2351608-1



60-inch Cayenne® heavy-duty radiant / lava rock charbroiler

The Vollrath® Cayenne heavy-duty charbroiler is built for years of hard work. The stainless steel burner design and heavy-duty cast-iron radiants provide even heat distribution and retention, while durable gas valves last for years. Manual controls ensure accurate cooking temperatures, and their strong metal construction prevents breaking or cracking, protecting the interior gas valves. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider grill surfaces for more delicate items like fish. Angled adaptor bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. Adjustable legs allow height flexibility based on your preference, while the fully welded stainless steel construction, back and side splashes, and narrow grease trays make cleaning easy and prevent grease and dirt buildup.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Strong metal knobs and knob guards won't break or crack, protecting interior gas valves, and are guaranteed for life

Narrow grease trays are easy to clean and fit in commercial dishwashers

Ships complete with kits for both radiant and lava rock setups


Shipped setup for natural gas — includes kit with regulator for field conversion to propane


Burners are placed only 6-inches apart to ensure powerful heating

3/4-inch NPT gas inlet


40,000-BTU per 12-inch cooking surface

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419846863

Gas Specifications

Output (BTU)	200000
Number of Burners	10
Pilot Type	Standing

Overall Dimensions (IN)	60 x 31 x 17.062
(W) Width (IN)	60
(D) Depth (IN)	32.5
(D2) Secondary Depth (IN)	31
(D3) Additional Depth (IN)	3.25
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5

(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
Overall Dimensions (CM)	152.4 x 78.7 x 43.3
(W) Width (CM)	152.4
(D) Depth (CM)	64.8
(D2) Secondary Depth (CM)	78.7
(D3) Additional Depth (CM)	8.3
(H) Height (CM)	44.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
Size	60

Countertop or Drop-In	Countertop	
Control Type	Manual	
Additional Specifications		
Number of Drip Trays	3	

Case Lot Measurement

Name	Part #
GRATE REAR BRACKET-60"-HD	XCBL2060BR
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
HD CHAR GRILL	21484-1

Name	Part #
TOP GRATE SUPPORT CBL9024	XCBL9010
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022
STRAIGHT BURNER 20 000 BTU	21472-1
BURNER COVER LAVA ROCK	XCBL9005
LAVA ROCK 5LB	XCBL0005
MANIFOLD CBL2060	2146260-1
LEG GAS APPLIANCE	XFTG9012
DRIP PAN HD CHAR CB2060	21470-1
HD CAST IRON RADIANT	21481-1
TOP GRATE SUPPORT CBL9036	XCBL9009
JET NAT 2.40 #40	XFTG9007
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
PILOT BURNER	21486-1
HD LAVA ROCK GRATE-LARGE	2146820-1
GAS VALVE TYPE B 1.15MM HOLE	2146715-1



DISCONTINUED

60-inch heavy-duty flat-top gas griddle with thermostatic controls

The Vollrath® heavy-duty flat-top gas griddle is built to impress. The body of this unit and the custom burners are made out of durable stainless steel, and the polished steel griddle plate is 1 inch thick for even heat distribution and retention. The U-shape of the custom steel burners also helps evenly distribute heat while providing 30,000 BTU per burner. Thermostatic controls ensure accurate heating, and knob guards prevent accidental adjustments. The metal control knobs are easy to use and will never break or crack, protecting the interior gas valves. Heavy-duty back and sloped side splashes are 3 millimeters thick and prevent messes, while the welded seams make cleaning simple. Narrow grease trays fit easily into commercial dishwashers, and heavy-duty legs allow leveling adjustments to provide maximum stability. With six powerful burners, this griddle is ideal for any steak house, pub, coffee shop or restaurant.

The large griddle surface provides plenty of room for burgers, chicken, fish and more

Durable stainless steel body is built for years of service

Thermostatic controls ensure accurate heating

Metal gas knobs protect interior gas valves and are guaranteed for life

Includes regulator and gas valve


Shipped setup for natural gas, but includes kit for conversion to propane

Burners are placed every 12 inches for 30,000BTU per 12-inch cooking surface


3/4-inch gas inlet


Clearance and Positioning: This appliance must be installed with a minimum clearance of 6 inches between the left, right and back sides, and any combustible surface. The supplied 4-inch legs must be installed and the unit placed on a noncombustible surface.

PRODUCT SPECIFICATIONS









TOP VIEW

Model Information

Model	FTT2060
UPC	029419858828

Gas Specifications

Output (BTU)	150000
Number of Burners	5
Pilot Type	Standing

Overall Dimensions (IN)	60 x 31 x 17.375
(W) Width (IN)	60
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25

(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	152.4 × 78.7 × 44.1
(W) Width (CM)	152.4
(W2) Secondary Width (CM)	3.8
(D) Depth (CM)	78.7
(D2) Secondary Depth (CM)	5.1
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	44.1
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	60

Construction

Countertop or Drop-In	Countertop	
·	·	

Additional Specifications

|--|--|

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
CONTROL KNOB - THERMO GRIDDLE	XFTG9009
THERMOCOUPLE	21485-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
THERMOSTAT - HD GRIDDLE	21473-1
GREASE DRAWER HD GRIDDLES	21465-1
MANIFOLD FTT2060	2146460-1
PILOT SAFETY VALVE	21474-1
CONTROL KNOB - GAS FTG/CB	XFTG9010
U-BURNER 30 000 BTU	21471-1
LEG GAS APPLIANCE	XFTG9012
PILOT BURNER BRACKET	XFTG7018



DISCONTINUED

72-inch Cayenne® heavy-duty radiant / lava rock charbroiler

Vollrath's Cayenne® heavy-duty charbroilers are built solid. Versatile grill plates feature narrower grill surfaces on one side, with integral channels specially designed to dispense excess fat, reducing smoke and flames. The flip side features flatter, wider grill surfaces, ideal for fish and other more delicate items. Angled adaptor bars enable the grill plates to be angled away from heat for slower cooking. This directs grease away to minimize flareups.

Ships complete with kits for both radiant and lavarock Set

Burners placed every 6" (15.2 cm) for maximum coverage and control

2 x 20,000 BTU high output burners for 40,000 BTUper 12" of cooking surface

Shipped complete for radiant or lava rock use

Shipped set up for natural gas includes kit with regulator for field conversion to propane Stainless steel, fully-welded construction to eliminate grease and dirt traps

Superior stainless steel burner design allows for better heat distribution and faster recovery

Heavy-duty gas valves ensure long life

Heavy-duty adjustable legs


Heavy-duty cast iron radiants provide even heat distribution and retention


Heavy-duty 3mm thick back and side splashes contain splash and keep food on the unit

All metal knobs and knob guards protect gas valves from damage and won't break or crack and are guaranteed for life


3/4" NPT gas inlet

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419846870

Gas Specifications

Output (BTU)	240000
Number of Burners	12
Pilot Type	Standing

Overall Dimensions (IN)	72 x 31 x 7.437
(W) Width (IN)	72
(D) Depth (IN)	32.5
(D2) Secondary Depth (IN)	31
(D3) Additional Depth (IN)	3.25
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5

(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
Overall Dimensions (CM)	182.9 x 78.7 x 43.3
(W) Width (CM)	182.9
(D) Depth (CM)	64.8
(D2) Secondary Depth (CM)	78.7
(D3) Additional Depth (CM)	8.3
(H) Height (CM)	44.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
Size	72

Construction

Countertop or Drop-In	Countertop	
Control Type	Manual	
Additional Specifications		
Number of Drip Trays	4	

Case Lot Measurement

Name	Part #
MANIFOLD CBL2072	2146272-1
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022

Name	Part #
STRAIGHT BURNER 20 000 BTU	21472-1
BURNER COVER LAVA ROCK	XCBL9005
LAVA ROCK 5LB	XCBL0005
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
HD CHAR GRILL	21484-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
LEG GAS APPLIANCE	XFTG9012
TOP GRATE SUPPORT CBL9036	XCBL9009
GAS VALVE TYPE B 1.15MM HOLE	2146715-1
CONTROL KNOB - GAS FTG/CB	XFTG9010
DRIP PAN HD CHAR CB2072	21477-1
PILOT BURNER	21486-1
GRATE REAR BRACKET-72"-HD	XCBL2072BR
HD LAVA ROCK GRATE-SMALL	2146810-1
HD CAST IRON RADIANT	21481-1
JET NAT 2.40 #40	XFTG9007
HD LAVA ROCK GRATE-LARGE	2146820-1



DISCONTINUED

72-inch Cayenne® heavy-duty flattop gas griddle with manual controls

The Vollrath® Cayenne heavy-duty flat-top gas griddle is built to impress. The body of this unit and the custom burners are made out of durable stainless steel, and the polished steel griddle plate is 1 inch thick for even heat distribution and retention. The U-shape of the custom steel burners also helps evenly distribute heat while providing 30,000 BTU per burner. The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves, while knob guards prevent accidental temperature adjustments. Heavy-duty back and sloped side splashes are 3 millimeters thick and prevent messes, while the welded seams make cleaning simple. Narrow grease trays fit easily into commercial

dishwashers, and heavy-duty legs allow leveling adjustments to provide maximum stability. With six powerful burners, this griddle is ideal for any steak house, pub, coffee shop or restaurant.

The large griddle surface provides plenty of room for burgers, chicken, fish and more

Durable stainless steel body is built for years of service

Metal gas knobs protect interior gas valves and are guaranteed for life

Includes regulator and gas valve


Shipped setup for natural gas, but includes kit for conversion to propane


Burners are placed every 12 inches for 30,000 BTU per 12-inch cooking surface

3/4-inch gas inlet

Clearance and Positioning: This appliance must be installed with a minimum clearance of 6 inches between the left, right and back sides, and any combustible surface. The supplied 4-inch legs must be installed and the unit placed on a noncombustible surface.


PRODUCT SPECIFICATIONS





FRONT VIEW

SIDE VIEW



TOP VIEW

Model Information

Model	FTG2072
UPC	029419846924

Gas Specifications

Output (BTU)	180000
Number of Burners	6
Pilot Type	Standing

Overall Dimensions (IN)	72 x 31 x 17.375
(W) Width (IN)	72
(W2) Secondary Width (IN)	1.5
(D) Depth (IN)	31
(D2) Secondary Depth (IN)	2
(D3) Additional Depth (IN)	3.25

(D4) Additional Depth (IN)	3.375
(H) Height (IN)	17.37
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HB) Height of Body (IN)	8.375
Overall Dimensions (CM)	182.9 x 78.7 x 44.1
(W) Width (CM)	182.9
(W2) Secondary Width (CM)	3.8
(D) Depth (CM)	78.7
(D2) Secondary Depth (CM)	5.1
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	44.1
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HB) Height of Body (CM)	21.2
Size	72

Construction

Additional Specifications	
Number of Controls	6
Countertop or Drop-In	Countertop

Number of Dr	in Travs
Trainber of Dr	ip ilays

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
LEG GAS APPLIANCE	XFTG9012
PILOT W/158MM TUBING FTG	XFTG9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
GREASE DRAWER HD GRIDDLES	21465-1
U-BURNER 30 000 BTU	21471-1
GAS VALVE TYPE B 1.15MM HOLE	2146715-1



14-inch 120-volt Cayenne® flat-top griddle

The Vollrath® 14-inch Cayenne griddle is versatile, powerful and built to last. The superior heating element design ensures even heating over the entire cooking surface of this unit, which is thermostatically controlled for accurate heating up to 570°F. The heavy-duty polished cooking surface retains heat, and the knob guard prevents accidental temperature adjustments. The back and sloped side splashes prevent messes, and the internally-mounted grease collection pan makes cleaning easier and gives this griddle a sleeker appearance. This 14-inch electric griddle is the ideal size for buffets or catering applications.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Powerful heating element ensures fast heating and recovery times

Heavy-duty legs allow adjustments based on your preference


Griddle plate is fully welded to base for additional stability

All units ship with cord and plug installed


16½-inch cooking surface depth


2½-inch back and sloped side splashes minimize messes

PRODUCT **SPECIFICATIONS**









TOP VIEW

Model Information

Model	FTA7016
UPC	029419718986

Overall Dimensions (IN)	14.25 x 20 x 11
(W) Width (IN)	14.25
(D) Depth (IN)	20
(H) Height (IN)	11
(HLR) Adjustable Legs (IN)	2.375 - 3.375
(DCS) Cooking Surface Depth (IN)	16.5
(HBS) Backsplash Height (IN)	2.5
(HSS) Sidesplash Height (IN)	2.5
Overall Dimensions (CM)	36.2 x 50.8 x 27.9
(W) Width (CM)	36.2
(D) Depth (CM)	50.8

(H) Height (CM)	27.9
(HLR) Adjustable Legs (CM)	6 - 8.6
(DCS) Cooking Surface Depth (CM)	41.9
(HBS) Backsplash Height (CM)	6.4
(HSS) Sidesplash Height (CM)	6.4
Size	14

Electrical

Amps	15
Cord Length (IN)	36
Cord Length (CM)	91.4
Plug	NEMA 5-15P
Voltage	120
Watts	1800

Weight

Weight (LB)	49
Weight (KG)	22.23

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Countertop or Drop-In	Countertop
Number of Controls	1

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
THERMOSTAT TSI; TSA(ALL) (#43	XTSA0007
CABLE RESTRAINT COA7001/7002/8	XCOA1013
ELEMENT FTA7016 (# 4) 110V 18	XFTA0001
INSULATION PAD	XFTA0013
PILOT LIGHT 110V (YELLOW)	XAA0011
CONNECTOR BLOCK SAA8003 (#24)	XSAA1012
CONTROL PANEL FASCIA - BLACK	XAA0009
GRIDDLE ELECTRIC LEG	XFTA0010
ELEMENT COVER	XFTA0003
PROBE CLAMP	XFTA0009
VOLLRATH CONTROL KNOB TSA7009/	XTSA0015
ELEMENT CLAMP BAR	XFTA0007
POWERCORD 120V (NEMA5-15P)	XAA0005



36-inch 220-volt Cayenne® flat-top griddle

The Vollrath® 36-inch Cayenne griddle is versatile, powerful and built to last. The superior heating element design ensures even heating over the entire cooking surface of this unit, which is thermostatically controlled for accurate heating up to 570°F. This model features independent controls per 12-inch heating zone, creating multiple stations in one unit. The heavy-duty polished cooking surface retains heat, and the knob guards prevent accidental temperature adjustments. The back and sloped side splashes prevent messes, and the internally-mounted grease collection pan makes cleaning easier and gives this griddle a sleeker appearance.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Powerful heating element ensures fast heating and recovery times

Heavy-duty legs allow adjustments based on your preference


Griddle plate is fully welded to base for additional stability

All units ship with cord and plug installed


16½-inch cooking surface depth

2½-inch back and sloped side splashes minimize messes


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FTA8036
UPC	029419719020

Overall Dimensions (IN)	35.25 x 20 x 12.625
(W) Width (IN)	35.25
(D) Depth (IN)	20
(H) Height (IN)	12.62
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	16.5
(HBS) Backsplash Height (IN)	2.5
(HSS) Sidesplash Height (IN)	2.5
Overall Dimensions (CM)	89.6 x 50.8 x 32.1
(W) Width (CM)	89.6
(D) Depth (CM)	50.8

(H) Height (CM)	32.1
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	41.9
(HBS) Backsplash Height (CM)	6.4
(HSS) Sidesplash Height (CM)	6.4
Size	36

Electrical

Amps	38.2
Cord Length (IN)	36
Cord Length (CM)	91.4
Plug	NEMA 6-50P
Voltage	220
Watts	8400

Construction

Construction Material	Stainless Steel
Construction Material 2	Polished Steel
Construction Material 3	Electrical Components
Countertop or Drop-In	Countertop
Number of Controls	3

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
36-inch equipment stand	40741

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
CONTROL PANEL FASCIA - BLACK	XAA0009
GRIDDLE ELECTRIC LEG	XFTA0010
ELEMENT CLAMP BAR	XFTA0007
THERMOSTAT TSI; TSA(ALL) (#43	XTSA0007
PILOT LIGHT 220V (RED)	XAA0002
INSULATION PAD	XFTA0013
POWER CORD COA8005/FTA8036/CGA	XCOA5013
CABLE RESTRAINT COA8005	XCOA5012
ELEMENT COVER	XFTA0003
CONNECTOR BLOCK FTA8036/COA800	XFTA0002
ELEMENT FTA8036 (#4) 220V 280	XFTA0008
PROBE CLAMP	XFTA0009
VOLLRATH CONTROL KNOB TSA7009/	XTSA0015



DISCONTINUED

12-inch Cayenne® gas flat-top griddle

The Vollrath® 12-inch Cayenne gas griddle is versatile, powerful and built to last. The U-shaped burner ensures even heating over the entire cooking surface, and the thick, polished surface top plate evenly distributes heat. The manual control knob is easy to use and will never break or crack, protecting the interior gas valves. Back and sloped side splashes prevent messes, while the welded seams make cleaning simple. With 28,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Heavy-duty legs allow adjustments based on your preference

Shipped set up for natural gas, includes kit for conversion to propane


Includes regulator and gas valve

19-inch cooking surface depth


³/₄-inch-thick polished surface top plate ensures even heating

2³/₄-inch backsplash and 2¹/₄-inch sloped side splashes minimize messes


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FTG9012
UPC	029419719037

Gas Specifications

Output (BTU) 2	28000
----------------	-------

Overall Dimensions (IN)	12 x 27 x 16
(W) Width (IN)	12
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	11.6875
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75

(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	30.5 x 68.6 x 40.6
(W) Width (CM)	30.5
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	29.7
(DCS) Cooking Surface Depth (CM)	48.3
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	12

Construction

Countertop or Drop-In	Countertop
Number of Controls	1

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
DRIP TRAY FTG9012/FTG9016/FTG9	XFTG1202
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002

Name	Part #
PILOT W/158MM TUBING FTG	XFTG9004
LEG GAS APPLIANCE	XFTG9012
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
JET NAT 2.40 #40	XFTG9007
GAS MANIFOLD FTG9012 (#23) CBL	XFTG1201
REGULATOR 4IN WC	353374-1
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005



DISCONTINUED

18-inch Cayenne® gas flat-top griddle

The Vollrath® 18-inch Cayenne gas griddle is versatile, powerful and built to last. The U-shaped burner ensures even heating over the entire cooking surface, and the thick polished surface top plate evenly distributes heat. The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves. Back and sloped side splashes prevent messes, while the welded seams make cleaning simple. With 28,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Heavy-duty legs allow adjustments based on your preference

Shipped set up for natural gas, includes kit for conversion to propane


Includes regulator and gas valve

19-inch cooking surface depth


³/₄-inch-thick polished surface top plate ensures even heating

2³/₄-inch backsplash and 2¹/₄-inch sloped side splashes minimize messes


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FTG9016
UPC	029419719044

Gas Specifications

Output (BTU) 28000	
--------------------	--

Overall Dimensions (IN)	18 x 27 x 16
(W) Width (IN)	18
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	17.6875
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75

(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	45.7 x 68.6 x 40.6
(W) Width (CM)	45.7
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	45
(DCS) Cooking Surface Depth (CM)	48.3
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	18

Construction

Construction Material	Stainless Steel Aluminized
Countertop or Drop-In	Countertop
Number of Controls	1

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
DRIP TRAY FTG9012/FTG9016/FTG9	XFTG1202

Name	Part #
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
PILOT W/158MM TUBING FTG	XFTG9004
LEG GAS APPLIANCE	XFTG9012
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
JET NAT 2.40 #40	XFTG9007
GAS MANIFOLD FTG9016 (#23) CBL	XFTG1601
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005
REGULATOR 4IN WC	353374-1



DISCONTINUED

24-inch Cayenne® gas flat-top griddle

The Vollrath® 24-inch Cayenne gas griddle is versatile, powerful and built to last. The U-shaped burners ensure even heating over the entire cooking surface, and the thick polished surface top plate evenly distributes heat. The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves. Each knob controls a 12-inch

cooking zone. Back and sloped side splashes prevent messes, while the welded seams make cleaning simple. With 56,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Heavy-duty legs allow adjustments based on your preference

Shipped set up for natural gas, includes kit for conversion to propane


Includes regulator and gas valve

19-inch cooking surface depth


³/₄-inch-thick polished surface top plate ensures even heating

2¾-inch backsplash and 2¼-inch sloped side splashes minimize messes


PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model	FTG9024
UPC	029419719051

Gas Specifications

Output (BTU) 56000	
--------------------	--

Overall Dimensions (IN)	24 x 27 x 16
(W) Width (IN)	24
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	23.6875
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75

(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	61 x 68.6 x 40.6
(W) Width (CM)	61
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	60.2
(DCS) Cooking Surface Depth (CM)	48.3
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	24

Countertop or Drop-In	Countertop
Number of Controls	2

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
24-inch heavy-duty mobile equipment stand	4087924

	Name	Part #
Ι	DRIP TRAY FTG9012/FTG9016/FTG9	XFTG1202

Name	Part #
GAS MANIFOLD FTG9024 (#23) CBL	XFTG2401
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
LEG GAS APPLIANCE	XFTG9012
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
JET NAT 2.40 #40	XFTG9007
PILOT W/158MM TUBING FTG	XFTG9004
40720 FASCIA PANEL	XFTG7017
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005
REGULATOR 4IN WC	353374-1
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010



36-inch Cayenne® gas flat-top griddle

The Vollrath® 36-inch Cayenne gas griddle is versatile, powerful and built to last. The U-shaped burners ensure even heating over the entire cooking surface, and the thick polished surface top plate evenly distributes heat. The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves. Each knob controls a 12-inch

cooking zone. Back and sloped side splashes prevent messes, while the welded seams make cleaning simple. With 84,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Heavy-duty legs allow adjustments based on your preference

Shipped set up for natural gas, includes kit for conversion to propane


Includes regulator and gas valve

19-inch cooking surface depth


³/₄-inch-thick polished surface top plate ensures even heating

2¾-inch backsplash and 2¼-inch sloped side splashes minimize messes


PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model	FTG9036
UPC	029419719068

Gas Specifications

Output (BTU)	84000	
Output (BTU)	84000	

Overall Dimensions (IN)	36 x 27 x 16
(W) Width (IN)	36
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	35.6875
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75

(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	91.4 x 68.6 x 40.6
(W) Width (CM)	91.4
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	90.7
(DCS) Cooking Surface Depth (CM)	48.3
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	36

Countertop or Drop-In	Countertop
Number of Controls	3

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
36-inch heavy-duty mobile equipment stand	4087936

Name	Part #
LEG GAS APPLIANCE	XFTG9012

Name	Part #
DRIP TRAY FTG9012/FTG9016/FTG9	XFTG1202
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
PILOT W/158MM TUBING FTG	XFTG9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
JET NAT 2.40 #40	XFTG9007
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005
REGULATOR 4IN WC	353374-1



24-inch Cayenne® gas flattop griddle

The Cayenne gas griddle by Vollrath is versatile, powerful and built to last. The U-shaped burners offer even heating over the entire cooking surface, and the thick polished surface top plate evenly distributes heat. The thermostatic control knobs ensure accurate heating and will never break or crack, protecting the interior gas valves. Each knob controls a 12-inch

cooking zone. Backsplash and sloped side splashes prevent messes, and the welded seams make cleaning simple. With 56,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Ideal for a variety of foods including steaks, burgers, eggs, pancakes and bacon

Heavy-duty legs allow adjustments based on your preference

Shipped setup for natural gas — includes kit for conversion to propane

Includes regulator and gas valve

19-inch cooking surface depth

3/4-inch-thick polished surface top plate ensures even heating

2 ¾-inch backsplash and 2¼-inch sloped side splashes minimize messes

PRODUCT **SPECIFICATIONS**

Model Information

Model	FTA1024
UPC	029419719143

Gas Specifications

Output (BTU)	56000	

Overall Dimensions (IN)	24 x 27 x 16
(W) Width (IN)	24
(D) Depth (IN)	27
(H) Height (IN)	16
Overall Dimensions (CM)	61 x 68.6 x 40.6
(W) Width (CM)	61
(D) Depth (CM)	68.6

(H) Height (CM)	40.6	

Size	Medium

Countertop or Drop-In	Countertop
Number of Controls	2

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
24-inch heavy-duty mobile equipment stand	4087924

Name	Part #
LEG GAS APPLIANCE	XFTG9012
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022
ORIFICE PROPANE (#52)	XFTG9006
CONTROL KNOB(VOLLRATH) FTA102	XFTG9011
3/4" NPT MANUAL BALL VALVE	XCGC0018
DRIP TRAY FTG9012/FTG9016/FTG9	XFTG1202
ELBOW FITTING	XFTA0017
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005
THERMOSTAT PROBE BRACKET	XFTA0016

Name	Part #
DRIP TRAY RUNNERS (CBL/CBR ALL	XCBR9040
REGULATOR 4IN WC	353374-1
PILOT W/215MM TUBING FTG	XFTG9017



36-inch Cayenne® gas flat-top griddle

The Vollrath® 36-inch Cayenne gas griddle is versatile, powerful and built to last. The U-shaped burners ensure even heating over the entire cooking surface, and the thick polished surface top plate evenly distributes heat. The thermostatic control knobs ensure accurate heating and will never break or crack, protecting the interior gas valves. Each knob controls

a 12-inch cooking zone. Back and sloped side splashes prevent messes, while the welded seams make cleaning simple. With 84,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Heavy-duty legs allow adjustments based on your preference

Shipped set up for natural gas, includes kit for conversion to propane


Includes regulator and gas valve

19-inch cooking surface depth


³/₄-inch-thick polished surface top plate ensures even heating

2¾-inch backsplash and 2¼-inch sloped side splashes minimize messes


PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model	FTA1036
UPC	029419719167

Gas Specifications

Output (BTU)	84000
Catput (B1C)	04000

Overall Dimensions (IN)	36 x 27 x 16
(W) Width (IN)	36
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	35.687
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75

(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	91.4 x 68.6 x 40.6
(W) Width (CM)	91.4
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	90.7
(DCS) Cooking Surface Depth (CM)	48.3
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	36

Countertop or Drop-In	Countertop
Number of Controls	3

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
36-inch heavy-duty mobile equipment stand	4087936

Name	Part #
LEG GAS APPLIANCE	XFTG9012

Name	Part #
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022
ORIFICE PROPANE (#52)	XFTG9006
CONTROL KNOB(VOLLRATH) FTA102	XFTG9011
3/4" NPT MANUAL BALL VALVE	XCGC0018
DRIP TRAY FTG9012/FTG9016/FTG9	XFTG1202
ELBOW FITTING	XFTA0017
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005
THERMOSTAT PROBE BRACKET	XFTA0016
DRIP TRAY RUNNERS (CBL/CBR ALL	XCBR9040
REGULATOR 4IN WC	353374-1
PILOT W/215MM TUBING FTG	XFTG9017



12-inch Cayenne® medium-duty radiant / lava rock charbroiler

The Vollrath® Cayenne medium-duty charbroiler is built to last. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider grill surfaces for more delicate items like fish. Angled adapter bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. The strong metal knobs won't break or crack, protecting the interior gas valves. Fullywelded stainless and aluminized steel

construction prevents grease and dirt buildup, while back and side splashes minimize messes. A full-width stainless steel drip pan keeps cleaning simple, and heavy-duty legs allow leveling adjustments to provide maximum stability. Now with even more BTUs, this compact charbroiler is sure to impress.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Bullnose design prevents burns

Strong metal knobs and knob guards won't break or crack and are guaranteed for life

Includes kit for both radiant and lava rock setup


Shipped setup for natural gas — includes kit with regulator for field conversion to propane

19-inch cooking surface depth


2¾-inch backsplash and 2¼-inch side splashes prevent messes

28,000 BTU output


PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model	CBL90122
UPC	029419719235

Gas Specifications

Output (BTU)	28000
Number of Burners	1

Overall Dimensions (IN)	12 x 27 x 16
(W) Width (IN)	12
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75

(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	30.5 x 68.6 x 40.6
(W) Width (CM)	30.5
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	48.2
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	12

Construction Material	Stainless Steel
Construction Material 2	Aluminized Steel
Countertop or Drop-In	Countertop

Additional Specifications

Number of Drip Trays	1	
----------------------	---	--

Case Lot Measurement

Name	Part #
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
WAFFLE GRATE BOTTOM / LARGE	XCBL9003
DRIP TRAY CBL9012/CBR9012	XCBR9012
BURNER COVER RADIANT END GAS	XCBR9003

Name	Part #
LEG GAS APPLIANCE	XFTG9012
3/4" NPT MANUAL BALL VALVE	XCGC0018
GAS MANIFOLD FTG9012 (#23) CBL	XFTG1201
JET NAT 2.40 #40	XFTG9007
BURNER COVER RADIANT GAS NEW T	XCBR9002
LAVA ROCK 5LB	XCBL0005
BURNER COVER LAVA ROCK END CB	XCBL9002
GRATE ADJUSTMENT SUPPORT	XCBL9012
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005
REGULATOR 4IN WC	353374-1
CONTROL KNOB - GAS FTG/CB	XFTG9010

48-inch Cayenne® gas flat-top griddle

The Vollrath® 48-inch Cayenne gas griddle is versatile, powerful and built to last. The U-shaped burners ensure even heating over the entire cooking surface, and the thick polished surface top plate evenly distributes heat. The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves. Each knob controls a 12-inch cooking zone. Back and sloped side splashes prevent messes, while the welded seams make cleaning simple. With 112,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Heavy-duty legs allow adjustments based on your preference

Shipped set up for natural gas, includes kit for conversion to propane


Includes regulator and gas valve

19-inch cooking surface depth


³/₄-inch-thick polished surface top plate ensures even heating

2³/₄-inch backsplash and 2¹/₄-inch sloped side splashes minimize messes


PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FTG9048
UPC	029419719112

Gas Specifications

Output (BTU)	112000
• • • •	

Unit Dimensions

Overall Dimensions (IN)	48 x 27 x 16
(W) Width (IN)	48
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	47.6875
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	121.9 x 68.6 x 40.6
(W) Width (CM)	121.9
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	121.2
(DCS) Cooking Surface Depth (CM)	48.3
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	48

Construction

Countertop or Drop-In	Countertop
Number of Controls	4

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
48-inch heavy-duty mobile equipment stand	4087948

Name	Part #
LEG GAS APPLIANCE	XFTG9012
DRIP TRAY FTG9012/FTG9016/FTG9	XFTG1202
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
PILOT W/158MM TUBING FTG	XFTG9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
JET NAT 2.40 #40	XFTG9007
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005
REGULATOR 4IN WC	353374-1



60-inch Cayenne® gas flat-top griddle

The Vollrath® 60-inch Cayenne gas griddle is versatile, powerful and built to last. The U-shaped burners ensure even heating over the entire cooking surface, and the thick polished surface top plate evenly distributes heat. The manual control knobs are easy to use and will never break or crack, protecting the interior gas valves. Each knob controls a 12-inch cooking zone. Back and sloped side splashes prevent messes, while the welded seams make cleaning simple. With 140,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Ideal for a variety of foods, including steaks, burgers, eggs, pancakes and bacon

Heavy-duty legs allow adjustments based on your preference


Shipped set up for natural gas, includes kit for conversion to propane

Includes regulator and gas valve
19-inch cooking surface depth


³/₄-inch-thick polished surface top plate ensures even heating

2³/₄-inch backsplash and 2¹/₄-inch sloped side splashes minimize messes


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model	FTG9060
UPC	029419719129
Gas Specifications	
Output (BTU)	140000
Unit Dimensions	
Overall Dimensions (IN)	60 x 27 x 16
(W) Width (IN)	60
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	59.6875
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	152.4 × 68.6 × 40.6
(W) Width (CM)	152.4
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	151.6
(DCS) Cooking Surface Depth (CM)	48.3
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7

Size	60
SIZE	hU.

Countertop or Drop-In	Countertop
Number of Controls	5

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
LEG GAS APPLIANCE	XFTG9012
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
PILOT W/158MM TUBING FTG	XFTG9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
JET NAT 2.40 #40	XFTG9007
DRIP TRAY FOR 40840/FTG9060	XFTG9016
BURNER FTG (#27) CBL/CBR (#31)	XFTG9005
REGULATOR 4IN WC	353374-1



18-inch Cayenne® medium-duty radiant / lava rock charbroiler

The Vollrath® Cayenne medium-duty charbroiler is built to last. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider grill surfaces for more delicate items like fish. Angled adapter bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. The strong metal knobs won't break or crack, protecting the interior gas valves. Fullywelded stainless and aluminized steel

construction prevents grease and dirt buildup, while back and side splashes minimize messes. A full-width stainless steel drip pan keeps cleaning simple, and heavy-duty legs allow leveling adjustments to provide maximum stability. Now with even more BTUs, this three-burner charbroiler is sure to impress.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Bullnose design prevents burns

Strong metal knobs and knob guards won't break or crack and are guaranteed for life

Includes kit for both radiant and lava rock setup

Shipped setup for natural gas — includes kit with regulator for field conversion to propane


Burners are placed only 6-inches apart to ensure powerful heating

19-inch cooking surface depth


2³/₄-inch backsplash and 2¹/₄-inch side splashes prevent messes

60,000 BTU output


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model	CBL90162
UPC	029419968954

Gas Specifications

Output (BTU)	60000
Number of Burners	3

Overall Dimensions (IN)	18 x 27 x 16
(W) Width (IN)	18
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75

(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	45.7 × 68.6 × 40.6
(W) Width (CM)	45.7
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	48.2
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	18

Construction Material	Stainless Steel	
Countertop or Drop-In	Countertop	
Additional Specifications		
Number of Drip Travs	1	

Case Lot Measurement

Name	Part #
GAS BURNER STRAIGHT MED. DUTY	XFTG9015
LEG GAS APPLIANCE	XFTG9012
WAFFLE GRATE SMALL CBL9016/902	XCBL9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022

Name	Part #
WAFFLE GRATE BOTTOM / LARGE	XCBL9003
LAVA ROCK 5LB	XCBL0005
JET NAT 2.40 #40	XFTG9007
BURNER COVER RADIANT GAS NEW T	XCBR9002
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
DRIP TRAY CBL9016/CBR9016	XCBR9016
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
REGULATOR 4IN WC	353374-1
GRATE ADJUSTMENT SUPPORT	XCBL9012
DRIP TRAY RUNNERS (CBL/CBR ALL	XCBR9040



DISCONTINUED

24-inch Cayenne® medium-duty radiant / lava rock charbroiler

The Vollrath® Cayenne medium-duty charbroiler is built to last. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider grill surfaces for more delicate items like fish. Angled adapter bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. The strong metal knobs won't break or crack, protecting the interior gas valves. Fullywelded stainless and aluminized steel

construction prevents grease and dirt buildup, while back and side splashes minimize messes. Two half-width stainless steel drip pans keep cleaning simple, and heavy-duty legs allow leveling adjustments to provide maximum stability. Now with even more BTUs, this eight-burner charbroiler is sure to impress.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Bullnose design prevents burns

Strong metal knobs and knob guards won't break or crack and are guaranteed for life

Includes kit for both radiant and lava rock setup

Shipped setup for natural gas — includes kit with regulator for field conversion to propane

Burners are placed only 6 inches apart to ensure powerful heating


19-inch cooking surface depth

2³/₄-inch backsplash and 2¹/₄-inch side splashes prevent messes


40,000 BTU per 12-inch cooking surface




PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	CBL90242
UPC	029419968961

Gas Specifications

Output (BTU)	80000	
• • • • • • • • • • • • • • • • • • • •		

Unit Dimensions

Overall Dimensions (IN)	24 x 27 x 16
(W) Width (IN)	24
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	61 x 68.6 x 40.6
(W) Width (CM)	61
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	48.2
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	24

Construction

Construction Material	Stainless Steel
Construction Material 2	Aluminized Steel
Countertop or Drop-In	Countertop

Additional Specifications

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
24-inch heavy-duty mobile equipment stand	4087924

Name	Part #
GAS BURNER STRAIGHT MED. DUTY	XFTG9015
LEG GAS APPLIANCE	XFTG9012
WAFFLE GRATE SMALL CBL9016/902	XCBL9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022
LAVA ROCK 5LB	XCBL0005
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
BURNER COVER LAVA ROCK CBL901	XCBL9001
DRIP TRAY CBL9024/CBR9024	XCBR9024
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
JET NAT 2.40 #40	XFTG9007
BURNER COVER RADIANT GAS NEW T	XCBR9002
REGULATOR 4IN WC	353374-1
TOP GRATE SUPPORT CBL9024	XCBL9010
DRIP TRAY RUNNERS (CBL/CBR ALL	XCBR9040



DISCONTINUED

36-inch Cayenne® medium-duty radiant / lava rock charbroiler

The Vollrath® Cayenne medium-duty charbroiler is built to last. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider grill surfaces for more delicate items like fish. Angled adapter bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. The strong metal knobs won't break or crack, protecting the interior gas valves. Fullywelded stainless and aluminized steel

construction prevents grease and dirt buildup, while back and side splashes minimize messes. A full-width stainless steel drip pan keeps cleaning simple, and heavy-duty legs allow leveling adjustments to provide maximum stability. Now with even more BTUs, this six-burner charbroiler is sure to impress.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Bullnose design prevents burns

Strong metal knobs and knob guards won't break or crack and are guaranteed for life

Includes kit for both radiant and lava rock setup

Shipped setup for natural gas — includes kit with regulator for field conversion to propane


Burners are placed only 6 inches apart to ensure powerful heating

19-inch cooking surface depth


2³/₄-inch backsplash and 2¹/₄-inch side splashes prevent messes

40,000 BTU per 12-inch cooking surface


PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	CBL90362
UPC	029419968978

Gas Specifications

Output (BTU)	120000
Number of Burners	6

Unit Dimensions

Overall Dimensions (IN)	36 x 27 x 16
(W) Width (IN)	36
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75

(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	91.4 × 68.6 × 40.6
(W) Width (CM)	91.4
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	48.2
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	36

Construction

Countertop or Drop-In	Countertop
Additional Specifications	
Number of Drip Trays	1

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
36-inch heavy-duty mobile equipment stand	4087936

Name	Part #
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001

Name	Part #
BURNER COVER LAVA ROCK CBL901	XCBL9001
GAS BURNER STRAIGHT MED. DUTY	XFTG9015
LEG GAS APPLIANCE	XFTG9012
WAFFLE GRATE SMALL CBL9016/902	XCBL9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022
LAVA ROCK 5LB	XCBL0005
DRIP TRAY CBL9036/CBR9036	XCBR9036
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
TOP GRATE SUPPORT CBL9036	XCBL9009
JET NAT 2.40 #40	XFTG9007
BURNER COVER RADIANT GAS NEW T	XCBR9002
REGULATOR 4IN WC	353374-1
DRIP TRAY RUNNERS (CBL/CBR ALL	XCBR9040

48-inch Cayenne® medium-duty radiant / lava rock charbroiler

The Vollrath® Cayenne medium-duty charbroiler is built to last. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider grill surfaces for more delicate items like fish. Angled adapter bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. The strong metal knobs won't break or crack, protecting the interior gas valves. Fullywelded stainless and aluminized steel construction prevents grease and dirt buildup, while back and side splashes minimize messes. A full-width stainless steel drip pan keeps cleaning simple, and heavy-duty legs allow leveling adjustments to provide maximum stability. Now with even more BTUs, this four-burner charbroiler is sure to impress.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Bullnose design prevents burns

Strong metal knobs and knob guards won't break or crack and are guaranteed for life

Includes kit for both radiant and lava rock setup

Shipped setup for natural gas — includes kit with regulator for field conversion to propane


Burners are placed only 6 inches apart to ensure powerful heating

19-inch cooking surface depth


2³/₄-inch backsplash and 2¹/₄-inch side splashes prevent messes

40,000 BTU per 12-inch cooking surface


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	CBL90482
UPC	029419968985

Gas Specifications

Output (BTU)	160000	

Unit Dimensions

Overall Dimensions (IN)	48 x 27 x 16
(W) Width (IN)	48
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	121.9 x 68.6 x 40.6
(W) Width (CM)	121.9
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	48.2
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	48

Construction

Countertop or Drop-In	Countertop
-----------------------	------------

Additional Specifications

Number of Drip Trays

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
48-inch heavy-duty mobile equipment stand	4087948

Name	Part #
GAS BURNER STRAIGHT MED. DUTY	XFTG9015
LEG GAS APPLIANCE	XFTG9012
WAFFLE GRATE SMALL CBL9016/902	XCBL9004
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022
WAFFLE GRATE BOTTOM / LARGE	XCBL9003
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
BURNER COVER LAVA ROCK CBL901	XCBL9001
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
DRIP TRAY	XCBR9048
GRATE REAR BRACKET-48"-MD	XCBL1048BR
REGULATOR 4IN WC	353374-1
JET NAT 2.40 #40	XFTG9007
BURNER COVER RADIANT GAS NEW T	XCBR9002
LAVA ROCK 5LB	XCBL0005
DRIP TRAY RUNNERS (CBL/CBR ALL	XCBR9040

60-inch Cayenne® medium-duty radiant / lava rock charbroiler

The Cayenne medium-duty charbroiler by Vollrath is built to last. One side of the versatile grill plate features narrow surfaces with integral channels designed to dispense excess fat, while the other side has flatter and wider grill surfaces for more delicate items like fish. Angled adapter bars enable the grill plates to be angled away from heat sources for slower cooking, directing grease away and minimizing flare-ups. The strong metal knobs won't break or crack, protecting the interior gas valves. Fully welded stainless and aluminized steel construction prevents grease and dirt buildup, while back and side splashes minimize messes. Two half-width stainless steel drip pans keep cleaning simple, and heavy-duty legs allow leveling adjustments to provide maximum stability. Now with even more BTUs, this eight-burner charbroiler is sure to impress.

Versatile two-sided grill plate is ideal for a variety of meats as well as delicate items like fish

Bullnose design prevents burns

Strong metal knobs and knob guards won't break or crack and are guaranteed for life

Includes kit for both radiant and lava rock setup

Shipped setup for natural gas — includes kit with regulator for field conversion to propane

Burners are placed only 6 inches apart to ensure powerful heating

19-inch-deep cooking surface

2 3/4-inch backsplash and 2 1/4-inch side splashes prevent messes


40,000 BTU per 12-inch cooking surface

*12" unit has one burner


Now with more BTUs

Includes kit for both radiant and lava rock setup


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	CBL90602
UPC	029419969005

Gas Specifications

Output (BTU)	200000	

Unit Dimensions

Overall Dimensions (IN)	60 x 27 x 16
(W) Width (IN)	60
(D) Depth (IN)	27
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(DCS) Cooking Surface Depth (IN)	19
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.25
Overall Dimensions (CM)	152.4 x 68.6 x 40.6
(W) Width (CM)	152.4
(D) Depth (CM)	68.6
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(DCS) Cooking Surface Depth (CM)	48.2
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	5.7
Size	60

Construction

Additional Specifications

Number of Drip Trays	2	
----------------------	---	--

Case Lot Measurement

Name	Part #
PILOT VALVE FTG/CBL/CBR (#22)	XFTG9003
PILOT BURNER BRACKET	XCBL9022
WAFFLE GRATE BOTTOM / LARGE	XCBL9003
CONTROL SAFETY VALVE FTG/CBL/	XFTG9002
TOP GRATE CBL/CBR GAS NEW TYPE	XCBR9001
BURNER COVER LAVA ROCK CBL901	XCBL9001
GAS BURNER STRAIGHT MED. DUTY	XFTG9015
LEG GAS APPLIANCE	XFTG9012
JET NAT 2.40 #40	XFTG9007
LAVA ROCK 5LB	XCBL0005
GRATE ADJUSTMENT SUPPORT	XCBL9012
DRIP TRAY RUNNERS (CBL/CBR ALL	XCBR9040
3/4" NPT MANUAL BALL VALVE	XCGC0018
CONTROL KNOB - GAS FTG/CB	XFTG9010
BURNER COVER RADIANT GAS NEW T	XCBR9002
GRATE REAR BRACKET-60"-MD	XCBL1060BR
REGULATOR 4IN WC	353374-1



18-inch heavy duty gas radiant charbroiler

Our heavy-duty gas charbroiler performs like a powerhouse, thanks to high-output burners and a durable, welded stainless steel design. You'll appreciate the versatility too, thanks to reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.

18-inch charbroiler's 3 burners provide 60,000 BTUs

Heavy-duty cast-iron radiants heat quickly and evenly

Thick stainless steel splashes and grates are easy to clean


Valve-protecting metal knobs are guaranteed for life


Heavy-duty legs make leveling safe and simple

Ships natural-gas-ready; includes propane conversion kit


Radiant kit included; lava rock kit available separately

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432509
	0_0 1.0 .0_000

Gas Specifications

Output (BTU)	60000
Number of Burners	3
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	18
(D) Depth (IN)	32.375
(D2) Secondary Depth (IN)	31.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.25
(H) Height (IN)	16.375
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	17.687
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HSS) Sidesplash Height (IN)	5
(DB) Depth of Body (IN)	24
(HB) Height of Body (IN)	7.375
(W) Width (CM)	61
(D) Depth (CM)	82.23
(D2) Secondary Depth (CM)	80
(D3) Additional Depth (CM)	8.3

(D4) Additional Depth (CM)	8.3
(H) Height (CM)	41.59
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	44.92
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HSS) Sidesplash Height (CM)	12.7
(DB) Depth of Body (CM)	61
(HB) Height of Body (CM)	18.7
Size	18

Construction

|--|

Additional Specifications

Number of Drip Trays	1	

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 18-inch heavy duty gas radiant charbroiler	352574-1

Name	Part #
HDCB COOKING GRATE	353444-1
1.85MM BRASS ORIFICE	352503-1

Name	Part #
CONTROL KNOB LG INSERT	353373-1
HDCB BURNER RADIANT	353445-1
MANUAL CONTROL VALVE	353367-1
REGULATOR 5IN WC	352509-1
1.35MM BRASS ORIFICE	352504-1
HDCB VALVE CONNECTION	352502-1
BURNER/PILOT ASSY - 18IN HDCB	352507-1
FASCIA - 18IN HD CHARBROIL	353420-1
GRATE SUPPORT - 18IN HDCB	353423-1
MANIFOLD - 18IN HDCB	353460-1
BURNER SUPPORT - 18IN HDCB	353470-1
LEG, GAS APPLIANCE	353376-1
DRIP TRAY - 18IN HDCB	353421-1
DRIP TRAY SUPPORTS - 18IN HDCB	352518-1



24-inch heavy duty gas radiant charbroiler

Our heavy-duty gas charbroiler performs like a powerhouse, thanks to high-output burners and a durable, welded stainless steel design. You'll appreciate the versatility too, thanks to reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.

24-inch charbroiler's 4 burners provide 80,000 BTUs

Heavy-duty cast-iron radiants heat quickly and evenly

Thick stainless steel splashes and grates are easy to clean


Valve-protecting metal knobs are guaranteed for life


Heavy-duty legs make leveling safe and simple

Ships natural-gas-ready; includes propane conversion kit


Radiant kit included; lava rock kit available separately

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Gas Specifications

Output (BTU)	80000
Number of Burners	4
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	24
(D) Depth (IN)	32.375
(D2) Secondary Depth (IN)	31.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.25
(H) Height (IN)	16.375
(HLR) Adjustable Legs (IN)	4 - 5.5

(WCS) Cooking Surface Width (IN)	23.687
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HSS) Sidesplash Height (IN)	5
(DB) Depth of Body (IN)	24
(HB) Height of Body (IN)	7.375
(W) Width (CM)	61
(D) Depth (CM)	82.23
(D2) Secondary Depth (CM)	80
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.3
(H) Height (CM)	41.59
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	60.2
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HSS) Sidesplash Height (CM)	12.7
(DB) Depth of Body (CM)	61
(HB) Height of Body (CM)	18.7
Size	24

Construction

Number of Controls 4

Additional Specifications

Number of Drip Trays	1	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 24-inch heavy duty gas radiant charbroiler	352575-1

Name	Part #
HDCB COOKING GRATE	353444-1
1.85MM BRASS ORIFICE	352503-1
BURNER/PILOT ASSY - HDCB	353439-1
RIGHT BURNER/PILOT ASSY - HDCB	352519-1
CONTROL KNOB LG INSERT	353373-1
HDCB BURNER RADIANT	353445-1
MANUAL CONTROL VALVE	353367-1
REGULATOR 5IN WC	352509-1
GRATE SUPPORT - 24IN HDCB	353443-1
BURNER SUPPORT - 24IN HDCB	353438-1
DRIP TRAY - 24IN HDCB	352508-1
FASCIA - 24IN HD CHARBROIL	353437-1
MANIFOLD - 24IN HDCB	353442-1
DRIP TRAY SUPPORT, HDCB	353484-1
1.35MM BRASS ORIFICE	352504-1
HDCB VALVE CONNECTION	352502-1
LEG, GAS APPLIANCE	353376-1



36-inch heavy duty gas radiant charbroiler

Our heavy-duty gas charbroiler performs like a powerhouse, thanks to high-output burners and a durable, welded stainless steel design. You'll appreciate the versatility too, thanks to reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.

36-inch charbroiler's 6 burners provide 120,000 BTUs

Heavy-duty cast-iron radiants heat quickly and evenly

Thick stainless steel splashes and grates are easy to clean


Valve-protecting metal knobs are guaranteed for life


Heavy-duty legs make leveling safe and simple

Ships natural-gas-ready; includes propane conversion kit


Radiant kit included; lava rock kit available separately

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432547	

Gas Specifications

Output (BTU)	120000
Number of Burners	6
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	36
(D) Depth (IN)	32.375
(D2) Secondary Depth (IN)	31.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.25
(H) Height (IN)	16.375
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	35.687
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HSS) Sidesplash Height (IN)	5
(DB) Depth of Body (IN)	24
(HB) Height of Body (IN)	7.375
(W) Width (CM)	91.4
(D) Depth (CM)	82.23
(D2) Secondary Depth (CM)	80
(D3) Additional Depth (CM)	8.3

(D4) Additional Depth (CM)	8.3
(H) Height (CM)	41.59
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	90.7
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HSS) Sidesplash Height (CM)	12.7
(DB) Depth of Body (CM)	61
(HB) Height of Body (CM)	18.7
Size	36

Construction

|--|

Additional Specifications

Number of Drip Trays	1	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 36-inch heavy duty gas radiant charbroiler	352576-1

Name	Part #
HDCB COOKING GRATE	353444-1
1.85MM BRASS ORIFICE	352503-1

Name	Part #
BURNER/PILOT ASSY - HDCB	353439-1
RIGHT BURNER/PILOT ASSY - HDCB	352519-1
CONTROL KNOB LG INSERT	353373-1
HDCB BURNER RADIANT	353445-1
MANUAL CONTROL VALVE	353367-1
REGULATOR 5IN WC	352509-1
DRIP TRAY - 36IN HDCB	352516-1
MANIFOLD - 36IN HDCB	353448-1
DRIP TRAY SUPPORT, HDCB	353484-1
FASCIA - 36IN HD CHARBROIL	353446-1
GRATE SUPPORT - 36IN HDCB	353449-1
BURNER SUPPORT - 36IN HDCB	353447-1
1.35MM BRASS ORIFICE	352504-1
HDCB VALVE CONNECTION	352502-1
LEG, GAS APPLIANCE	353376-1



48-inch heavy duty gas radiant charbroiler

Our heavy-duty gas charbroiler performs like a powerhouse, thanks to high-output burners and a durable, welded stainless steel design. You'll appreciate the versatility too, thanks to reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.

48-inch charbroiler's 8 burners provide 160,000 BTUs

Heavy-duty cast-iron radiants heat quickly and evenly

Thick stainless steel splashes and grates are easy to clean


Valve-protecting metal knobs are guaranteed for life


Heavy-duty legs make leveling safe and simple

Ships natural-gas-ready; includes propane conversion kit


Radiant kit included; lava rock kit available separately

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432554

Gas Specifications

Output (BTU)	160000
Number of Burners	8
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	48
(D) Depth (IN)	32.375
(D2) Secondary Depth (IN)	31.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.25
(H) Height (IN)	16.375
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	47.687
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HSS) Sidesplash Height (IN)	5
(DB) Depth of Body (IN)	24
(HB) Height of Body (IN)	7.375
(W) Width (CM)	121.9
(D) Depth (CM)	82.23
(D2) Secondary Depth (CM)	80
(D3) Additional Depth (CM)	8.3

(D4) Additional Depth (CM)	8.3
(H) Height (CM)	41.59
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	121.2
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HSS) Sidesplash Height (CM)	12.7
(DB) Depth of Body (CM)	61
(HB) Height of Body (CM)	18.7
Size	48

|--|--|

Additional Specifications

Number of Drip Trays	2	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 48-inch heavy duty gas radiant charbroiler	352577-1

Name	Part #
HDCB COOKING GRATE	353444-1
1.85MM BRASS ORIFICE	352503-1

Name	Part #
BURNER/PILOT ASSY - HDCB	353439-1
MANIFOLD - 48IN HDCB	353452-1
RIGHT BURNER/PILOT ASSY - HDCB	352519-1
CONTROL KNOB LG INSERT	353373-1
FASCIA - 48IN HD CHARBROIL	353450-1
HDCB BURNER RADIANT	353445-1
MANUAL CONTROL VALVE	353367-1
REGULATOR 5IN WC	352509-1
1.35MM BRASS ORIFICE	352504-1
DRIP TRAY - 48IN HDCB	352520-1
BURNER SUPPORT - 48IN HDCB	353451-1
HDCB VALVE CONNECTION	352502-1
LEG, GAS APPLIANCE	353376-1
GRATE SUPPORT - 48IN HDCB	353453-1



60-inch heavy duty gas radiant charbroiler

Our heavy-duty gas charbroiler performs like a powerhouse, thanks to high-output burners and a durable, welded stainless steel design. You'll appreciate the versatility too, thanks to reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.

60-inch charbroiler's 10 burners provide 200,000 BTUs

Heavy-duty cast-iron radiants heat quickly and evenly


Thick stainless steel splashes and grates are easy to clean


Heavy-duty legs make leveling safe and simple

Ships natural-gas-ready; includes propane conversion kit


Radiant kit included; lava rock kit available separately

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432561

Gas Specifications

Output (BTU)	200000
Number of Burners	10
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	60
(D) Depth (IN)	32.375
(D2) Secondary Depth (IN)	31.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.25
(H) Height (IN)	16.375
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	59.687
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HSS) Sidesplash Height (IN)	5
(DB) Depth of Body (IN)	24
(HB) Height of Body (IN)	7.375
(W) Width (CM)	152.4
(D) Depth (CM)	82.23
(D2) Secondary Depth (CM)	80
(D3) Additional Depth (CM)	8.3

(D4) Additional Depth (CM)	8.3
(H) Height (CM)	41.59
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	151.6
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HSS) Sidesplash Height (CM)	12.7
(DB) Depth of Body (CM)	61
(HB) Height of Body (CM)	18.7
Size	60

Number of Controls	10	
--------------------	----	--

Additional Specifications

Number of Drip Trays	2		
----------------------	---	--	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 60-inch heavy duty gas radiant charbroiler	352578-1

Name	Part #
HDCB COOKING GRATE	353444-1
DRIP TRAY SUPPORT, HDCB 48-72	353485-1

Name	Part #
1.85MM BRASS ORIFICE	352503-1
BURNER/PILOT ASSY - HDCB	353439-1
RIGHT BURNER/PILOT ASSY - HDCB	352519-1
CONTROL KNOB LG INSERT	353373-1
HDCB BURNER RADIANT	353445-1
MANUAL CONTROL VALVE	353367-1
REGULATOR 5IN WC	352509-1
1.35MM BRASS ORIFICE	352504-1
HDCB VALVE CONNECTION	352502-1
LEG, GAS APPLIANCE	353376-1
DRIP TRAY - 60IN HDCB	352517-1
FASCIA - 60IN HD CHARBROIL	353454-1
BURNER SUPPORT - 60IN HDCB	353455-1
MANIFOLD - 60IN HDCB	353456-1
GRATE SUPPORT - 60IN HDCB	353457-1



72-inch heavy duty gas radiant charbroiler

Our heavy-duty gas charbroiler performs like a powerhouse, thanks to high-output burners and a durable, welded stainless steel design. You'll appreciate the versatility too, thanks to reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.

72-inch charbroiler's 12 burners provide 240,000 BTUs

Heavy-duty cast-iron radiants heat quickly and evenly

Thick stainless steel splashes and grates are easy to clean

Heavy-duty legs make leveling safe and simple

Ships natural-gas-ready; includes propane conversion kit


Radiant kit included; lava rock kit available separately


Heavy-duty 3mm thick back and side splashes contain splash and keep food on the unit

All metal knobs and knob guards protect gas valves from damage and won't break or crack and are guaranteed for life


3/4" NPT gas inlet

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432585

Gas Specifications

Output (BTU)	240000
Number of Burners	12
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	72
(D) Depth (IN)	32.375
(D2) Secondary Depth (IN)	31.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.25
(H) Height (IN)	16.375
(HLR) Adjustable Legs (IN)	4 - 5.5

(WCS) Cooking Surface Width (IN)	71.687
(DCS) Cooking Surface Depth (IN)	24
(HBS) Backsplash Height (IN)	5
(HSS) Sidesplash Height (IN)	5
(DB) Depth of Body (IN)	24
(HB) Height of Body (IN)	7.375
(W) Width (CM)	182.9
(D) Depth (CM)	82.23
(D2) Secondary Depth (CM)	80
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.3
(H) Height (CM)	41.59
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	182.08
(DCS) Cooking Surface Depth (CM)	61
(HBS) Backsplash Height (CM)	12.7
(HSS) Sidesplash Height (CM)	12.7
(DB) Depth of Body (CM)	61
(HB) Height of Body (CM)	18.7
Size	72

Number of Controls 12

Additional Specifications

Number of Drip Trays	2	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

 Name	Item #
Lava Rock Kit for the 72-inch heavy duty gas radiant charbroiler	352579-1

Name	Part #
HDCB COOKING GRATE	353444-1
DRIP TRAY SUPPORT, HDCB 48-72	353485-1
1.85MM BRASS ORIFICE	352503-1
BURNER/PILOT ASSY - HDCB	353439-1
RIGHT BURNER/PILOT ASSY - HDCB	352519-1
CONTROL KNOB LG INSERT	353373-1
HDCB BURNER RADIANT	353445-1
MANUAL CONTROL VALVE	353367-1
REGULATOR 5IN WC	352509-1
1.35MM BRASS ORIFICE	352504-1
HDCB VALVE CONNECTION	352502-1
LEG, GAS APPLIANCE	353376-1
BURNER SUPPORT - 72IN HDCB	353459-1
MANIFOLD - 72IN HDCB	353461-1
DRIP TRAY - 72IN HDCB	352521-1
GRATE SUPPORT - 72IN HDCB	353462-1
FASCIA - 72IN HD CHARBROIL	353458-1



12-inch medium-duty gas charbroiler


Vollrath® gas charbroilers are designed for outstanding durability, from their welded stainless steel construction to their powerful stainless steel radiants. And you'll appreciate the versatility you get with reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.


12-inch charbroiler's 1 burner provides 40,000 BTUs

Welded stainless steel construction ensures durability


Adjustable flame settings create consistent, even heating

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	CBL90122
UPC	029419432592
Gas Specifications	
Output (BTU)	28000
Number of Burners	1
Pilot Type	Standing
Unit Dimensions	
(W) Width (IN)	12.1
(D) Depth (IN)	29.25
(H) Height (IN)	15.25
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	11.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	3
(HSS) Sidesplash Height (IN)	3
(WB) Width of Body (IN)	12
(DB) Depth of Body (IN)	20.5
(HB) Height of Body (IN)	8.25
(W) Width (CM)	3.7
(D) Depth (CM)	74.3
(H) Height (CM)	38.735
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	29.7
(DCS) Cooking Surface Depth (CM)	52

(HBS) Backsplash Height (CM)	7.6
(HSS) Sidesplash Height (CM)	7.6
(WB) Width of Body (CM)	30.4
(DB) Depth of Body (CM)	52
(HB) Height of Body (CM)	21
Size	12

Construction Material	Stainless Steel
Construction Material 2	Aluminized Steel
Countertop or Drop-In	Countertop
Number of Controls	1

Additional Specifications

Number of Drip Trays 1

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 12-inch medium-duty gas charbroiler	353415-1

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1
REGULATOR 5IN WC	352509-1

Name	Part #
LEG, GAS APPLIANCE	353376-1
DRIP TRAY SUPPORT, MDCB	353483-1
MDCB BURNER RADIANT (LONG)	353418-1
CBGMD-12 FRONT PANEL ASSY	354226-1
HD GRIDDLE ORIFICE - NAT GAS	353464-1
DRIP TRAY - 12IN HP-MDCB	353365-1
BURNER SUPPORT - 12IN GRIDDLE	353384-1
MDCB BURNER RADIANT (SHORT)	353419-1
FASCIA - 12IN MD CHARBROIL	353412-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
MANIFOLD - 12IN MDM GRIDDLE	353389-1
HD GRIDDLE ORIFICE - LP	353465-1
MDCB COOKING GRATE	353417-1
GRATE SUPPORT - 12IN MDCB	353416-1



24-inch medium-duty gas charbroiler

Vollrath® gas charbroilers are designed for outstanding durability, from their welded stainless steel construction to their powerful stainless steel radiants. And you'll appreciate the versatility you get with reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.

24-inch charbroiler's 2 burners provide 80,000 BTUs

Welded stainless steel construction ensures durability


Adjustable flame settings create consistent, even heating


Valve-protecting metal knobs are guaranteed for life

Ships natural-gas-ready; includes propane conversion kit


Radiant kit included; lava rock kit available separately

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	CBL90242
UPC	029419432608

Gas Specifications

Output (BTU)	80000
Number of Burners	4
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	24.1
(D) Depth (IN)	29.25
(H) Height (IN)	15.25
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	23.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	3
(HSS) Sidesplash Height (IN)	3
(WB) Width of Body (IN)	23.9
(DB) Depth of Body (IN)	20.5
(HB) Height of Body (IN)	8.25
(W) Width (CM)	61.2
(D) Depth (CM)	74.3
(H) Height (CM)	38.735
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	60.2

(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7.6
(HSS) Sidesplash Height (CM)	7.6
(WB) Width of Body (CM)	60.7
(DB) Depth of Body (CM)	52
(HB) Height of Body (CM)	21
Size	24

Construction Material	Stainless Steel
Construction Material 2	Aluminized Steel
Countertop or Drop-In	Countertop
Number of Controls	4

Additional Specifications

Number of Drip Trays	1	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 24-inch medium-duty gas charbroiler	353425-1
24-inch heavy-duty mobile equipment stand	4087924

Name	Part #
CONTROL KNOB LG INSERT	353373-1

Name	Part #
MANUAL CONTROL VALVE	353367-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1
DRIP TRAY SUPPORT, MDCB	353483-1
MDCB BURNER RADIANT (LONG)	353418-1
BURNER SUPPORT - 24IN GRIDDLE	353394-1
DRIP TRAY - 24IN HP-MDCB	353378-1
FASCIA - 24IN MD CHARBROIL	353424-1
MDCB BURNER RADIANT (SHORT)	353419-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
MANIFOLD - 24IN MDM GRIDDLE	353395-1
HD GRIDDLE ORIFICE - NAT GAS	353464-1
CBGMD-24 FRONT PANEL ASSY	354227-1
GRATE SUPPORT - 24IN MDCB	353426-1
HD GRIDDLE ORIFICE - LP	353465-1
MDCB COOKING GRATE	353417-1



36-inch medium-duty gas charbroiler


Vollrath® gas charbroilers are designed for outstanding durability, from their welded stainless steel construction to their powerful stainless steel radiants. And you'll appreciate the versatility you get with reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.


36-inch charbroiler's 3 burners provide 120,000 BTUs

Welded stainless steel construction ensures durability


Adjustable flame settings create consistent, even heating

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	CBL90362
UPC	029419432615
Gas Specifications	
Output (BTU)	120000
Number of Burners	6
Pilot Type	Standing
Unit Dimensions	
(W) Width (IN)	35.9
(D) Depth (IN)	29.25
(H) Height (IN)	15.25
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	35.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	3
(HSS) Sidesplash Height (IN)	3
(WB) Width of Body (IN)	35.8
(DB) Depth of Body (IN)	20.5
(HB) Height of Body (IN)	8.25
(W) Width (CM)	91.1
(D) Depth (CM)	74.3
(H) Height (CM)	38.735
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	90.7

52

(DCS) Cooking Surface Depth (CM)

(HBS) Backsplash Height (CM)	7.6
(HSS) Sidesplash Height (CM)	7.6
(WB) Width of Body (CM)	90.9
(DB) Depth of Body (CM)	52
(HB) Height of Body (CM)	21
Size	36

Construction Material	Stainless Steel
Construction Material 2	Aluminized Steel
Countertop or Drop-In	Countertop
Number of Controls	6

Additional Specifications

Number of Drip Trays	1	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

N	lame	Item #
La	ava Rock Kit for the 36-inch medium-duty gas charbroiler	353428-1
3	6-inch heavy-duty mobile equipment stand	4087936

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1

Name	Part #
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1
BURNER SUPPORT - 36IN GRIDDLE	353397-1
CBGMD-36 FRONT PANEL ASSY	354228-1
GRATE SUPPORT - 36IN MDCB	353429-1
MDCB BURNER RADIANT (SHORT)	353419-1
DRIP TRAY SUPPORT, MDCB	353483-1
MDCB BURNER RADIANT (LONG)	353418-1
HD GRIDDLE ORIFICE - NAT GAS	353464-1
MANIFOLD - 36IN MDM GRIDDLE	353398-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
DRIP TRAY - 36IN HP-MDCB	353381-1
HD GRIDDLE ORIFICE - LP	353465-1
MDCB COOKING GRATE	353417-1
FASCIA - 36IN MD CHARBROIL	353427-1



48-inch medium-duty gas charbroiler


Vollrath® gas charbroilers are designed for outstanding durability, from their welded stainless steel construction to their powerful stainless steel radiants. And you'll appreciate the versatility you get with reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.


48-inch charbroiler's 4 burners provide 160,000 BTUs

Welded stainless steel construction ensures durability


Adjustable flame settings create consistent, even heating

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	CBL90482
UPC	029419432622
Gas Specifications	
Output (BTU)	160000
Number of Burners	8
Pilot Type	Standing
Unit Dimensions	
(W) Width (IN)	47.7
(D) Depth (IN)	29.25
(H) Height (IN)	15.25
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	47.687

(D) Depth (IN)	29.25
(H) Height (IN)	15.25
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	47.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	3
(HSS) Sidesplash Height (IN)	3
(WB) Width of Body (IN)	47.6
(DB) Depth of Body (IN)	20.5
(HB) Height of Body (IN)	8.25
(W) Width (CM)	121.1
(D) Depth (CM)	74.3
(H) Height (CM)	38.735
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	121.2
(DCS) Cooking Surface Depth (CM)	52

(HBS) Backsplash Height (CM)	7.6
(HSS) Sidesplash Height (CM)	7.6
(WB) Width of Body (CM)	120.9
(DB) Depth of Body (CM)	52
(HB) Height of Body (CM)	21
Size	48

Construction Material	Stainless Steel
Construction Material 2	Aluminized Steel
Countertop or Drop-In	Countertop
Number of Controls	8

Additional Specifications

Number of Drip Trays	2	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 48-inch medium-duty gas charbroiler	353431-1
48-inch heavy-duty mobile equipment stand	4087948

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1

Name	Part #
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1
MDCB BURNER RADIANT (LONG)	353418-1
CBGMD-48 FRONT PANEL ASSY	354229-1
DRIP TRAY - 24IN HP-MDCB	353378-1
HD GRIDDLE ORIFICE - NAT GAS	353464-1
BURNER SUPPORT - 48IN GRIDDLE	353400-1
FASCIA - 48IN MD CHARBROIL	353430-1
MDCB BURNER RADIANT (SHORT)	353419-1
GRATE SUPPORT - 48IN MDCB	353432-1
MANIFOLD - 48IN MDM GRIDDLE	353401-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
HD GRIDDLE ORIFICE - LP	353465-1
MDCB COOKING GRATE	353417-1



60-inch medium-duty gas charbroiler

Vollrath® gas charbroilers are designed for outstanding durability, from their welded stainless steel construction to their powerful stainless steel radiants. And you'll appreciate the versatility you get with reversible grill plates — a narrow side with fat-draining channels, and a flat, wide surface for delicate items like fish. Angled adapter bars allow plate adjustment for slower cooking, fewer grease flare-ups, and food that's grilled to perfection.

60-inch charbroiler's 5 burners provide 200,000 BTUs

Welded stainless steel construction ensures durability

Adjustable flame settings create consistent, even heating

Ships natural-gas-ready; includes propane conversion kit


Radiant kit included; lava rock kit available separately


*12" unit has one burner

Now with more BTUs


Includes kit for both radiant and lava rock setup

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	CBL90602
UPC	029419432639

Gas Specifications

Output (BTU)	200000
Number of Burners	10
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	60.2
(D) Depth (IN)	29.25
(H) Height (IN)	15.25
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	59.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	3
(HSS) Sidesplash Height (IN)	3
(WB) Width of Body (IN)	60.1
(DB) Depth of Body (IN)	20.5
(HB) Height of Body (IN)	8.25
(W) Width (CM)	152.9
(D) Depth (CM)	74.3
(H) Height (CM)	38.735
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	151.6

(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7.6
(HSS) Sidesplash Height (CM)	7.6
(WB) Width of Body (CM)	152.6
(DB) Depth of Body (CM)	52
(HB) Height of Body (CM)	21
Size	60

Construction Material	Stainless Steel
Construction Material 2	Aluminized Steel
Countertop or Drop-In	Countertop
Number of Controls	10

Additional Specifications

2		Number of Drip Trays
---	--	----------------------

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Lava Rock Kit for the 60-inch medium-duty gas charbroiler	353435-1

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1

Name	Part #
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1
BURNER SUPPORT - 60IN GRIDDLE	353403-1
MDCB BURNER RADIANT (LONG)	353418-1
DRIP TRAY - 60IN CB	353434-1
HD GRIDDLE ORIFICE - NAT GAS	353464-1
GRATE SUPPORT - 60IN MDCB	353436-1
MDCB BURNER RADIANT (SHORT)	353419-1
DRIP TRAY SUPPORT, CB 48-72	353482-1
CBGMD-60 FRONT PANEL ASSY	354230-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
MANIFOLD - 60IN MD CB	352505-1
HD GRIDDLE ORIFICE - LP	353465-1
MDCB COOKING GRATE	353417-1
FASCIA - 60IN MD CHARBROIL	353433-1



24-inch heavy-duty flat-top gas griddle with manual controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 60,000 BTUs of heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the thick back and sloped sides reduce mess. This heavy-duty griddle meets the demands of any kitchen.

24-inch griddle's dual burners double the flexibility

Manual controls provide dynamic flexibility

Polished 1-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

Valve-protecting metal knobs are guaranteed for life


Ships natural-gas-ready; includes propane conversion kit


Clearance and Positioning. This appliance must be installed with a minimum clearance of 6" (15.2 cm) between the left, right andback sides, and any combustible surface. The supplied 4" (10.2 cm) legs must be installed and the unit placed on a noncombustible surface.

PRODUCT SPECIFICATIONS



FRONT VIEW SIDE VIEW





TOP VIEW

Model Information

Model	FTG2024
UPC	029419432646

Gas Specifications

Output (BTU)	60000
Number of Burners	2
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	24.1
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375

(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	23.9
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	23.9
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	61.2
(D) Depth (CM)	82.23
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22
(H2) Secondary Height (CM)	16.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	60.7
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	60.7
(DB) Depth of Body (CM)	62.2
(HB) Height of Body (CM)	18.42
Size	24

Construction

Countertop or Drop-In	Countertop
Countertop of Brop III	Countertop

Control Type	Manual
Number of Controls 2	2

Additional Specifications

Number of Drip Trays	1
----------------------	---

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
24-inch heavy-duty mobile equipment stand	4087924

PRODUCT **PARTS**

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
BURNER/PILOT ASSY - HDM GAS GR	353463-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
1.2MM MANUAL CONTROL VALVE	354211-1
HD CB ORIFICE - LP	353441-1
BURNER SUPPORT - 24IN GRIDDLE	353394-1
FASCIA - 24IN HDM GRIDDLE	353486-1
DRIP TRAY SUPPORTS - HD GD	352506-1
MANIFOLD - 24IN HDM GRIDDLE	353466-1
CONTROL KNOB LG INSERT	353373-1
REGULATOR 5IN WC	352509-1

Name Part #

LEG, GAS APPLIANCE

353376-1



36-inch heavy-duty flat-top gas griddle with manual controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 90,000 BTUs of heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the thick back and sloped sides reduce mess. This heavy-duty griddle meets the demands of any kitchen.

36-inch griddle's triple burners increase efficiency

Manual controls provide dynamic flexibility

Polished 1-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy


Valve-protecting metal knobs are guaranteed for life

Ships natural-gas-ready; includes propane conversion kit


Clearance and Positioning. This appliance must be installed with a minimum clearance of 6" (15.2 cm) between the left, right andback sides, and any combustible surface. The supplied 4" (10.2 cm) legs must be installed and the unit placed on a noncombustible surface.

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG2036
UPC	029419432653

Gas Specifications

Output (BTU)	90000
Number of Burners	3
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	35.9
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375

(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	35.8
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	35.8
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	91.1
(D) Depth (CM)	82.23
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22
(H2) Secondary Height (CM)	16.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	90.9
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	90.9
(DB) Depth of Body (CM)	62.2
(HB) Height of Body (CM)	18.42
Size	36

Construction

Countertop or Drop-In	Countertop	
-----------------------	------------	--

Control Type	Manual
Number of Controls	3

Additional Specifications

Number of Drip Trays	1
----------------------	---

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
36-inch heavy-duty mobile equipment stand	4087936

PRODUCT **PARTS**

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
BURNER SUPPORT - 36IN GRIDDLE	353397-1
BURNER/PILOT ASSY - HDM GAS GR	353463-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
HD CB ORIFICE - LP	353441-1
DRIP TRAY SUPPORTS - HD GD	352506-1
1.2MM MANUAL CONTROL VALVE	354211-1
FASCIA - 36IN HDM GRIDDLE	353487-1
MANIFOLD - 36IN HDM GRIDDLE	353467-1
CONTROL KNOB LG INSERT	353373-1
REGULATOR 5IN WC	352509-1

Name Part #

LEG, GAS APPLIANCE

353376-1



48-inch heavy-duty flat-top gas griddle with manual controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 120,000 BTUs of heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the thick back and sloped sides reduce mess. This heavy-duty griddle meets the demands of any kitchen.

48-inch griddle is perfect for pleasing crowds

Manual controls provide dynamic flexibility


Polished 1-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

Valve-protecting metal knobs are guaranteed for life


Ships natural-gas-ready; includes propane conversion kit

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG2048
UPC	029419432660

Gas Specifications

Output (BTU)	120000
Number of Burners	4
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	47.7
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375

(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	47.6
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	47.6
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	121.1
(D) Depth (CM)	82.23
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22
(H2) Secondary Height (CM)	16.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	120.9
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	120.9
(DB) Depth of Body (CM)	62.2
(HB) Height of Body (CM)	18.42
Size	48

Construction

Countertop or Drop-In	Countertop
Countertop of Brop III	Countertop

Control Type	Manual
Number of Controls	4

Additional Specifications

Number of Drip Trays	1		
----------------------	---	--	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
48-inch heavy-duty mobile equipment stand	4087948

PRODUCT **PARTS**

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
FASCIA - 48IN HDM GRIDDLE	353488-1
BURNER SUPPORT - 48IN GRIDDLE	353400-1
BURNER/PILOT ASSY - HDM GAS GR	353463-1
HD CB ORIFICE - LP	353441-1
DRIP TRAY SUPPORTS - HD GD	352506-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
MANIFOLD - 48IN HDM GRIDDLE	353468-1
1.2MM MANUAL CONTROL VALVE	354211-1
CONTROL KNOB LG INSERT	353373-1
REGULATOR 5IN WC	352509-1

Name Part #

LEG, GAS APPLIANCE

353376-1



60-inch heavy-duty flat-top gas griddle with manual controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 150,000 BTUs of heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the thick back and sloped sides reduce mess. This heavy-duty griddle meets the demands of any kitchen.


Generously sized 60-inch griddle optimizes versatility


Manual controls provide dynamic flexibility

Polished 1-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG2060
UPC	029419432677
Gas Specifications	
Output (BTU)	150000
Number of Burners	5
Pilot Type	Standing
Unit Dimensions	
(W) Width (IN)	60.2
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	60.1
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	60.1
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	152.9
(D) Depth (CM)	82.23

8.3

(D3) Additional Depth (CM)

(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22
(H2) Secondary Height (CM)	16.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	152.6
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	152.6
(DB) Depth of Body (CM)	62.2
(HB) Height of Body (CM)	18.42
Size	60

Construction

Countertop or Drop-In	Countertop
Control Type	Manual
Number of Controls	5

Additional Specifications

|--|

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

PRODUCT **PARTS**

Name	Part #
BURNER SUPPORT - 60IN GRIDDLE	353403-1
HD CB ORIFICE - LP	353441-1
DRIP TRAY SUPPORTS - HD GD	352506-1
MANIFOLD - 60IN HDM GRIDDLE	353469-1
DRIP TRAY - GRIDDLE	353386-1
BURNER/PILOT ASSY - HDM GAS GR	353463-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
1.2MM MANUAL CONTROL VALVE	354211-1
FASCIA - 60IN HDM GRIDDLE	353489-1
CONTROL KNOB LG INSERT	353373-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1



72-inch heavy-duty flat-top gas griddle with manual controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 180,000 BTUs of heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the thick back and sloped sides reduce mess. This heavy-duty griddle meets the demands of any kitchen.


72-inch griddle maximizes surface area and versatility


Manual controls provide dynamic flexibility

Polished 1-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model FTG2072 UPC 029419432684	Gas Specifications		
Model FTG2072	UPC	029419432684	
	Model	FTG2072	

Gas Specifications

Output (BTU)	180000
Number of Burners	6
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	72
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	71.9
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	71.9
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	182.8
(D) Depth (CM)	82.23
(D3) Additional Depth (CM)	8.3

(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22
(H2) Secondary Height (CM)	16.2
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	182.9
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	182.9
(DB) Depth of Body (CM)	62.2
(HB) Height of Body (CM)	18.42
Size	72

Construction

Countertop or Drop-In	Countertop
Control Type	Manual
Number of Controls	6

Additional Specifications

|--|

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

PRODUCT **PARTS**

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
FASCIA - 72IN HDM GRIDDLE	353490-1
BURNER SUPPORT - 72IN GRIDDLE	353471-1
MANIFOLD - 72IN HDM GRIDDLE	353472-1
CONTROL KNOB LG INSERT	353373-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1
BURNER/PILOT ASSY - HDM GAS GR	353463-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
1.2MM MANUAL CONTROL VALVE	354211-1
HD CB ORIFICE - LP	353441-1
DRIP TRAY SUPPORTS - HD GD	352506-1



24-inch heavy-duty flat-top gas griddle with thermostatic controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 60,000 BTUs of heat evenly over the entire cooking surface. Thermostatic controls maintain user settings to ensure consistent surface temperature, with metal knobs that will never break or crack. With thick back and sloped sides for less mess, this heavy-duty griddle meets the demands of any kitchen.

24-inch griddle's dual burners double the flexibility

Thermostatic controls ensure consistent temperature


Polished 1-inch thick steel griddle maintains even heat


Welded seams and splash-less design ease cleaning

Valve-protecting metal knobs are guaranteed for life


Ships natural-gas-ready; includes propane conversion kit

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432691	

Gas Specifications

Output (BTU)	60000
Number of Burners	2
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	24.1
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375
(WCS) Cooking Surface Width (IN)	23.9

(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	23.9
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	61.2
(D) Depth (CM)	82.23
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22
(H2) Secondary Height (CM)	16.2
(WCS) Cooking Surface Width (CM)	007
	60.7
(DCS) Cooking Surface Depth (CM)	62.2
(DCS) Cooking Surface Depth (CM)	62.2
(DCS) Cooking Surface Depth (CM) (HBS) Backsplash Height (CM)	62.2 13.7
(DCS) Cooking Surface Depth (CM) (HBS) Backsplash Height (CM) (HSS) Sidesplash Height (CM)	62.2 13.7 13.7
(DCS) Cooking Surface Depth (CM) (HBS) Backsplash Height (CM) (HSS) Sidesplash Height (CM) (WB) Width of Body (CM)	62.2 13.7 13.7 60.7
(DCS) Cooking Surface Depth (CM) (HBS) Backsplash Height (CM) (HSS) Sidesplash Height (CM) (WB) Width of Body (CM) (DB) Depth of Body (CM)	62.2 13.7 13.7 60.7 62.2

Construction

Number of Controls 2

Additional Specifications

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

PRODUCT **PARTS**

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
FASCIA - 24IN HDT GRIDDLE	353473-1
HD CB ORIFICE - NAT GAS	353440-1
BURNER/PILOT ASSY - HDT GAS GR	353474-1
HDT GRIDDLE SAFETY VALVE	352500-1
MANIFOLD - 24IN HDT GRIDDLE	353476-1
BURNER SUPPORT - 24IN GRIDDLE	353394-1
HD VALVE CONNECTORS ASSY	353477-1
HDT GRIDDLE THERMOCOUPLE	352501-1
CONTROL KNOB SM INSERT	352495-1
HP/T-STAT GD ORIFICE - LP	353369-1
DRIP TRAY SUPPORTS - HD GD	352506-1
HDT PILOT DIVERTER	352547-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1



36-inch heavy-duty flat-top gas griddle with thermostatic controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 90,000 BTUs of heat evenly over the entire cooking surface. Thermostatic controls maintain user settings to ensure consistent surface temperature, with metal knobs that will never break or crack. With thick back and sloped sides for less mess, this heavy-duty griddle meets the demands of any kitchen.


36-inch griddle's triple burners increase efficiency


Thermostatic controls ensure consistent temperature

Polished 1-inch thick steel griddle maintains even heat


Welded seams and splash-less design ease cleaning

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432707

Gas Specifications

Output (BTU)	90000
Number of Burners	3
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	35.9
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375
(WCS) Cooking Surface Width (IN)	35.8
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	35.8
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	91.1
(D) Depth (CM)	82.23
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22

(H2) Secondary Height (CM)	16.2
(WCS) Cooking Surface Width (CM)	90.9
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	90.9
(DB) Depth of Body (CM)	62.2
(HB) Height of Body (CM)	18.42
Size	36

|--|--|

Additional Specifications

Number of Drip Trays	1	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
BURNER SUPPORT - 36IN GRIDDLE	353397-1

Name	Part #
HD CB ORIFICE - NAT GAS	353440-1
BURNER/PILOT ASSY - HDT GAS GR	353474-1
HDT GRIDDLE SAFETY VALVE	352500-1
HD VALVE CONNECTORS ASSY	353477-1
DRIP TRAY SUPPORTS - HD GD	352506-1
HDT PILOT DIVERTER	352547-1
HDT GRIDDLE THERMOCOUPLE	352501-1
MANIFOLD - 36IN HDT GRIDDLE	352496-1
CONTROL KNOB SM INSERT	352495-1
HP/T-STAT GD ORIFICE - LP	353369-1
FASCIA - 36IN HDT GRIDDLE	353478-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1



48-inch heavy-duty flat-top gas griddle with thermostatic controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 120,000 BTUs of heat evenly over the entire cooking surface. Thermostatic controls maintain user settings to ensure consistent surface temperature, with metal knobs that will never break or crack. With thick back and sloped sides for less mess, this heavy-duty griddle meets the demands of any kitchen.

48-inch griddle is perfect for pleasing crowds

Thermostatic controls ensure consistent temperature


Polished 1-inch thick steel griddle maintains even heat


Welded seams and splash-less design ease cleaning

Valve-protecting metal knobs are guaranteed for life


Ships natural-gas-ready; includes propane conversion kit

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432714

Gas Specifications

Output (BTU)	120000
Number of Burners	4
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	47.7
(H2) Secondary Height (IN)	6.375
(WCS) Cooking Surface Width (IN)	47.6
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	47.6

(HB) Height of Body (IN)	7.25
(W) Width (CM)	121.1
(H2) Secondary Height (CM)	16.2
(WCS) Cooking Surface Width (CM)	120.9
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	120.9
(HB) Height of Body (CM)	18.42
Size	48

Number of Controls 4

Additional Specifications

Number of Drip Trays 1

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
HDT GRIDDLE SAFETY VALVE	352500-1

Name	Part #
HD VALVE CONNECTORS ASSY	353477-1
MANIFOLD - 48IN HDT GRIDDLE	352497-1
DRIP TRAY SUPPORTS - HD GD	352506-1
DRIP TRAY - GRIDDLE	353386-1
HD CB ORIFICE - NAT GAS	353440-1
BURNER SUPPORT - 48IN GRIDDLE	353400-1
BURNER/PILOT ASSY - HDT GAS GR	353474-1
FASCIA - 48IN HDT GRIDDLE	353479-1
HDT GRIDDLE THERMOCOUPLE	352501-1
CONTROL KNOB SM INSERT	352495-1
HP/T-STAT GD ORIFICE - LP	353369-1
HDT PILOT DIVERTER	352547-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1



60-inch heavy-duty flat-top gas griddle with thermostatic controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 150,000 BTUs of heat evenly over the entire cooking surface. Thermostatic controls maintain user settings to ensure consistent surface temperature, with metal knobs that will never break or crack. With thick back and sloped sides for less mess, this heavy-duty griddle meets the demands of any kitchen.


Generously sized 60-inch griddle optimizes versatility


Thermostatic controls ensure consistent temperature

Polished 1-inch thick steel griddle maintains even heat


Welded seams and splash-less design ease cleaning

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432721

Gas Specifications

Output (BTU)	150000
Number of Burners	5
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	60.2
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375
(WCS) Cooking Surface Width (IN)	60.1
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	60.1
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	152.9
(D) Depth (CM)	82.23
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22

(H2) Secondary Height (CM)	16.2
(WCS) Cooking Surface Width (CM)	152.6
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	152.6
(DB) Depth of Body (CM)	62.2
(HB) Height of Body (CM)	18.42
Size	60

Number of Controls	5	
--------------------	---	--

Additional Specifications

Number of Drip Trays	2	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
BURNER SUPPORT - 60IN GRIDDLE	353403-1
HDT GRIDDLE SAFETY VALVE	352500-1

Name	Part #
HD VALVE CONNECTORS ASSY	353477-1
DRIP TRAY SUPPORTS - HD GD	352506-1
DRIP TRAY - GRIDDLE	353386-1
FASCIA - 60IN HDT GRIDDLE	353480-1
HD CB ORIFICE - NAT GAS	353440-1
BURNER/PILOT ASSY - HDT GAS GR	353474-1
HDT GRIDDLE THERMOCOUPLE	352501-1
CONTROL KNOB SM INSERT	352495-1
HP/T-STAT GD ORIFICE - LP	353369-1
MANIFOLD - 60IN HDT GRIDDLE	352498-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1
HDT PILOT DIVERTER	352547-1



72-inch heavy-duty flat-top gas griddle with thermostatic controls

A safe and efficient way to streamline food prep, the new Vollrath® heavy-duty gas griddle elevates your kitchen's capabilities with increased power and durability. Thicker 1-inch polished surface and U-shaped burners distribute 180,000 BTUs of heat evenly over the entire cooking surface. Thermostatic controls maintain user settings to ensure consistent surface temperature, with metal knobs that will never break or crack. With thick back and sloped sides for less mess, this heavy-duty griddle meets the demands of any kitchen.


72-inch griddle maximizes surface area and versatility


Thermostatic controls ensure consistent temperature

Polished 1-inch thick steel griddle maintains even heat


Welded seams and splash-less design ease cleaning

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

UPC	029419432738

Gas Specifications

Output (BTU)	180000
Number of Burners	6
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	72
(D) Depth (IN)	32.375
(D3) Additional Depth (IN)	3.25
(D4) Additional Depth (IN)	3.375
(H) Height (IN)	16.625
(H2) Secondary Height (IN)	6.375
(WCS) Cooking Surface Width (IN)	71.9
(DCS) Cooking Surface Depth (IN)	24.5
(HBS) Backsplash Height (IN)	5.375
(HSS) Sidesplash Height (IN)	5.375
(WB) Width of Body (IN)	71.9
(DB) Depth of Body (IN)	24.5
(HB) Height of Body (IN)	7.25
(W) Width (CM)	182.8
(D) Depth (CM)	82.23
(D3) Additional Depth (CM)	8.3
(D4) Additional Depth (CM)	8.6
(H) Height (CM)	42.22

(H2) Secondary Height (CM)	16.2
(WCS) Cooking Surface Width (CM)	182.9
(DCS) Cooking Surface Depth (CM)	62.2
(HBS) Backsplash Height (CM)	13.7
(HSS) Sidesplash Height (CM)	13.7
(WB) Width of Body (CM)	182.9
(DB) Depth of Body (CM)	62.2
(HB) Height of Body (CM)	18.42
Size	72

|--|

Additional Specifications

Number of Drip Trays	2	
----------------------	---	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
MANIFOLD - 72IN HDT GRIDDLE	352499-1
DRIP TRAY - GRIDDLE	353386-1

Name	Part #
BURNER SUPPORT - 72IN GRIDDLE	353471-1
FASCIA - 72IN HDT GRIDDLE	353481-1
HD CB ORIFICE - NAT GAS	353440-1
BURNER/PILOT ASSY - HDT GAS GR	353474-1
HDT GRIDDLE THERMOCOUPLE	352501-1
CONTROL KNOB SM INSERT	352495-1
HDT GRIDDLE SAFETY VALVE	352500-1
HD VALVE CONNECTORS ASSY	353477-1
DRIP TRAY SUPPORTS - HD GD	352506-1
HDT PILOT DIVERTER	352547-1
HP/T-STAT GD ORIFICE - LP	353369-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1



12-inch medium-duty flat-top gas griddle with manual controls

The Vollrath® gas griddle adds powerful versatility to your kitchen. A simple, safe and economical way to streamline food prep, the thick, polished surface and U-shaped burner distribute heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the back and sloped sides help reduce mess. With 28,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

Compact 12-inch griddle is perfect for small spaces


Manual control provides dynamic flexibility

Polished ¾-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG9012
UPC	029419432745
Gas Specifications	
Output (BTU)	28000
Number of Burners	1
Pilot Type	Standing
Unit Dimensions	
(W) Width (IN)	12
(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	11.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.75
(HB) Height of Body (IN)	9.25
(W) Width (CM)	30.5
(D) Depth (CM)	74.61
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	29.7
(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	7

(HB) Height of Body (CM)	23.5
Size	12

Construction Material	Stainless Steel Aluminized
Countertop or Drop-In	Countertop
Number of Controls	1

Additional Specifications

Number of Drip Trays	1		
----------------------	---	--	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1
LEG, GAS APPLIANCE	353376-1
REGULATOR 4IN WC	353374-1
MD GRIDDLE ORIFICE - LP	353388-1
DRIP TRAY - GRIDDLE	353386-1
BURNER SUPPORT - 12IN GRIDDLE	353384-1

Name	Part #
FASCIA - 12IN MDM GRIDDLE	353383-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
DRIP TRAY SUPPORTS - GD	353375-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
MANIFOLD - 12IN MDM GRIDDLE	353389-1



18-inch medium-duty flat-top gas griddle with manual controls

The Vollrath® gas griddle adds powerful versatility to your kitchen. A simple, safe and economical way to streamline food prep, the thick, polished surface and U-shaped burner distribute heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the back and sloped sides reduce mess. With 28,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.


Space-saving 18-inch griddle provides extra surface


Manual control provides dynamic flexibility

Polished ¾-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG9016
UPC	029419432752
Gas Specifications	
Output (BTU)	28000
Number of Burners	1
Pilot Type	Standing
Unit Dimensions	
(W) Width (IN)	18
(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	17.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.75
(HB) Height of Body (IN)	9.25
(W) Width (CM)	45.7
(D) Depth (CM)	74.61
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	45
(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	7

(HB) Height of Body (CM)	23.5
Size	18

Construction Material	Stainless Steel Aluminized
Countertop or Drop-In	Countertop
Number of Controls	1

Additional Specifications

Number of Drip Trays	1		
----------------------	---	--	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1
LEG, GAS APPLIANCE	353376-1
REGULATOR 4IN WC	353374-1
MD GRIDDLE ORIFICE - LP	353388-1
DRIP TRAY - GRIDDLE	353386-1
MANIFOLD - 18IN MDM GRIDDLE	353392-1

Name	Part #
BURNER/PILOT ASSY - MDM GAS GR	353385-1
FASCIA - 18IN MDM GRIDDLE	353390-1
DRIP TRAY SUPPORTS - GD	353375-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
BURNER SUPPORT - 18IN GRIDDLE	353391-1



24-inch medium-duty flat-top gas griddle with manual controls

The Vollrath® gas griddle adds powerful versatility to your kitchen. A simple, safe and economical way to streamline food prep, the thick, polished surface and U-shaped burners distribute heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the back and sloped sides reduce mess. With 56,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

24-inch griddle's dual burners double the flexibility

Manual controls provide dynamic flexibility


Polished ¾-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

Valve-protecting metal knobs are guaranteed for life


Ships natural-gas-ready; includes propane conversion kit

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG9024
UPC	029419432769

Gas Specifications

Output (BTU)	56000
Number of Burners	2
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	24
(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	23.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.75
(HB) Height of Body (IN)	9.25
(W) Width (CM)	61
(D) Depth (CM)	74.61
(D) Depth (CM) (H) Height (CM)	74.61 40.6
(H) Height (CM)	40.6
(H) Height (CM) (HLR) Adjustable Legs (CM)	40.6 10.2 - 14

(HSS) Sidesplash Height (CM)	7
(HB) Height of Body (CM)	23.5
Size	24

Construction Material	Stainless Steel Aluminized
Countertop or Drop-In	Countertop
Number of Controls	2

Additional Specifications

Number of Drip Trays	1
----------------------	---

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
24-inch heavy-duty mobile equipment stand	4087924

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1
LEG, GAS APPLIANCE	353376-1
REGULATOR 4IN WC	353374-1
MD GRIDDLE ORIFICE - LP	353388-1

Name	Part #
BURNER SUPPORT - 24IN GRIDDLE	353394-1
FASCIA - 24IN MDM GRIDDLE	353393-1
DRIP TRAY - GRIDDLE	353386-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
DRIP TRAY SUPPORTS - GD	353375-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
MANIFOLD - 24IN MDM GRIDDLE	353395-1



36-inch medium-duty flat-top gas griddle with manual controls

The Vollrath® gas griddle adds powerful versatility to your kitchen. A simple, safe and economical way to streamline food prep, the thick, polished surface and U-shaped burners distribute heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the back and sloped sides reduce mess. With 84,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.


36-inch griddle's triple burners increase efficiency


Manual controls provide dynamic flexibility

Polished ¾-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Madal	ETCOOSE
Model	FTG9036
UPC	029419432837
Gas Specifications	
Output (BTU)	84000
Number of Burners	3
Pilot Type	Standing
Unit Dimensions	
(W) Width (IN)	36
(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	35.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.75
(HB) Height of Body (IN)	9.25
(W) Width (CM)	91.4
(D) Depth (CM)	74.61
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	90.7
(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7

7

(HSS) Sidesplash Height (CM)

(HB) Height of Body (CM)	23.5
Size	36

Construction Material	Stainless Steel Aluminized
Countertop or Drop-In	Countertop
Number of Controls	3

Additional Specifications

Number of Drip Trays	1		
----------------------	---	--	--

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
36-inch heavy-duty mobile equipment stand	4087936

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1
LEG, GAS APPLIANCE	353376-1
REGULATOR 4IN WC	353374-1
MD GRIDDLE ORIFICE - LP	353388-1
MANIFOLD - 36IN MDM GRIDDLE	353398-1

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
BURNER SUPPORT - 36IN GRIDDLE	353397-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
DRIP TRAY SUPPORTS - GD	353375-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
FASCIA - 36IN MDM GRIDDLE	353396-1



48-inch medium-duty flat-top gas griddle with manual controls

The Vollrath® gas griddle adds powerful versatility to your kitchen. A simple, safe and economical way to streamline food prep, the thick, polished surface and U-shaped burners distribute heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the back and sloped sides reduce mess. With 112,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

48-inch griddle is perfect for pleasing crowds

Manual controls provide dynamic flexibility


Polished ¾-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

Valve-protecting metal knobs are guaranteed for life


Ships natural-gas-ready; includes propane conversion kit

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG9048
UPC	029419432868

Gas Specifications

Output (BTU)	112000
Number of Burners	4
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	48
(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	47.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.75
(HB) Height of Body (IN)	9.25
(W) Width (CM)	121.9
(D) Depth (CM)	74.61
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	121.2
(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7

(HSS) Sidesplash Height (CM)	7
(HB) Height of Body (CM)	23.5
Size	48

Construction Material	Stainless Steel Aluminized
Countertop or Drop-In	Countertop
Number of Controls	4

Additional Specifications

Number of Drip Trays 1	
------------------------	--

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
48-inch heavy-duty mobile equipment stand	4087948

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1
LEG, GAS APPLIANCE	353376-1
REGULATOR 4IN WC	353374-1
MD GRIDDLE ORIFICE - LP	353388-1

Name	Part #
MANIFOLD - 48IN MDM GRIDDLE	353401-1
DRIP TRAY - GRIDDLE	353386-1
BURNER SUPPORT - 48IN GRIDDLE	353400-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
DRIP TRAY SUPPORTS - GD	353375-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1
FASCIA - 48IN MDM GRIDDLE	353399-1



60-inch medium-duty flat-top gas griddle with manual controls

The Vollrath® gas griddle adds powerful versatility to your kitchen. A simple, safe and economical way to streamline food prep, the thick, polished surface and U-shaped burners distribute heat evenly over the entire cooking surface. The manual control knob is easy to use and will never break or crack, and the back and sloped sides reduce mess. With 140,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.


Generously sized 60-inch griddle optimizes versatility


Manual controls provide dynamic flexibility

Polished ¾-inch thick steel griddle maintains even heat


Smooth, welded seams make cleaning easy

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTG9060
UPC	029419432929

Gas Specifications

Output (BTU)	140000
Number of Burners	5
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	60
(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	59.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.75
(HB) Height of Body (IN)	9.25
(W) Width (CM)	152.4
(D) Depth (CM)	74.61
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	151.6
(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	7

(HB) Height of Body (CM)	23.5
Size	60

Construction Material	Stainless Steel Aluminized
Countertop or Drop-In	Countertop
Number of Controls	5

Additional Specifications

|--|

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711

Name	Part #
CONTROL KNOB LG INSERT	353373-1
MANUAL CONTROL VALVE	353367-1
LEG, GAS APPLIANCE	353376-1
BURNER SUPPORT - 60IN GRIDDLE	353403-1
REGULATOR 4IN WC	353374-1
MD GRIDDLE ORIFICE - LP	353388-1
MANIFOLD - 60IN MDM GRIDDLE	353404-1

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
BURNER/PILOT ASSY - MDM GAS GR	353385-1
DRIP TRAY SUPPORTS - GD	353375-1
FASCIA - 60IN MDM GRIDDLE	353402-1
MD GRIDDLE ORIFICE - NAT GAS	353387-1



24-inch medium-duty flat-top gas griddle with thermostatic controls

The Vollrath® gas griddle adds powerful versatility to your kitchen. A simple, safe and economical way to streamline food prep, the thick, polished surface and U-shaped burners distribute heat evenly. Thermostatic controls maintain user settings to ensure consistent surface temperature, with metal knobs that will never break or crack. With 56,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.

24-inch griddle's dual burners double the flexibility

Thermostatic controls ensure consistent temperature


Polished ¾-inch thick steel griddle maintains even heat


Welded seams and splash-less design ease cleaning

Valve-protecting metal knobs are guaranteed for life


Ships natural-gas-ready; includes propane conversion kit

PRODUCT SPECIFICATIONS





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTA1024
UPC	029419432936

Gas Specifications

Output (BTU)	56000
Number of Burners	2
Pilot Type	Standing

Unit Dimensions

(W) Width (IN)	24
(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	23.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.75
(HB) Height of Body (IN)	9.25
(W) Width (CM)	61
(D) Depth (CM)	74.61
(H) Height (CM)	40.6
(WCS) Cooking Surface Width (CM)	60.2
(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	7

(HB) Height of Body (CM)	23.5
Size	24

Countertop or Drop-In	Countertop
Number of Controls	2
Additional Specifications	

1

Case Lot Measurement

PRODUCT ACCESSORIES

Number of Drip Trays

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
24-inch heavy-duty mobile equipment stand	4087924

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
MD CB ORIFICE - NAT GAS	353413-1
DRIP TRAY SUPPORTS - GD	353375-1
FASCIA - 24IN MDT GRIDDLE	353405-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1
MD CB ORIFICE - LP	353414-1

Name	Part #
BURNER/PILOT ASSY - MDT GAS GR	353406-1
BURNER SUPPORT - 24IN GRIDDLE	353394-1
MD THERM CONTROL VALVE	353407-1
MD VALVE CONNECTORS ASSY	353409-1
MANIFOLD - 24IN MDT GRIDDLE	353408-1



36-inch medium-duty flat-top gas griddle with thermostatic controls

The Vollrath® gas griddle adds powerful versatility to your kitchen. A simple, safe and economical way to streamline food prep, the thick, polished surface and U-shaped burners distribute heat evenly. Thermostatic controls maintain user settings to ensure consistent surface temperature, with metal knobs that will never break or crack. With 84,000 BTUs of heating power, this impressive griddle is a great choice for any kitchen.


36-inch griddle's triple burners increase efficiency


Thermostatic controls ensure consistent temperature

Polished ¾-inch thick steel griddle maintains even heat


Welded seams and splash-less design ease cleaning

PRODUCT **SPECIFICATIONS**





FRONT VIEW SIDE VIEW



TOP VIEW

Model Information

Model	FTA1036
UPC	029419432943
Gas Specifications	
Output (BTU)	84000
Number of Burners	3
Pilot Type	Standing
Unit Dimensions	
(W) Width (IN)	36
(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	35.687
(DCS) Cooking Surface Depth (IN)	20.5

(D) Depth (IN)	29.375
(H) Height (IN)	16
(HLR) Adjustable Legs (IN)	4 - 5.5
(WCS) Cooking Surface Width (IN)	35.687
(DCS) Cooking Surface Depth (IN)	20.5
(HBS) Backsplash Height (IN)	2.75
(HSS) Sidesplash Height (IN)	2.75
(HB) Height of Body (IN)	9.25
(W) Width (CM)	91.4
(D) Depth (CM)	74.61
(H) Height (CM)	40.6
(HLR) Adjustable Legs (CM)	10.2 - 14
(WCS) Cooking Surface Width (CM)	90.7
(DCS) Cooking Surface Depth (CM)	52
(HBS) Backsplash Height (CM)	7
(HSS) Sidesplash Height (CM)	7

(HB) Height of Body (CM)	23.5
Size	36

Countertop or Drop-In	Countertop
Number of Controls	3

Additional Specifications

Number of Drip Trays	1
----------------------	---

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
Griddle stone	47710
7.75- x 3.5-inch aluminum handle for griddle stone	47711
36-inch heavy-duty mobile equipment stand	4087936

Name	Part #
DRIP TRAY - GRIDDLE	353386-1
BURNER SUPPORT - 36IN GRIDDLE	353397-1
MD CB ORIFICE - NAT GAS	353413-1
DRIP TRAY SUPPORTS - GD	353375-1
REGULATOR 5IN WC	352509-1
LEG, GAS APPLIANCE	353376-1
FASCIA - 36IN MDT GRIDDLE	353410-1

Name	Part #
MD CB ORIFICE - LP	353414-1
BURNER/PILOT ASSY - MDT GAS GR	353406-1
MD THERM CONTROL VALVE	353407-1
MD VALVE CONNECTORS ASSY	353409-1
MANIFOLD - 36IN MDT GRIDDLE	353411-1

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47