

# Газовые плитки и роликовые грили

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [vha@nt-rt.ru](mailto:vha@nt-rt.ru) || сайт: <https://vollrath.nt-rt.ru/>



DISCONTINUED

## 12-inch two-burner Cayenne® countertop gas hot plate

The Vollrath® Cayenne gas hot plate is powerful, compact and convenient. The body of this unit is constructed of durable stainless and aluminized steel. It features two front and back burners with separate grates for easier cleaning. Each burner has an independent control knob, allowing you to cook multiple foods at one time. The metal knobs are made to resist cracking, protecting the interior gas valves. This powerful unit works quickly, evenly

distributing heat for superior cooking. A front opening makes lighting pilot lights easy, and a full-width stainless steel drip pan simplifies the cleaning process. With 26,000-BTU per burner, this hot plate is sure to impress.

Designed for a variety of foods, stews, and sauces

Durable stainless and aluminized steel body is built to last

Bullnose design prevents burns


Strong metal knobs are guaranteed for life

Heavy-duty legs allow leveling adjustments to provide maximum stability


Shipped setup for natural gas — includes kit with regulator for field conversion to propane

26,000-BTU per burner


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | HPA1002      |
| UPC   | 029419719396 |

## Gas Specifications

|                   |          |
|-------------------|----------|
| Output (BTU)      | 52000    |
| Number of Burners | 2        |
| Pilot Type        | Standing |

## Unit Dimensions

|                            |                  |
|----------------------------|------------------|
| Overall Dimensions (IN)    | 12 x 27 x 13.375 |
| (W) Width (IN)             | 12               |
| (D) Depth (IN)             | 29.25            |
| (D2) Secondary Depth (IN)  | 27               |
| (H) Height (IN)            | 13.25            |
| (HLR) Adjustable Legs (IN) | 4 - 5.5          |

|                            |                  |
|----------------------------|------------------|
| Overall Dimensions (CM)    | 30.5 x 68.6 x 34 |
| (W) Width (CM)             | 30.5             |
| (D) Depth (CM)             | 74.3             |
| (D2) Secondary Depth (CM)  | 68.6             |
| (H) Height (CM)            | 33.66            |
| (HLR) Adjustable Legs (CM) | 10.2 - 14        |
| Size                       | 12               |

**Construction**

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
| Control Type          | Manual     |
| Number of Controls    | 2          |

**Additional Specifications**

|                      |   |
|----------------------|---|
| Number of Drip Trays | 1 |
|----------------------|---|

**Case Lot Measurement**

**PRODUCT PARTS**

| Name                           | Part #   |
|--------------------------------|----------|
| LEG GAS APPLIANCE              | XFTG9012 |
| PILOT W/TUBING (FRONT BURNER)  | XHPA0004 |
| PILOT W/TUBING (REAR BURNER) H | XHPA0005 |
| HPA BURNER (SHORT VENTURE)     | XHPA0006 |
| HPA BURNER (LONG VENTURE)      | XHPA0007 |
| JET NAT 2.40 #40               | XFTG9007 |
| CONTROL SAFETY VALVE FTG/CBL/  | XFTG9002 |

| Name                           | Part #   |
|--------------------------------|----------|
| 3/4" NPT MANUAL BALL VALVE     | XCGC0018 |
| CONTROL KNOB - GAS FTG/CB      | XFTG9010 |
| REGULATOR 4IN WC               | 353374-1 |
| PILOT VALVE HPA1002/1004/1006  | XHPA0003 |
| TOP GRATE OVER BURNER FR 40738 | XHPA0009 |



DISCONTINUED

## 24-inch 4-burner Cayenne® countertop gas hot plate

The Vollrath® Cayenne gas hot plate is powerful, compact and convenient. The body of this unit is constructed of durable stainless and aluminized steel. It features four burners with separate grates for easier cleaning. Each burner has an independent control knob, allowing you to cook multiple foods at one time. The metal knobs are made to resist cracking, protecting the interior gas valves. This powerful unit works quickly, evenly distributing heat

for superior cooking. A front opening makes lighting pilot lights easy, and a full-width stainless steel drip pan simplifies the cleaning process. With 26,000-BTU per burner, this hot plate is sure to impress.

Designed for a variety of foods, stews, and sauces

Durable stainless and aluminized steel body is built to last

Bullnose design prevents burns

Strong metal knobs are guaranteed for life

Heavy-duty legs allow leveling adjustments to provide maximum stability


Shipped setup for natural gas — includes kit with regulator for field conversion to propane

26,000-BTU per burner







PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

|       |              |
|-------|--------------|
| Model | HPA1004      |
| UPC   | 029419719402 |

Gas Specifications

|              |        |
|--------------|--------|
| Output (BTU) | 104000 |
|--------------|--------|

|                   |   |
|-------------------|---|
| Number of Burners | 4 |
|-------------------|---|

|            |          |
|------------|----------|
| Pilot Type | Standing |
|------------|----------|

## Unit Dimensions

|                         |                      |
|-------------------------|----------------------|
| Overall Dimensions (IN) | 23.625 x 27 x 13.375 |
|-------------------------|----------------------|

|                |       |
|----------------|-------|
| (W) Width (IN) | 23.62 |
|----------------|-------|

|                |       |
|----------------|-------|
| (D) Depth (IN) | 29.25 |
|----------------|-------|

|                           |    |
|---------------------------|----|
| (D2) Secondary Depth (IN) | 27 |
|---------------------------|----|

|                 |       |
|-----------------|-------|
| (H) Height (IN) | 13.25 |
|-----------------|-------|

|                            |         |
|----------------------------|---------|
| (HLR) Adjustable Legs (IN) | 4 - 5.5 |
|----------------------------|---------|

|                         |                |
|-------------------------|----------------|
| Overall Dimensions (CM) | 60 x 68.6 x 34 |
|-------------------------|----------------|

|                |    |
|----------------|----|
| (W) Width (CM) | 60 |
|----------------|----|

|                |      |
|----------------|------|
| (D) Depth (CM) | 74.3 |
|----------------|------|

|                           |      |
|---------------------------|------|
| (D2) Secondary Depth (CM) | 68.6 |
|---------------------------|------|

|                 |       |
|-----------------|-------|
| (H) Height (CM) | 33.66 |
|-----------------|-------|

|                            |           |
|----------------------------|-----------|
| (HLR) Adjustable Legs (CM) | 10.2 - 14 |
|----------------------------|-----------|

|      |    |
|------|----|
| Size | 24 |
|------|----|

## Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

|              |        |
|--------------|--------|
| Control Type | Manual |
|--------------|--------|

|                    |   |
|--------------------|---|
| Number of Controls | 4 |
|--------------------|---|

## Additional Specifications

|                      |   |
|----------------------|---|
| Number of Drip Trays | 1 |
|----------------------|---|

## Case Lot Measurement

## PRODUCT **ACCESSORIES**

| Name                                      | Item #  |
|-------------------------------------------|---------|
| 24-inch heavy-duty mobile equipment stand | 4087924 |

## PRODUCT **PARTS**

| Name                           | Part #   |
|--------------------------------|----------|
| HPA BURNER (SHORT VENTURE)     | XHPA0006 |
| DRIP TRAY                      | XHPA0015 |
| HPA BURNER (LONG VENTURE)      | XHPA0007 |
| LEG GAS APPLIANCE              | XFTG9012 |
| PILOT W/TUBING (FRONT BURNER)  | XHPA0004 |
| JET NAT 2.40 #40               | XFTG9007 |
| 3/4" NPT MANUAL BALL VALVE     | XCGC0018 |
| CONTROL KNOB - GAS FTG/CB      | XFTG9010 |
| PILOT VALVE HPA1002/1004/1006  | XHPA0003 |
| PILOT W/TUBING (REAR BURNER) H | XHPA0005 |
| CONTROL SAFETY VALVE FTG/CBL/  | XFTG9002 |
| REGULATOR 4IN WC               | 353374-1 |
| TOP GRATE OVER BURNER FR 40738 | XHPA0009 |



DISCONTINUED

## 36-inch 6-burner Cayenne® countertop gas hot plate

The Vollrath® Cayenne gas hot plate is powerful, compact and convenient. The body of this unit is constructed of durable stainless and aluminized steel. It features four burners with separate grates for easier cleaning. Each burner has an independent control knob, allowing you to cook multiple foods at one time. The metal knobs are made to resist cracking, protecting the interior gas valves. This powerful unit works quickly, evenly distributing heat

for superior cooking. A front opening makes lighting pilot lights easy, and a full-width stainless steel drip pan simplifies the cleaning process. With 26,000-BTU per burner, this hot plate is sure to impress.

Designed for a variety of foods, stews, and sauces

Durable stainless and aluminized steel body is built to last

Bullnose design prevents burns


Strong metal knobs are guaranteed for life

Heavy-duty legs allow leveling adjustments to provide maximum stability


Shipped setup for natural gas — includes kit with regulator for field conversion to propane

26,000-BTU per burner


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

### Model Information

|       |              |
|-------|--------------|
| Model | HPA1006      |
| UPC   | 029419719419 |

### Gas Specifications

|                   |          |
|-------------------|----------|
| Output (BTU)      | 156000   |
| Number of Burners | 6        |
| Pilot Type        | Standing |

### Unit Dimensions

|                            |                    |
|----------------------------|--------------------|
| Overall Dimensions (IN)    | 35.5 x 27 x 13.375 |
| (W) Width (IN)             | 35.5               |
| (D) Depth (IN)             | 29.25              |
| (D2) Secondary Depth (IN)  | 27                 |
| (H) Height (IN)            | 13.25              |
| (HLR) Adjustable Legs (IN) | 4 - 5.5            |

|                            |                  |
|----------------------------|------------------|
| Overall Dimensions (CM)    | 90.2 x 68.6 x 34 |
| (W) Width (CM)             | 90.2             |
| (D) Depth (CM)             | 74.3             |
| (D2) Secondary Depth (CM)  | 68.6             |
| (H) Height (CM)            | 33.66            |
| (HLR) Adjustable Legs (CM) | 10.2 - 14        |
| Size                       | 36               |

**Construction**

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
| Control Type          | Manual     |
| Number of Controls    | 6          |

**Additional Specifications**

|                      |   |
|----------------------|---|
| Number of Drip Trays | 1 |
|----------------------|---|

**Case Lot Measurement**

PRODUCT **ACCESSORIES**

| Name                                      | Item #  |
|-------------------------------------------|---------|
| 36-inch heavy-duty mobile equipment stand | 4087936 |

PRODUCT **PARTS**

| Name                          | Part #   |
|-------------------------------|----------|
| LEG GAS APPLIANCE             | XFTG9012 |
| PILOT W/TUBING (FRONT BURNER) | XHPA0004 |
| 3/4" NPT MANUAL BALL VALVE    | XCGC0018 |

| Name                           | Part #   |
|--------------------------------|----------|
| CONTROL KNOB - GAS FTG/CB      | XFTG9010 |
| PILOT VALVE HPA1002/1004/1006  | XHPA0003 |
| TOP GRATE OVER BURNER FR 40738 | XHPA0009 |
| PILOT W/TUBING (REAR BURNER) H | XHPA0005 |
| CONTROL SAFETY VALVE FTG/CBL/  | XFTG9002 |
| REGULATOR 4IN WC               | 353374-1 |
| HPA BURNER (SHORT VENTURE)     | XHPA0006 |
| HPA BURNER (LONG VENTURE)      | XHPA0007 |
| JET NAT 2.40 #40               | XFTG9007 |
| DRIP TRAY FOR 40738 GAS HOT PL | XHPA0008 |





## 208- to 240-volt two-burner countertop electric hot plate

The Vollrath® electric hot plate is powerful, compact and convenient. This narrow unit features front and back solid plate burners that save space and heat quickly. Featuring individual controls for each burner, this unit allows you to cook multiple foods at one time. The body of this unit is made of durable stainless steel, and the heavy-duty legs are adjustable, providing height flexibility based on preference. A rear safety skirt protects the internal components, and the flat surface is easy to clean, saving you valuable time.

Designed for a variety of foods, stews, and sauces


Durable stainless steel body is built to last

All units ship with cord and plug installed

9-inch solid plate burners heat quickly and are easy to clean

Legs adjust from 4 to 5½ inches, allowing height flexibility based on your preference


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | STA8002      |
| UPC   | 029419720248 |

## Unit Dimensions

|                         |                      |
|-------------------------|----------------------|
| Overall Dimensions (IN) | 15 x 27.375 x 11.375 |
|-------------------------|----------------------|

|                |    |
|----------------|----|
| (W) Width (IN) | 15 |
|----------------|----|

|                |       |
|----------------|-------|
| (D) Depth (IN) | 27.37 |
|----------------|-------|

|                 |       |
|-----------------|-------|
| (H) Height (IN) | 11.37 |
|-----------------|-------|

|               |        |
|---------------|--------|
| (DI) Diameter | 8.6875 |
|---------------|--------|

|                          |   |
|--------------------------|---|
| (HB) Height of Body (IN) | 9 |
|--------------------------|---|

|                         |                    |
|-------------------------|--------------------|
| Overall Dimensions (CM) | 38.1 x 69.5 x 28.9 |
|-------------------------|--------------------|

|                |      |
|----------------|------|
| (W) Width (CM) | 38.1 |
|----------------|------|

|                |      |
|----------------|------|
| (D) Depth (CM) | 69.5 |
|----------------|------|

|                 |      |
|-----------------|------|
| (H) Height (CM) | 28.9 |
|-----------------|------|

|                    |    |
|--------------------|----|
| (DI) Diameter (CM) | 22 |
|--------------------|----|

|                          |      |
|--------------------------|------|
| (HB) Height of Body (CM) | 22.9 |
|--------------------------|------|

## Electrical

|      |             |
|------|-------------|
| Amps | 14.4 - 16.7 |
|------|-------------|

|                  |    |
|------------------|----|
| Cord Length (IN) | 36 |
|------------------|----|

|                  |      |
|------------------|------|
| Cord Length (CM) | 91.4 |
|------------------|------|

|    |    |
|----|----|
| Hz | 60 |
|----|----|

|      |            |
|------|------------|
| Plug | NEMA 6-30P |
|------|------------|

|         |         |
|---------|---------|
| Voltage | 208-240 |
|---------|---------|

|       |           |
|-------|-----------|
| Watts | 3000-4000 |
|-------|-----------|

## Construction

|                       |                 |
|-----------------------|-----------------|
| Construction Material | Stainless Steel |
|-----------------------|-----------------|

|                         |                       |
|-------------------------|-----------------------|
| Construction Material 2 | Electrical Components |
|-------------------------|-----------------------|

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

## Case Lot Measurement

## PRODUCT PARTS

| Name | Part # |
|------|--------|
|------|--------|

|                                |          |
|--------------------------------|----------|
| POWER CORD SAA8024 (NEMA6-30P) | XSAA8030 |
|--------------------------------|----------|

|                              |         |
|------------------------------|---------|
| CONTROL PANEL FASCIA - BLACK | XAA0009 |
|------------------------------|---------|

|                      |          |
|----------------------|----------|
| GRIDDLE ELECTRIC LEG | XFTA0010 |
|----------------------|----------|

|                                |          |
|--------------------------------|----------|
| STOVE PLT ELEMENT STA8002 240V | XSTA0001 |
|--------------------------------|----------|

|                        |         |
|------------------------|---------|
| PILOT LIGHT 220V (RED) | XAA0002 |
|------------------------|---------|

|                         |          |
|-------------------------|----------|
| CABLE RESTRAINT COA8005 | XCOA5012 |
|-------------------------|----------|

|                               |          |
|-------------------------------|----------|
| VOLLRATH CONTROL KNOB STA8002 | XSTA0006 |
|-------------------------------|----------|

| Name                           | Part #   |
|--------------------------------|----------|
| CONNECTOR BLOCK FTA8036/COA800 | XFTA0002 |
| REGULATOR SWITCH STA8002       | XSTA0003 |



DISCONTINUED

## Cayenne® Hot Dog Roller Grills

Perfect for convenience stores

Body and rollers are all stainless steel construction for durability and easy cleaning

Excellent point-of-sale merchandisers for hot dogs, taquitos, brats, and more

360 degree roller rotation provides even heating and effective merchandising


Removable drip pan for easy cleaning

40821 and 40822 feature front and rear variable temperature controls for use with different menu items




40820 features compact design for applications where space is an issue

Breath guards available. Sold separately.



PRODUCT **SPECIFICATIONS**



**Model Information**

|       |              |
|-------|--------------|
| Model | HDR5007      |
| UPC   | 029419720361 |

**Gas Specifications**

|                   |   |
|-------------------|---|
| Number of Burners | 7 |
|-------------------|---|

**Unit Dimensions**

|                         |                  |
|-------------------------|------------------|
| Overall Dimensions (IN) | 23 x 13 x 10     |
| (W) Width (IN)          | 23               |
| (D) Depth (IN)          | 13               |
| (H) Height (IN)         | 10               |
| Overall Dimensions (CM) | 58.4 x 33 x 25.4 |
| (W) Width (CM)          | 58.4             |
| (D) Depth (CM)          | 33               |
| (H) Height (CM)         | 25.4             |



|      |    |
|------|----|
| Size | 18 |
|------|----|

### Electrical

|                  |            |
|------------------|------------|
| Amps             | 4.7        |
| Cord Length (IN) | 48         |
| Cord Length (CM) | 120        |
| Plug             | NEMA 5-15P |
| Voltage          | 120        |
| Watts            | 560        |

### Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

### Case Lot Measurement

## PRODUCT ACCESSORIES

| Name                                    | Item # |
|-----------------------------------------|--------|
| Breath Guards for Hot Dog Roller Grills | 40824  |

## PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| MOTOR HDR5005/HDR5007/HDR5009  | XHDR5010 |
| DRIVE SPROCKET HOT DOG GRILLRS | XHDR5009 |
| ROLLER SEAL                    | XHDR5031 |
| ELEMENT HDR5007/HDR5007/HDR500 | XHDR5007 |
| ENERGY REGULATOR SKA7011 (#14) | XSKA0011 |
| CONNECTOR BLOCK                | XHDR5033 |

| Name                          | Part #   |
|-------------------------------|----------|
| PILOT LIGHT 110V (YELLOW)     | XAA0011  |
| CONTROL KNOB OUTER RING (0-3) | XHDR5011 |
| RUBBER FOOT FFA8115/FFA8130 ( | XFFA8011 |
| POWERCORD 120V (NEMA5-15P)    | XAA0005  |
| CABLE RESTRAINT (FMA SKA FFA) | XAA0012  |



## 12-inch 2-burner countertop gas hot plate

Vollrath® gas hot plates transform any kitchen space into high-efficiency food prep. Designed for durability and low maintenance, the welded steel construction and individual stainless steel burner grates heat quickly and evenly, while saving valuable countertop space. With 52,000 BTUs of heating power, this gas hot plate is a great choice for any kitchen.

12-inch-wide hot plate with 2 burners  
fits virtually anywhere


Smooth, welded stainless steel design  
is built to last

Adjustable flame settings create consistent, even heating


Metal knobs are easy to use and guaranteed for life

Ships natural-gas-ready; includes propane conversion kit


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

### Model Information

|       |              |
|-------|--------------|
| Model | HPA1002      |
| UPC   | 029419432950 |

### Gas Specifications

|                   |          |
|-------------------|----------|
| Output (BTU)      | 52000    |
| Number of Burners | 2        |
| Pilot Type        | Standing |

### Unit Dimensions

|                                  |           |
|----------------------------------|-----------|
| (W) Width (IN)                   | 12.2      |
| (D) Depth (IN)                   | 29.25     |
| (H) Height (IN)                  | 13.25     |
| (HLR) Adjustable Legs (IN)       | 4 - 5.5   |
| (WCS) Cooking Surface Width (IN) | 12        |
| (DCS) Cooking Surface Depth (IN) | 23.74     |
| (HB) Height of Body (IN)         | 9.25      |
| (W) Width (CM)                   | 30.4      |
| (D) Depth (CM)                   | 74.3      |
| (H) Height (CM)                  | 33.66     |
| (HLR) Adjustable Legs (CM)       | 10.2 - 14 |
| (WCS) Cooking Surface Width (CM) | 30.48     |
| (DCS) Cooking Surface Depth (CM) | 60.3      |
| (HB) Height of Body (CM)         | 23.5      |
| Size                             | 12        |

### Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
| Control Type          | Manual     |
| Number of Controls    | 2          |

**Additional Specifications**

|                      |   |
|----------------------|---|
| Number of Drip Trays | 1 |
|----------------------|---|

**PRODUCT PARTS**

| Name                           | Part #   |
|--------------------------------|----------|
| DRIP TRAY - 12IN HP-MDCB       | 353365-1 |
| HOT PLATE ORIFICE - NAT GAS    | 353368-1 |
| 12" HOT PLATE MANIFOLD         | 353372-1 |
| HOT PLATE TOP GRATE            | 353362-1 |
| HOT PLT PILOT/BRN ASSY - FRONT | 353370-1 |
| FASCIA - OVERLAY 12IN HOT PLAT | 353361-1 |
| HP/T-STAT GD ORIFICE - LP      | 353369-1 |
| BURNER SUPPORT - HOT PLATE     | 353363-1 |
| CONTROL KNOB LG INSERT         | 353373-1 |
| MANUAL CONTROL VALVE           | 353367-1 |
| LEG, GAS APPLIANCE             | 353376-1 |
| DRIP TRAY SUPPORTS - HP        | 353366-1 |
| REGULATOR 4IN WC               | 353374-1 |
| HOT PLT PILOT/BRN ASSY - REAR  | 353371-1 |



## 24-inch 4-burner countertop gas hot plate

Vollrath® gas hot plates transform any kitchen space into high-efficiency food prep. Designed for durability and low maintenance, the welded steel construction and individual stainless steel burner grates heat quickly and evenly, while saving valuable countertop space. With 104,000 BTUs of heating power, this gas hot plate is a great choice for any kitchen.

24-inch hot plate's 4 burners add versatility to any kitchen


Smooth, welded stainless steel design is built to last

Adjustable flame settings create consistent, even heating


Metal knobs are easy to use and guaranteed for life

Ships natural-gas-ready; includes propane conversion kit


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW



### Model Information

|       |              |
|-------|--------------|
| Model | HPA1004      |
| UPC   | 029419432967 |

### Gas Specifications

|                   |          |
|-------------------|----------|
| Output (BTU)      | 104000   |
| Number of Burners | 4        |
| Pilot Type        | Standing |

### Unit Dimensions

|                                  |           |
|----------------------------------|-----------|
| (W) Width (IN)                   | 24.1      |
| (D) Depth (IN)                   | 29.25     |
| (H) Height (IN)                  | 13.25     |
| (HLR) Adjustable Legs (IN)       | 4 - 5.5   |
| (WCS) Cooking Surface Width (IN) | 24        |
| (DCS) Cooking Surface Depth (IN) | 23.74     |
| (HB) Height of Body (IN)         | 9.25      |
| (W) Width (CM)                   | 60.7      |
| (D) Depth (CM)                   | 74.3      |
| (H) Height (CM)                  | 33.66     |
| (HLR) Adjustable Legs (CM)       | 10.2 - 14 |
| (WCS) Cooking Surface Width (CM) | 60.96     |
| (DCS) Cooking Surface Depth (CM) | 60.3      |
| (HB) Height of Body (CM)         | 23.5      |
| Size                             | 24        |

### Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
| Control Type          | Manual     |
| Number of Controls    | 4          |

**Additional Specifications**

|                      |   |
|----------------------|---|
| Number of Drip Trays | 1 |
|----------------------|---|

**Case Lot Measurement**

PRODUCT **ACCESSORIES**

| Name                                      | Item #  |
|-------------------------------------------|---------|
| 24-inch heavy-duty mobile equipment stand | 4087924 |

PRODUCT **PARTS**

| Name                           | Part #   |
|--------------------------------|----------|
| HOT PLATE ORIFICE - NAT GAS    | 353368-1 |
| HOT PLATE TOP GRATE            | 353362-1 |
| HOT PLT PILOT/BRN ASSY - FRONT | 353370-1 |
| HP/T-STAT GD ORIFICE - LP      | 353369-1 |
| DRIP TRAY SUPPORTS - HP        | 353366-1 |
| GRATE SUPPORT - HOT PLATE      | 353364-1 |
| REGULATOR 4IN WC               | 353374-1 |
| 24" HOT PLATE MANIFOLD         | 353379-1 |
| BURNER SUPPORT - HOT PLATE     | 353363-1 |
| CONTROL KNOB LG INSERT         | 353373-1 |
| MANUAL CONTROL VALVE           | 353367-1 |
| LEG, GAS APPLIANCE             | 353376-1 |

| Name                           | Part #   |
|--------------------------------|----------|
| HOT PLT PILOT/BRN ASSY - REAR  | 353371-1 |
| DRIP TRAY - 24IN HP-MDCB       | 353378-1 |
| FASCIA - OVERLAY 24IN HOT PLAT | 353377-1 |



## 36-inch 6-burner countertop gas hot plate

Vollrath® gas hot plates transform any kitchen space into high-efficiency food prep. Designed for durability and low maintenance, the welded steel construction and individual stainless steel burner grates heat quickly and evenly, while saving valuable countertop space. With 156,000 BTUs of heating power, this gas hot plate is a great choice for any kitchen.

36-inch hot plate's 6 burners provide maximum versatility


Smooth, welded stainless steel design is built to last

Adjustable flame settings create consistent, even heating


Metal knobs are easy to use and guaranteed for life

Ships natural-gas-ready; includes propane conversion kit


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

### Model Information

|       |              |
|-------|--------------|
| Model | HPA1006      |
| UPC   | 029419433063 |

### Gas Specifications

|                   |          |
|-------------------|----------|
| Output (BTU)      | 156000   |
| Number of Burners | 6        |
| Pilot Type        | Standing |

### Unit Dimensions

|                                  |           |
|----------------------------------|-----------|
| (W) Width (IN)                   | 36.1      |
| (D) Depth (IN)                   | 29.25     |
| (H) Height (IN)                  | 13.25     |
| (HLR) Adjustable Legs (IN)       | 4 - 5.5   |
| (WCS) Cooking Surface Width (IN) | 36        |
| (DCS) Cooking Surface Depth (IN) | 23.74     |
| (HB) Height of Body (IN)         | 9.25      |
| (W) Width (CM)                   | 91.4      |
| (D) Depth (CM)                   | 74.3      |
| (H) Height (CM)                  | 33.66     |
| (HLR) Adjustable Legs (CM)       | 10.2 - 14 |
| (WCS) Cooking Surface Width (CM) | 91.44     |
| (DCS) Cooking Surface Depth (CM) | 60.3      |
| (HB) Height of Body (CM)         | 23.5      |
| Size                             | 36        |

### Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
| Control Type          | Manual     |
| Number of Controls    | 6          |

**Additional Specifications**

|                      |   |
|----------------------|---|
| Number of Drip Trays | 1 |
|----------------------|---|

**Case Lot Measurement**

PRODUCT **ACCESSORIES**

| Name                                      | Item #  |
|-------------------------------------------|---------|
| 36-inch heavy-duty mobile equipment stand | 4087936 |

PRODUCT **PARTS**

| Name                           | Part #   |
|--------------------------------|----------|
| DRIP TRAY SUPPORTS - HP        | 353366-1 |
| GRATE SUPPORT - HOT PLATE      | 353364-1 |
| REGULATOR 4IN WC               | 353374-1 |
| HOT PLT PILOT/BRN ASSY - REAR  | 353371-1 |
| HOT PLATE ORIFICE - NAT GAS    | 353368-1 |
| HOT PLATE TOP GRATE            | 353362-1 |
| 36" HOT PLATE MANIFOLD         | 353382-1 |
| HOT PLT PILOT/BRN ASSY - FRONT | 353370-1 |
| DRIP TRAY - 36IN HP-MDCB       | 353381-1 |
| HP/T-STAT GD ORIFICE - LP      | 353369-1 |
| BURNER SUPPORT - HOT PLATE     | 353363-1 |
| CONTROL KNOB LG INSERT         | 353373-1 |

| Name                           | Part #   |
|--------------------------------|----------|
| MANUAL CONTROL VALVE           | 353367-1 |
| LEG, GAS APPLIANCE             | 353376-1 |
| FASCIA - OVERLAY 36IN HOT PLAT | 353380-1 |





## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [vha@nt-rt.ru](mailto:vha@nt-rt.ru) || сайт: <https://vollrath.nt-rt.ru/>