

Оборудование для холодных и замороженных напитков

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: <https://vollrath.nt-rt.ru/>



2.6-gallon single-bowl frozen-beverage machine with auto-fill ready functionality

Vollrath Frozen Beverage Granita Machines are designed for cold or frozen slush and milk-based drinks including granitas, iced or frozen coffee or tea, frozen cocktails, smoothies and more. These machines are easy to use and maintain and are ideal for bars, convenience stores and other operations that want to expand their beverage offerings. Their multiple point of sale locations can be customized.

Magnetic drive system is reliable, durable and easy to use

Easy-to-use controls with simple switch operation

Gasketless spigot is easy to clean and maintain

Large freezing surface and properly-sized compressor reduces freeze down times and promotes efficient operation

Optional double-wall bowls that ensure minimal condensation on the outside of unit

One, 10-liter bowl

For parts and service information, please contact our White Glove Service Network or Parts Town:

PRODUCT SPECIFICATIONS

Model Information

Model	VCBF118
UPC	671080926537

Unit Dimensions

Overall Dimensions (IN)	7.75 x 19.5 x 27
(W) Width (IN)	7.75
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	5
(DL) Depth between legs	11.3125
(W) Width (CM)	19.4
(D) Depth (CM)	49.7
(H) Height (CM)	68.4
(WL) Width between legs (CM)	12.7
(DL) Depth between legs (CM)	28.7

Electrical

Amps	4.8
Frequency (Hz)	60
Hardwired Connection	No
Hz	60
Phase	1
Plug	NEMA 5-15P
Plug Connection	Yes
Voltage	120

Volume

Capacity (GAL)	2.6
Capacity (L)	10
Container Capacity (GAL)	2.6
Container Capacity (L)	10
Total Bowl Capacity (GAL)	2.6
Total Bowl Capacity (L)	10
Total Container Capacity (GAL)	2.6
Total Container Capacity (L)	10

Weight

Weight (LB)	61
Weight (KG)	27.7

Construction

Number of Bowls	1
-----------------	---

Refrigerant	R134A
Product Function	Frozen Beverage Dispenser

Frozen Treat: General Specifications

Compressor (Btu/hr)	1100
---------------------	------

Case Lot Measurement

Case Lot	1
Case Width	10.5
Case Height	30
Case Length	22

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- to double-wall bowl clear converter kit	BR0208



120-volt frozen-beverage machine three 2.6-gallon (10-liter) bowls and Auto-Fill kit compatibility

The frozen-beverage machine by Vollrath is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The three clear bowls provide excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. And, this machine features Auto-Fill kit compatibility, which helps keep the drinks flowing and requires less manual refilling, making it the perfect choice for high-volume operations. A

magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large freezing surface and high-quality compressor make this machine more efficient, allowing it to reach ideal temperatures quickly, and the gasketless spigot design makes cleaning simple, all of which save you valuable time.

Simple controls allow for temperature and consistency customization

Gasketless spigot makes cleaning quick and efficient

Magnetic drive system provides years of service

For parts and service information, please contact our White Glove Service Network or Parts Town: Contact White Glove Service Network: 800-319-9549
Contact Parts Town: 855-304-8992

Large freezing surface and high-quality compressor improve efficiency

Auto-Fill kit compatibility keeps the drinks flowing and makes it easy to keep up with high demand

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBF168
UPC	671080926551

Unit Dimensions

Overall Dimensions (IN)	23.5 x 19.5 x 27
(W) Width (IN)	23.5
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	20.375
(DL) Depth between legs	11.3125
(W) Width (CM)	59.4

(D) Depth (CM)	49.7
(H) Height (CM)	68.4
(WL) Width between legs (CM)	51.7
(DL) Depth between legs (CM)	28.7

Electrical

Amps	13.9
Frequency (Hz)	60
Hardwired Connection	No
Hz	60
Phase	1
Plug	NEMA 5-20P
Plug Connection	Yes
Voltage	120

Volume

Capacity (GAL)	7.8
Capacity (L)	30
Container Capacity (GAL)	2.6
Container Capacity (L)	10
Total Bowl Capacity (GAL)	7.8
Total Bowl Capacity (L)	30
Total Container Capacity (GAL)	7.8
Total Container Capacity (L)	30

Weight

Weight (LB)	129
Weight (KG)	58.5

Construction

Number of Bowls	3
Refrigerant	R448A
Product Function	Frozen Beverage Dispenser

Frozen Treat: General Specifications

Compressor (Btu/hr)	3630
---------------------	------

Case Lot Measurement

Case Lot	1
Case Width	22.75
Case Height	30
Case Length	26

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic II Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- to double-wall bowl clear converter kit	BR0208



6-Liter single-bowl frozen-beverage machine

Vollrath Frozen Beverage Granita Machines are designed for cold or frozen slush and milk-based drinks including granitas, iced or frozen coffee or tea, frozen cocktails, smoothies and more. These machines are easy to use and maintain and are ideal for bars, convenience stores and other operations that want to expand their beverage offerings. Their multiple point of sale locations can be customized.

Magnetic drive system is reliable, durable and easy to use

Easy-to-use controls with simple switch operation

Gasketless spigot is easy to clean and maintain

Large freezing surface and properly-sized compressor reduces freeze down times and promotes efficient operation

Optional double-wall bowls that ensure minimal condensation on the outside of unit

One, six-liter bowl

For parts and service information, please contact our White Glove Service Network or Parts Town:

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBA118
UPC	671080951065

Unit Dimensions

Overall Dimensions (IN)	7.75 x 19.5 x 23.75
(W) Width (IN)	7.75
(D) Depth (IN)	19.5
(H) Height (IN)	23.75
(WL) Width between legs	5
(DL) Depth between legs	11.3125
(W) Width (CM)	19.4
(D) Depth (CM)	49.7
(H) Height (CM)	60.5
(WL) Width between legs (CM)	12.7
(DL) Depth between legs (CM)	28.7

Electrical

Amps	4
Frequency (Hz)	50
Hardwired Connection	No
Hz	50
Phase	1
Plug	Schuko
Plug Connection	Yes
Domestic / International	Europe
Voltage	220

Volume

Capacity (GAL)	1.6
Capacity (L)	6
Container Capacity (GAL)	1.6
Container Capacity (L)	6
Total Container Capacity (GAL)	1.6
Total Container Capacity (L)	6

Weight

Weight (LB)	58
Weight (KG)	26.3

Construction

Refrigerant	R134A
-------------	-------

Frozen Treat: General Specifications

Compressor (Btu/hr)	830
---------------------	-----

Case Lot Measurement

Case Width	11
Case Height	29.5
Case Length	23

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic Ii Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- To Double-Wall Standard Bowl Clear Converter Kit	BR0118



120-volt frozen-beverage machine with one 1.6-gallon (6-liter) bowl

The frozen-beverage machine by Vollrath is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The clear bowl provides excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large freezing surface and high-quality

compressor make this machine more efficient, allowing it to reach ideal temperatures quickly, and the gasketless spigot design makes cleaning simple, all of which save you valuable time.

Simple controls allow for temperature and consistency customization

Magnetic drive system provides years of service

Large freezing surface and high-quality compressor improve efficiency

Gasketless spigot makes cleaning quick and efficient

For parts and service information, please contact our White Glove Service Network or Parts Town: Contact White Glove Service Network: 800-319-9549
Contact Parts Town: 855-304-8992

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBA118
UPC	671080737485

Unit Dimensions

Overall Dimensions (IN)	7.75 x 19.5 x 23.75
(W) Width (IN)	7.75
(D) Depth (IN)	19.5
(H) Height (IN)	23.75
(WL) Width between legs	5
(DL) Depth between legs	11.3125
(W) Width (CM)	19.4
(D) Depth (CM)	49.7
(H) Height (CM)	60.5
(WL) Width between legs (CM)	12.7

(DL) Depth between legs (CM)	28.7
------------------------------	------

Electrical

Amps	4
------	---

Frequency (Hz)	60
----------------	----

Hardwired Connection	No
----------------------	----

Hz	60
----	----

Phase	1
-------	---

Plug	NEMA 5-15P
------	------------

Plug Connection	Yes
-----------------	-----

Voltage	120
---------	-----

Volume

Bowl Capacity (GAL)	1.6
---------------------	-----

Bowl Capacity (L)	6
-------------------	---

Capacity (GAL)	1.6
----------------	-----

Capacity (L)	6
--------------	---

Container Capacity (GAL)	1.6
--------------------------	-----

Container Capacity (L)	6
------------------------	---

Total Container Capacity (GAL)	1.6
--------------------------------	-----

Total Container Capacity (L)	6
------------------------------	---

Weight

Weight (LB)	58
-------------	----

Weight (KG)	26.3
-------------	------

Construction

Refrigerant	R134A
-------------	-------

Frozen Treat: General Specifications

Compressor (Btu/hr)	830
---------------------	-----

Case Lot Measurement

Case Lot	1
Case Width	10
Case Height	28
Case Length	22

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- To Double-Wall Standard Bowl Clear Converter Kit	BR0118

DISCONTINUED

Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers

Powered by CO₂, nitrogen or compressed air, the Stoelting Fill-O-Matic II gas Auto-Fill System does not require an electrical connection, making it a more convenient way to provide a constant supply of mix to the freezer. A self-contained pump is built onto the cover of a 15-gallon plastic tank with a removable, easy-to-clean strainer.

No electrical connections required

15-gallon plastic tank

Powered by CO₂ nitrogen or compressed air

Compatible with SCBF118-37-AF, SCBF128-37-AF, SCBF168-37-AF

Provides constant supply of mix to freezer

PRODUCT SPECIFICATIONS

Model Information

UPC	671080323275
-----	--------------

Unit Dimensions

Overall Dimensions (IN)	11-1/2 x 11-1/2 x 27-1/2
-------------------------	--------------------------

(W) Width (IN)	11.5
----------------	------

(D) Depth (IN)	11.5
----------------	------

(H) Height (IN)	27.5
-----------------	------

Overall Dimensions (CM)	29.2 x 29.2 x 69.9
-------------------------	--------------------

(W) Width (CM)	29.2
----------------	------

(D) Depth (CM)

29.2

(H) Height (CM)

69.9

Case Lot Measurement

Case Width

0

Case Height

0

Case Length

0

Single- to double-wall bowl clear converter kit

Transform your regular granita machine bowl to a double-wall bowl with this converter kit. This clear, two-piece kit snaps over the original bowl, creating a second layer that provides insulation and prevents frost from forming on the outside. The clear construction maintains product visibility, and the second layer prevents condensation for a cleaner appearance.

- Snaps easily over your original bowl

Provides insulation to help maintain ideal temperature
- Prevents condensation from forming on the exterior of the bowl for a cleaner appearance

Clear construction maintains product visibility

PRODUCT SPECIFICATIONS

Model Information

UPC	671080782508
-----	--------------

Case Lot Measurement

Case Width	19.5
Case Height	4.5
Case Length	12.5



DISCONTINUED

Mini Soft Serve Countertop Freezer

Designed for small restaurants, delis, bakeries, food trucks convenience stores and more, the Vollrath mini soft serve countertop freezer promises impressive efficiency and simple operation. This versatile machine offers an exceptional user experience and perfectly monitors temperature for consistently frozen servings and beautiful results. The sleek design ensures simple maintenance and quick cleaning, making this countertop freezer a stress-free addition to your operation.

Freezes and serves commercial soft serve or non-dairy mixes, including: ice milk, ice cream, yogurt, and frozen dietary desserts

Total Cold refrigeration system keeps product at constant temperature

Seal-less drive shaft design eliminates preventive maintenance and mandatory seal replacements

Vertical drive shaft rotates from the top, above the mix, which prevents mix from entering the shaft - easy clean-up and low maintenance

Horizontal auger and vertical drive shaft design delivers a consistent, quality and creamy product for every serving

Horizontal auger continually draws product across and scrapes the freezer plate to eliminate product build-up and waste

Automatic or manual Night Mode

Lockable keypad

Servings counter

Small footprint, lightweight machine is portable

Works with dry or liquid soft serve mixes

Easy disassembly for cleaning

5 ft. (1.5 m) cord with plug

Please note, this item is now discontinued

PRODUCT SPECIFICATIONS

Model Information

UPC	671080349022
-----	--------------

Unit Dimensions

Overall Dimensions (IN)	11 x 19 x 28
(W) Width (IN)	11
(D) Depth (IN)	19
(H) Height (IN)	28

Volume

Bowl Capacity (GAL)	1
Bowl Capacity (L)	3.8

Case Lot Measurement

Case Lot	1
Case Width	14.75
Case Height	31.75
Case Length	21.75
Case Lot Cube (ft.)	5.5255
Case Lot Weight (lbs.)	66

PRODUCT PARTS

Name	Part #
BACK GREY PANEL QK	XCBB0027
RELAY NEK2125GK	XCBB0043
STAR SUPPLY VALVE	XCBB0011
GREY PLASTIC DRIP TRAY	XCBB0033
QK VERTICAL BLADE FIXING RING	XCBB0014
QUICKREAM SLEEVE	XCBB0002
KEY FOR TRANSPARENT COVER	XCBB0047
QUICKREAM COMPLETE DRAIN	XCBB0007
RIGHT LEVER CONNECTION	XCBB0004
CONNECTIONS JUNCTION AXIS	XCBB0005
VERTICAL AUGER GEAR	XCBB0049
QUICKREAM VERTICAL AUGER	XCBB0048
HORIZONTAL AUGER GEAR	XCBB0050
QUICKREAM TRANSMISSION SHAFT	XCBB0017

Name	Part #
QUICKREAM HORIZONTAL AUGER	XCBB0018
QUICKREAM POLYCARBONATE HANDLE	XCBB0009
SILICON TAP RELIEF GASKET	XCBB0006
TRANSPARENT COVER WITH LOCK	XCBB0012
PISTON SILICON GASKET	XCBB0010
QUICKREAM TRANSPARENT TANK	XCBB0013
BLACK HINGE HOOK	XCBB0025
QUICKREAM ELECTRONIC BOARD	XCBB0035
SWITCHING POWER SUPPLY KIT	XCBB0201
SPLINED KNOB	XCBB0026
STEEL SHAFT WITH STEEL NUT	XCBB0015
ELECTRONIC THERMOSTAT PROBE	XCBB0037
LEFT HANDLE BRIDGE	XCBB0008
FOOD RED SYLICON SLEEVE	XCBB0001



120-volt frozen-beverage machine with two 1.6-gallon (6-liter) bowls

The frozen-beverage machine by Vollrath is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The two clear bowls provide excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large freezing surface and

high-quality compressor make this machine more efficient, allowing it to reach ideal temperatures quickly, and the gasketless spigot design makes cleaning simple, all of which save you valuable time.

- Simple controls allow for temperature and consistency customization

Magnetic drive system provides years of service

Large freezing surface and high-quality compressor improve efficiency
- Gasketless spigot makes cleaning quick and efficient

For parts and service information, please contact our White Glove Service Network or Parts Town: Contact White Glove Service Network: 800-319-9549
Contact Parts Town: 855-304-8992

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBA128
UPC	671080737492

Unit Dimensions

Overall Dimensions (IN)	15.5 x 19.5 x 23.75
(W) Width (IN)	15.5
(D) Depth (IN)	19.5
(H) Height (IN)	23.75
(WL) Width between legs	12.5
(DL) Depth between legs	11.3125
(W) Width (CM)	39.4
(D) Depth (CM)	49.7
(H) Height (CM)	60.5
(WL) Width between legs (CM)	31.8

(DL) Depth between legs (CM)	28.7
------------------------------	------

Electrical

Amps	6
Frequency (Hz)	60
Hardwired Connection	No
Hz	60
Phase	1
Plug	NEMA 5-15P
Plug Connection	Yes
Voltage	120

Volume

Bowl Capacity (GAL)	1.6
Bowl Capacity (L)	6
Capacity (GAL)	3.2
Capacity (L)	12
Container Capacity (GAL)	1.6
Container Capacity (L)	6
Total Container Capacity (GAL)	3.2
Total Container Capacity (L)	12

Weight

Weight (LB)	96
Weight (KG)	43.5

Construction

Refrigerant	R448A
-------------	-------

Frozen Treat: General Specifications

Compressor (Btu/hr)	1900
---------------------	------

Case Lot Measurement

Case Lot	1
Case Width	18
Case Height	28
Case Length	22

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- To Double-Wall Standard Bowl Clear Converter Kit	BR0118



12-Liter double-bowl frozen-beverage machine

Vollrath Frozen Beverage Granita Machines are designed for cold or frozen slush and milk-based drinks including granitas, iced or frozen coffee or tea, frozen cocktails, smoothies and more. These machines are easy to use and maintain and are ideal for bars, convenience stores and other operations that want to expand their beverage offerings. Their multiple point of sale locations can be customized.

Magnetic drive system is reliable, durable and easy to use

Easy-to-use controls with simple switch operation

Gasketless spigot is easy to clean and maintain

Large freezing surface and properly-sized compressor reduces freeze down times and promotes efficient operation

Optional double-wall bowls that ensure minimal condensation on the outside of unit

Two, six-liter bowls for additional menu options

For parts and service information, please contact our White Glove Service Network or Parts Town:

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBA128
UPC	671080951072

Unit Dimensions

Overall Dimensions (IN)	15.5 x 19.5 x 23.75
(W) Width (IN)	15.5
(D) Depth (IN)	19.5
(H) Height (IN)	23.75
(WL) Width between legs	12.5
(DL) Depth between legs	11.3125
(W) Width (CM)	39.4
(D) Depth (CM)	49.7
(H) Height (CM)	60.5
(WL) Width between legs (CM)	31.8
(DL) Depth between legs (CM)	28.7

Electrical

Amps	6
Frequency (Hz)	50
Hardwired Connection	No
Hz	50
Phase	1
Plug	Schuko
Plug Connection	Yes
Domestic / International	Europe
Voltage	220

Volume

Capacity (GAL)	3.2
Capacity (L)	12
Container Capacity (GAL)	1.6
Container Capacity (L)	6
Total Container Capacity (GAL)	3.2
Total Container Capacity (L)	12

Weight

Weight (LB)	96
Weight (KG)	43.5

Construction

Refrigerant	R448A
-------------	-------

Frozen Treat: General Specifications

Compressor (Btu/hr)	1900
---------------------	------

Case Lot Measurement

Case Width	18.5
------------	------

Case Height	30
-------------	----

Case Length	23
-------------	----

PRODUCT **ACCESSORIES**

Name	Item #
------	--------

Fill-O-Matic II Electric Auto Fill System For Frozen Beverage Dispensers	4177349
--	---------

Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
---	---------

Single- To Double-Wall Standard Bowl Clear Converter Kit	BR0118
--	--------



120-volt frozen-beverage machine with three 1.6-gallon (6-liter) bowls

The frozen-beverage machine by Vollrath is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The three clear bowls provide excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large freezing surface and

high-quality compressor make this machine more efficient, allowing it to reach ideal temperatures quickly, and the gasketless spigot design makes cleaning simple, all of which save you valuable time.

- Simple controls allow for temperature and consistency customization

Magnetic drive system provides years of service

Large freezing surface and high-quality compressor improve efficiency
- Gasketless spigot makes cleaning quick and efficient

For parts and service information, please contact our White Glove Service Network or Parts Town: Contact White Glove Service Network: 800-319-9549
Contact Parts Town: 855-304-8992

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBA168
UPC	671080737508

Unit Dimensions

Overall Dimensions (IN)	23.5 x 19.5 x 23.75
(W) Width (IN)	23.5
(D) Depth (IN)	19.5
(H) Height (IN)	23.75
(WL) Width between legs	20.375
(DL) Depth between legs	11.3125
(W) Width (CM)	59.4
(D) Depth (CM)	49.7
(H) Height (CM)	60.5
(WL) Width between legs (CM)	51.7

(DL) Depth between legs (CM)	28.7
------------------------------	------

Electrical

Amps	9.6
------	-----

Frequency (Hz)	60
----------------	----

Hardwired Connection	No
----------------------	----

Hz	60
----	----

Phase	1
-------	---

Plug	NEMA 5-20P
------	------------

Plug Connection	Yes
-----------------	-----

Voltage	120
---------	-----

Volume

Bowl Capacity (GAL)	1.6
---------------------	-----

Bowl Capacity (L)	6
-------------------	---

Capacity (GAL)	4.8
----------------	-----

Capacity (L)	18
--------------	----

Container Capacity (GAL)	1.6
--------------------------	-----

Container Capacity (L)	6
------------------------	---

Total Container Capacity (GAL)	4.8
--------------------------------	-----

Total Container Capacity (L)	18
------------------------------	----

Weight

Weight (LB)	122
-------------	-----

Weight (KG)	55.3
-------------	------

Construction

Refrigerant	R448A
-------------	-------

Frozen Treat: General Specifications

Compressor (Btu/hr)	2550
---------------------	------

Case Lot Measurement

Case Lot	1
Case Width	22
Case Height	28.5
Case Length	26

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- To Double-Wall Standard Bowl Clear Converter Kit	BR0118



18-Liter triple-bowl frozen-beverage machine

Vollrath Frozen Beverage Granita Machines are designed for cold or frozen slush and milk-based drinks including granitas, iced or frozen coffee or tea, frozen cocktails, smoothies and more. These machines are easy to use and maintain and are ideal for bars, convenience stores and other operations that want to expand their beverage offerings. Their multiple point of sale locations can be customized.

Magnetic drive system is reliable, durable and easy to use

Easy-to-use controls with simple switch operation

Gasketless spigot is easy to clean and maintain

Large freezing surface and properly-sized compressor reduces freeze down times and promotes efficient operation

Optional double-wall bowls that ensure minimal condensation on the outside of unit

Three, six-liter bowls for additional menu options

For parts and service information, please contact our White Glove Service Network or Parts Town:

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBA168
UPC	671080951089

Unit Dimensions

Overall Dimensions (IN)	23.5 x 19.5 x 23.75
(W) Width (IN)	23.5
(D) Depth (IN)	19.5
(H) Height (IN)	23.75
(WL) Width between legs	20.375
(DL) Depth between legs	11.3125
(W) Width (CM)	59.4
(D) Depth (CM)	49.7
(H) Height (CM)	60.5
(WL) Width between legs (CM)	51.7
(DL) Depth between legs (CM)	28.7

Electrical

Amps	9.6
Frequency (Hz)	50
Hardwired Connection	No
Hz	50
Phase	1
Plug	Schuko
Plug Connection	Yes
Domestic / International	Europe
Voltage	220

Volume

Capacity (GAL)	4.8
Capacity (L)	18
Container Capacity (GAL)	1.6
Container Capacity (L)	6
Total Container Capacity (GAL)	4.8
Total Container Capacity (L)	18

Weight

Weight (LB)	122
Weight (KG)	55.3

Construction

Refrigerant	R448A
-------------	-------

Frozen Treat: General Specifications

Compressor (Btu/hr)	2550
---------------------	------

Case Lot Measurement

Case Width	22.75
------------	-------

Case Height	30
-------------	----

Case Length	26
-------------	----

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- To Double-Wall Standard Bowl Clear Converter Kit	BR0118



2.6-gallon single-bowl frozen-beverage machine

The Vollrath® single-bowl frozen-beverage machine is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The clear 2.6-gallon bowl provides excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large

freezing surface and high-quality compressor make this machine more efficient, allowing it to quickly reach ideal temperatures, and the gasketless spigot design makes cleaning simple, all of which saves you valuable time.

Simple controls allow for temperature and consistency customization

Magnetic drive system provides years of service

Large freezing surface and high-quality compressor improve efficiency

Gasketless spigot makes cleaning quick and efficient

Optional double-wall bowl minimizes external condensation

For parts and service information, please contact our White Glove Service Network or Parts Town:

Contact White Glove Network: 800-319-9549

Contact Parts Town: 855-304-8992

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBF118
UPC	671080737546

Unit Dimensions

Overall Dimensions (IN)	7.75 x 19.5 x 27
(W) Width (IN)	7.75
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	5
(DL) Depth between legs	11.3125
(W) Width (CM)	19.4
(D) Depth (CM)	49.7

(H) Height (CM)	68.4
(WL) Width between legs (CM)	12.7
(DL) Depth between legs (CM)	28.7

Electrical

Amps	4.8
Frequency (Hz)	60
Hardwired Connection	No
Hz	60
Phase	1
Plug	NEMA 5-15P
Plug Connection	Yes
Voltage	120

Volume

Bowl Capacity (GAL)	2.64
Bowl Capacity (L)	10
Capacity (GAL)	2.6
Capacity (L)	10
Container Capacity (GAL)	2.6
Container Capacity (L)	10
Total Bowl Capacity (GAL)	1.6
Total Bowl Capacity (L)	6
Total Container Capacity (GAL)	2.6
Total Container Capacity (L)	10

Weight

Weight (LB)	61
Weight (KG)	27.7

Construction

Number of Bowls	1
-----------------	---

Frozen Treat: General Specifications

Compressor (Btu/hr)	1100
---------------------	------

Case Lot Measurement

Case Lot	1
Case Width	11
Case Height	29.5
Case Length	23

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- to double-wall bowl clear converter kit	BR0208



10-Liter single-bowl frozen-beverage machine

The Vollrath® single-bowl frozen-beverage machine is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The clear 2.6-gallon bowl provides excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large

freezing surface and high-quality compressor make this machine more efficient, allowing it to quickly reach ideal temperatures, and the gasketless spigot design makes cleaning simple, all of which saves you valuable time.

Simple controls allow for temperature and consistency customization

Gasketless spigot makes cleaning quick and efficient

Magnetic drive system provides years of service

Optional double-wall bowl minimizes external condensation

Large freezing surface and high-quality compressor improve efficiency

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBF118
UPC	671080951096

Unit Dimensions

Overall Dimensions (IN)	7.75 x 19.5 x 27
(W) Width (IN)	7.75
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	5
(DL) Depth between legs	11.3125
(W) Width (CM)	19.4
(D) Depth (CM)	49.7
(H) Height (CM)	68.4
(WL) Width between legs (CM)	12.7

(DL) Depth between legs (CM)	28.7
------------------------------	------

Electrical

Amps	4.8
------	-----

Frequency (Hz)	50
----------------	----

Hardwired Connection	No
----------------------	----

Hz	50
----	----

Phase	1
-------	---

Plug	Schuko
------	--------

Plug Connection	Yes
-----------------	-----

Domestic / International	Europe
--------------------------	--------

Voltage	220
---------	-----

Volume

Capacity (GAL)	2.6
----------------	-----

Capacity (L)	10
--------------	----

Container Capacity (GAL)	2.6
--------------------------	-----

Container Capacity (L)	10
------------------------	----

Total Container Capacity (GAL)	2.6
--------------------------------	-----

Total Container Capacity (L)	10
------------------------------	----

Weight

Weight (LB)	61
-------------	----

Weight (KG)	27.7
-------------	------

Construction

Refrigerant	R134A
-------------	-------

Frozen Treat: General Specifications

Compressor (Btu/hr)	1100
---------------------	------

Case Lot Measurement

Case Width	11
Case Height	29.5
Case Length	23

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- to double-wall bowl clear converter kit	BR0208



5.2-gallon double-bowl frozen-beverage machine

The Vollrath® double-bowl frozen-beverage machine is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The clear 2.6-gallon bowls provide excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large

freezing surface and high-quality compressor make this machine more efficient, allowing it to quickly reach ideal temperatures, and the gasketless spigot design makes cleaning simple, all of which saves you valuable time.

Simple controls allow for temperature and consistency customization

Magnetic drive system provides years of service

Large freezing surface and high-quality compressor improve efficiency

Gasketless spigot makes cleaning quick and efficient

Optional double-wall bowl minimizes external condensation

For parts and service information, please contact our White Glove Service Network or Parts Town:

Contact White Glove Network: 800-319-9549

Contact Parts Town: 855-304-8992

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBF128
UPC	671080737553

Unit Dimensions

Overall Dimensions (IN)	15.5 x 19.5 x 27
(W) Width (IN)	15.5
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	12.5
(DL) Depth between legs	11.3125
(W) Width (CM)	39.4
(D) Depth (CM)	49.7

(H) Height (CM)	68.4
(WL) Width between legs (CM)	31.8
(DL) Depth between legs (CM)	28.7

Electrical

Amps	10
Frequency (Hz)	60
Hardwired Connection	No
Hz	60
Phase	1
Plug	NEMA 5-15P
Plug Connection	Yes
Voltage	120

Volume

Bowl Capacity (GAL)	2.64
Bowl Capacity (L)	10
Capacity (GAL)	5.2
Capacity (L)	20
Container Capacity (GAL)	2.6
Container Capacity (L)	10
Total Bowl Capacity (GAL)	3.2
Total Bowl Capacity (L)	12
Total Container Capacity (GAL)	5.2
Total Container Capacity (L)	20

Weight

Weight (LB)	99
Weight (KG)	44.9

Construction

Number of Bowls	2
-----------------	---

Frozen Treat: General Specifications

Compressor (Btu/hr)	2550
---------------------	------

Case Lot Measurement

Case Lot	1
Case Width	18.5
Case Height	30
Case Length	23

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- to double-wall bowl clear converter kit	BR0208



120-volt frozen-beverage machine with two 2.6-gallon (10-liter) bowls and Auto-Fill compatibility

The frozen-beverage machine by Vollrath is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The two clear bowls provide excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. And this machine features Auto-Fill compatibility, which helps keep the drinks flowing and requires less manual refilling, making it the perfect choice for high-volume operations. A

magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large freezing surface and high-quality compressor make this machine more efficient, allowing it to reach ideal temperatures quickly, and the gasketless spigot design makes cleaning simple, all of which save you valuable time.

Simple controls allow for temperature and consistency customization

Gasketless spigot makes cleaning quick and efficient

Magnetic drive system provides years of service

For parts and service information, please contact our White Glove Service Network or Parts Town: Contact White Glove Service Network: 800-319-9549
Contact Parts Town: 855-304-8992

Large freezing surface and high-quality compressor improve efficiency

Auto-Fill compatibility keeps the drinks flowing and makes it easy to keep up with high demand

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBF128
UPC	671080926544

Unit Dimensions

Overall Dimensions (IN)	15.5 x 19.5 x 27
(W) Width (IN)	15.5
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	12.5
(DL) Depth between legs	11.3125
(W) Width (CM)	39.4

(D) Depth (CM)	49.7
(H) Height (CM)	68.4
(WL) Width between legs (CM)	31.8
(DL) Depth between legs (CM)	28.7

Electrical

Amps	10
Frequency (Hz)	60
Hardwired Connection	No
Hz	60
Phase	1
Plug	NEMA 5-15P
Plug Connection	Yes
Voltage	120

Volume

Capacity (GAL)	5.2
Capacity (L)	20
Container Capacity (GAL)	2.6
Container Capacity (L)	10
Total Bowl Capacity (GAL)	5.2
Total Bowl Capacity (L)	20
Total Container Capacity (GAL)	5.2
Total Container Capacity (L)	20

Weight

Weight (LB)	99
Weight (KG)	44.9

Construction

Number of Bowls	2
Refrigerant	R448A

Frozen Treat: General Specifications

Compressor (Btu/hr)	2550
---------------------	------

Case Lot Measurement

Case Lot	1
Case Width	18.5
Case Height	30
Case Length	22.5

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- to double-wall bowl clear converter kit	BR0208



220-volt frozen-beverage machine with two 2.6-gallon (10-liter) bowls and Schuko plug

The frozen-beverage machine by Vollrath is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The two clear bowls provide excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large freezing surface and

high-quality compressor make this machine more efficient, allowing it to reach ideal temperatures quickly, and the gasketless spigot design makes cleaning simple, all of which save you valuable time.

- Simple controls allow for temperature and consistency customization

Magnetic drive system provides years of service

Large freezing surface and high-quality compressor improve efficiency
- Gasketless spigot makes cleaning quick and efficient

Schuko plug for international use

For parts and service information, please contact our White Glove Service Network or Parts Town: Contact White Glove Network: 800-319-9549 Contact Parts Town: 855-304-8992

PRODUCT SPECIFICATIONS

Model Information

Model	VCBF128
UPC	671080951102

Unit Dimensions

Overall Dimensions (IN)	15.5 x 19.5 x 27
(W) Width (IN)	15.5
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	12.5
(DL) Depth between legs	11.3125
(W) Width (CM)	39.4
(D) Depth (CM)	49.7
(H) Height (CM)	68.4

(WL) Width between legs (CM)	31.8
------------------------------	------

(DL) Depth between legs (CM)	28.7
------------------------------	------

Electrical

Amps	10
------	----

Frequency (Hz)	50
----------------	----

Hardwired Connection	No
----------------------	----

Hz	50
----	----

Phase	1
-------	---

Plug	Schuko
------	--------

Plug Connection	Yes
-----------------	-----

Domestic / International	Europe
--------------------------	--------

Voltage	220
---------	-----

Volume

Capacity (GAL)	5.2
----------------	-----

Capacity (L)	20
--------------	----

Container Capacity (GAL)	2.6
--------------------------	-----

Container Capacity (L)	10
------------------------	----

Total Container Capacity (GAL)	5.2
--------------------------------	-----

Total Container Capacity (L)	20
------------------------------	----

Weight

Weight (LB)	99
-------------	----

Weight (KG)	44.9
-------------	------

Construction

Refrigerant	R-448A
-------------	--------

Frozen Treat: General Specifications

Compressor (Btu/hr)	2550
---------------------	------

Case Lot Measurement

Case Width	18.5
Case Height	31
Case Length	23

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic II Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- to double-wall bowl clear converter kit	BR0208



7.8-gallon triple-bowl frozen-beverage machine

The Vollrath® triple-bowl frozen-beverage machine is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The clear 2.6-gallon bowls provide excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large

freezing surface and high-quality compressor make this machine more efficient, allowing it to quickly reach ideal temperatures, and the gasketless spigot design makes cleaning simple, all of which saves you valuable time.

Simple controls allow for temperature and consistency customization

Magnetic drive system provides years of service

Large freezing surface and high-quality compressor improve efficiency

Gasketless spigot makes cleaning quick and efficient

Optional double-wall bowl minimizes external condensation

For parts and service information, please contact our White Glove Service Network or Parts Town:

Contact White Glove Network: 800-319-9549

Contact Parts Town: 855-304-8992

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBF168
UPC	671080737560

Unit Dimensions

Overall Dimensions (IN)	23.5 x 19.5 x 27
(W) Width (IN)	23.5
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	20.375
(DL) Depth between legs	11.3125
(W) Width (CM)	59.4
(D) Depth (CM)	49.7

(H) Height (CM)	68.4
(WL) Width between legs (CM)	51.7
(DL) Depth between legs (CM)	28.7

Electrical

Amps	13.9
Frequency (Hz)	60
Hardwired Connection	No
Hz	60
Phase	1
Plug	NEMA 5-20P
Plug Connection	Yes
Voltage	120

Volume

Bowl Capacity (GAL)	2.64
Bowl Capacity (L)	10
Capacity (GAL)	7.8
Capacity (L)	30
Container Capacity (GAL)	2.6
Container Capacity (L)	10
Total Bowl Capacity (GAL)	4.8000000000000001
Total Bowl Capacity (L)	18
Total Container Capacity (GAL)	7.8
Total Container Capacity (L)	30

Weight

Weight (LB)	129
Weight (KG)	58.5

Construction

Number of Bowls	3
-----------------	---

Frozen Treat: General Specifications

Compressor (Btu/hr)	3630
---------------------	------

Case Lot Measurement

Case Lot	1
Case Width	22.75
Case Height	30
Case Length	26

PRODUCT **ACCESSORIES**

Name	Item #
Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
Single- to double-wall bowl clear converter kit	BR0208



30-Liter triple-bowl frozen-beverage machine

The Vollrath® triple-bowl frozen-beverage machine is designed for a variety of frozen treats including slushies, granitas, smoothies, cocktails and more. The clear 2.6-gallon bowls provide excellent product visibility, gently illuminated by an interior light. Easy-to-use controls are customizable, allowing you to adjust temperature and consistency for increased versatility. A magnetic drive system is more reliable and durable than a traditional mechanical drive system, resulting in less maintenance and longer service. The large

freezing surface and high-quality compressor make this machine more efficient, allowing it to quickly reach ideal temperatures, and the gasketless spigot design makes cleaning simple, all of which saves you valuable time.

Simple controls allow for temperature and consistency customization

Gasketless spigot makes cleaning quick and efficient

Magnetic drive system provides years of service

Optional double-wall bowl minimizes external condensation

Large freezing surface and high-quality compressor improve efficiency

For parts and service information, please contact our White Glove Service Network or Parts Town:

PRODUCT **SPECIFICATIONS**

Model Information

Model	VCBF168
UPC	671080951119

Unit Dimensions

Overall Dimensions (IN)	23.5 x 19.5 x 27
(W) Width (IN)	23.5
(D) Depth (IN)	19.5
(H) Height (IN)	27
(WL) Width between legs	20.375
(DL) Depth between legs	11.3125
(W) Width (CM)	59.4
(D) Depth (CM)	49.7
(H) Height (CM)	68.4
(WL) Width between legs (CM)	51.7

(DL) Depth between legs (CM)	28.7
Electrical	
Amps	13.9
Frequency (Hz)	50
Hardwired Connection	No
Hz	50
Phase	1
Plug	Schuko
Plug Connection	Yes
Domestic / International	Europe
Voltage	220
Volume	
Capacity (GAL)	7.8
Capacity (L)	30
Container Capacity (GAL)	2.6
Container Capacity (L)	10
Total Container Capacity (GAL)	7.8
Total Container Capacity (L)	30
Weight	
Weight (LB)	129
Weight (KG)	58.5
Construction	
Refrigerant	R-448A

Frozen Treat: General Specifications

Compressor (Btu/hr)	3630
---------------------	------

Case Lot Measurement

Case Width	23
------------	----

Case Height	29.5
-------------	------

Case Length	26.25
-------------	-------

PRODUCT **ACCESSORIES**

Name	Item #
------	--------

Fill-O-Matic li Electric Auto Fill System For Frozen Beverage Dispensers	4177349
--	---------

Fill-O-Matic II Gas Auto Fill System for Frozen Beverage Dispensers	4177370
---	---------

Single- to double-wall bowl clear converter kit	BR0208
---	--------



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: <https://vollrath.nt-rt.ru/>