Защитные ограждения

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Магнитогорск (3519)55-03-13

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волоград (844)278-03-48 Волоград (8472)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Россия +7(495)268-04-70 Казахстан +

Казахстан +7(727)345-47-04 Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Черповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 <u>Яросп</u>авль (4852)69-52-93

Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: https://vollrath.nt-rt.ru/



23 1/2-inch x 23 1/2-inch safety breath guard with flat acrylic panel

The 23-½-inch x 23 ½-inch hanging safety guard with flat acrylic panel from Vollrath® helps create a sturdy safety barrier that protects customers and employees alike, without taking up valuable counter space. The acrylic panel creates a shield that guards against airborne contaminants spread by sneezes and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard comes with a mounting kit for easy installation.

23 1/2 inches x 23 1/2 inches

3/16-inch-thick clear acrylic panel helps create a barrier to prevent the spread of airborne contaminants, protecting your employees and customers, without taking up valuable counter space Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, classrooms, lecture halls, offices, manufacturing facilities, and more

Durable and professional-looking

Easy to install, included mounting kit has the hardware you need to simplify setup

PRODUCT SPECIFICATIONS

Model Information

Model	Safety Shield Mounted
UPC	671080019413

Unit Dimensions

Overall Dimensions (IN)	40 x 0.18 x 42
(W) Width (IN)	40
(D) Depth (IN)	0.18
(H) Height (IN)	42
Overall Dimensions (CM)	101.6 × 0.47 × 106.68
(W) Width (CM)	101.6
(D) Depth (CM)	0.47
(H) Height (CM)	106.68

Construction

Construction Material	Acrylic	
-----------------------	---------	--

Case Width	24.5
Case Height	2
Case Length	24.5



23 1/2-inch wide mobile safety guards with flat acrylic panel and two legs

This 24-1/2-inch-wide mobile safety guard with flat acrylic panel and two legs from Vollrath[®] helps create a safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by sneezes, coughs and

other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a three-piece design.

Acrylic construction is durable and lightweight	Portable sneeze guard to facilitate social distancing and shield against airborne contaminants
Clear acrylic provides visibility and	
gives all components a consistent	Ideal for all areas where social
aesthetic	distancing needs to be addressed:
	restaurants, supermarkets,
Ships knocked down	convenience stores, hotels,
Easy assembly, 3-piece design	classrooms, lecture halls, offices, manufacturing facilities, and more

PRODUCT SPECIFICATIONS

Model Information

Model	SCLN
UPC	029419179244
Unit Dimensions	
Overall Dimensions (IN)	23.5 x 11.375 x 23.75
(W) Width (IN)	23.5
(D) Depth (IN)	11.375
(H) Height (IN)	23.75
Overall Dimensions (CM)	59.69 x 28.89 x 60.32
(W) Width (CM)	60
(D) Depth (CM)	28.89
(H) Height (CM)	60.32

Case Width	24.75
Case Height	2
Case Length	24.75



30-inch wide mobile safety guards with flat acrylic panel and two legs

This 30-1/2-inch-wide mobile safety guard with flat acrylic panel and two legs from Vollrath[®] helps create a safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by sneezes, coughs and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a three-piece design.

Acrylic construction is durable and lightweight

Clear acrylic provides visibility and gives all components a consistent aesthetic

Ships knocked down

Easy assembly, 3-piece design

Portable sneeze guard to facilitate social distancing and shield against airborne contaminants

Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, hotels, classrooms, lecture halls, offices, manufacturing facilities, and more

PRODUCT SPECIFICATIONS

Model Information

Model	SCLN
UPC	029419179251
Unit Dimensions	
Overall Dimensions (IN)	30 x 11.375 x 35.75
(W) Width (IN)	30
(D) Depth (IN)	11.375
(H) Height (IN)	35.75
Overall Dimensions (CM)	76.2 x 28.89 x 90.8
(W) Width (CM)	76.2
(D) Depth (CM)	28.89
(H) Height (CM)	90.8

Case Width	30.75
Case Height	2



35 1/2-inch wide mobile safety guards with flat acrylic panel and two legs

This 36-inch-wide mobile safety guard with flat acrylic panel and two legs from Vollrath[®] helps create a safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by sneezes, coughs and

other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a three-piece design.

Acrylic construction is durable and lightweight	Portable sneeze guard to facilitate social distancing and shield against airborne contaminants
Clear acrylic provides visibility and	
gives all components a consistent	Ideal for all areas where social
aesthetic	distancing needs to be addressed:
	restaurants, supermarkets,
Ships knocked down	convenience stores, hotels,
Easy assembly, 3-piece design	classrooms, lecture halls, offices, manufacturing facilities, and more

PRODUCT SPECIFICATIONS

Model Information

Model	SCLN
UPC	029419179329
Unit Dimensions	
Overall Dimensions (IN)	35.5 x 11.375 x 35.75
(W) Width (IN)	35.5
(D) Depth (IN)	11.375
(H) Height (IN)	35.75
Overall Dimensions (CM)	90.17 x 28.89 x 90.8
(W) Width (CM)	90.17
(D) Depth (CM)	28.89
(H) Height (CM)	90.8

Case Width	36
Case Height	2
Case Length	36



23 1/2-inchwide mobile passthrough safety guard with flat acrylic panel and two legs

This 24-1/2-inch-wide mobile safety guard with flat acrylic panel, pass-through and two legs from Vollrath[®] helps create a safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by sneezes, coughs and other methods, while providing a pass-through for transactions. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a three-piece design.

Acrylic construction is durable and lightweight	Portable sneeze guard to facilitate social distancing and shield against airborne contaminants
Clear acrylic provides visibility and	
gives all components a consistent aesthetic	Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets,
Pass-through enables safe transactions	convenience stores, hotels,
Ships knocked down	classrooms, lecture halls, offices, manufacturing facilities, and more
Easy assembly, 3-piece design	

PRODUCT SPECIFICATIONS

Model Information

Model	SCLP
Model	JCLF
UPC	029419179480
Unit Dimensions	
Overall Dimensions (IN)	23.5 x 11.375 x 23.75
(W) Width (IN)	23.5
	20.0
(D) Depth (IN)	11.375
(H) Height (IN)	23.75
Product Opening Width (IN)	12
Product Opening Height (IN)	8
Overall Dimensions (CM)	59.69 x 28.89 x 60.32
(W) Width (CM)	60

(D) Depth (CM)	28.89
(H) Height (CM)	60.32
Product Opening Width (CM)	30.4
Product Opening Height (CM)	20.3

Case Width	25
Case Height	2
Case Length	25



30-inch wide mobile pass-through safety guard with flat acrylic panel and two legs

This 30-1/2-inch-wide mobile safety guard with flat acrylic panel, pass-through and two legs from Vollrath[®] helps create a safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by sneezes, coughs and other methods, while providing a pass-through for transactions. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a three-piece design.

Acrylic construction is durable and lightweight	Portable sneeze guard to facilitate social distancing and shield agains airborne contaminants
Clear acrylic provides visibility and	
gives all components a consistent aesthetic	Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets,
Pass-through enables safe transactions	convenience stores, hotels,
Ships knocked down	classrooms, lecture halls, offices, manufacturing facilities, and more
Easy assembly, 3-piece design	

PRODUCT SPECIFICATIONS

Model Information

Model	SCLP
UPC	029419179497
Unit Dimensions	
Overall Dimensions (IN)	30 x 11.375 x 35.75
(W) Width (IN)	30
(D) Depth (IN)	11.375
(H) Height (IN)	35.75
Product Opening Width (IN)	12
Product Opening Height (IN)	8
Overall Dimensions (CM)	76.2 × 28.89 × 90.8
(W) Width (CM)	76.2

(D) Depth (CM)	28.89
(H) Height (CM)	90.8
Product Opening Width (CM)	30.4
Product Opening Height (CM)	20.3

Case Width	30.75
Case Height	2
Case Length	36.25



35.5-inch wide mobile pass-through safety guard with flat acrylic panel and two legs

This 36-inch-wide mobile safety guard with flat acrylic panel, pass-through and two legs from Vollrath[®] helps create a safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by

sneezes, coughs and other methods, while providing a pass-through for transactions. Ideal for use in any area where social distancing is needed

Acrylic construction is durable and lightweight	Portable sneeze guard to facilitate social distancing and shield agains airborne contaminants
Clear acrylic provides visibility and	
gives all components a consistent aesthetic	Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, hotels,
Pass-through enables safe transactions	
Ships knocked down	classrooms, lecture halls, offices, manufacturing facilities, and more
Easy assembly, 3-piece design	


PRODUCT SPECIFICATIONS

Model Information

Model	SCLP
UPC	029419179503
Unit Dimensions	
Overall Dimensions (IN)	35.5 x 11.375 x 35.75
(W) Width (IN)	35.5
(D) Depth (IN)	11.375
(H) Height (IN)	35.75
Product Opening Width (IN)	12
Product Opening Height (IN)	8
Overall Dimensions (CM)	90.17 x 28.89 x 90.8
(W) Width (CM)	90.17
(D) Depth (CM)	28.89

(H) Height (CM)	90.8
Product Opening Width (CM)	30.4
Product Opening Height (CM)	20.3

Case Width	36.25
Case Height	2
Case Length	36.25



23 1/2-inch wide mobile safety guard with flat acrylic panel and base holder

This 24-1/2-inch-wide mobile safety guard with flat acrylic panel and base holder from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by

sneezes, coughs and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a twopiece design.


Acrylic construction is durable and lightweight	Portable sneeze guard to facilitate social distancing and shield against airborne contaminants
Clear acrylic provides visibility and	and othe containing its
gives all components a consistent	Ideal for all areas where social
aesthetic	distancing needs to be addressed:
Ships knocked down	restaurants, supermarkets, convenience stores, hotels,
	classrooms, lecture halls, offices,
Easy assembly, 2-piece design	manufacturing facilities, and more

PRODUCT SPECIFICATIONS

Model Information

Model	SCSN
UPC	029419179510
Unit Dimensions	
Overall Dimensions (IN)	23.5 x 10 x 23.75
(W) Width (IN)	23.5
(D) Depth (IN)	10
(H) Height (IN)	23.75
Overall Dimensions (CM)	59.69 x 25.4 x 60.32
(W) Width (CM)	60
(D) Depth (CM)	25.4
(H) Height (CM)	60.32

Case Width	24.5
Case Height	8.5
Case Length	24.5



30-inch wide mobile safety guard with flat acrylic panel and base holder

This 30-1/2-inch-wide mobile safety guard with flat acrylic panel and base holder from Vollrath® helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by

sneezes, coughs and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a twopiece design.


Acrylic construction is durable and lightweight	Portable sneeze guard to facilitate social distancing and shield against airborne contaminants
Clear acrylic provides visibility and	and othe containing its
gives all components a consistent	Ideal for all areas where social
aesthetic	distancing needs to be addressed:
Ships knocked down	restaurants, supermarkets, convenience stores, hotels,
	classrooms, lecture halls, offices,
Easy assembly, 2-piece design	manufacturing facilities, and more

PRODUCT SPECIFICATIONS

Model Information

Model	SCSN
UPC	029419179527
Unit Dimensions	
Overall Dimensions (IN)	30 x 10 x 35.75
(W) Width (IN)	30
(D) Depth (IN)	10
(H) Height (IN)	35.75
Overall Dimensions (CM)	76.2 x 25.4 x 90.8
(W) Width (CM)	76.2
(D) Depth (CM)	25.4
(H) Height (CM)	90.8

Case Width	31
Case Height	9
Case Length	36



35 1/2-inch-inch wide mobile safety guard with flat acrylic panel and base holder

This 36-inch-wide mobile safety guard with flat acrylic panel and base holder from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread by sneezes, coughs and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a two-piece design.

Acrylic construction is durable and lightweight

Clear acrylic provides visibility and gives all components a consistent aesthetic

Ships knocked down

Easy assembly, 2-piece design

Portable sneeze guard to facilitate social distancing and shield against airborne contaminants


Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, hotels, classrooms, lecture halls, offices, manufacturing facilities, and more

PRODUCT SPECIFICATIONS

Model Information

Model	SCSN
UPC	029419179534
Unit Dimensions	
Overall Dimensions (IN)	35.5 x 10 x 35.75
(W) Width (IN)	35.5
(D) Depth (IN)	10
(H) Height (IN)	35.75
Overall Dimensions (CM)	90.17 x 25.4 x 90.8
(W) Width (CM)	90.17
(D) Depth (CM)	25.4
(H) Height (CM)	90.8

Case Width	36.25
Case Height	8.5



23 1/2-inch wide mobile passthrough safety guard with flat acrylic panel and base holder

This 24-1/2-inch-wide mobile safety guard with flat acrylic panel, pass-through and base holder from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne

contaminants spread by sneezes, coughs and other methods, while providing a passthrough for transactions. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a two-piece design.

Acrylic construction is durable and lightweight	Ships knocked down
	Easy assembly, 2-piece design
Clear acrylic provides visibility and gives all components a consistent aesthetic	Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets,
12-inch x 8-inch pass-through enables safe transactions	convenience stores, hotels, classrooms, lecture halls, offices, manufacturing facilities, and more


PRODUCT SPECIFICATIONS

Model Information

Model	SCSP
UPC	029419179541
Unit Dimensions	
Overall Dimensions (IN)	23.5 x 10 x 23.75
(W) Width (IN)	23.5
(D) Depth (IN)	10
(H) Height (IN)	23.75
Product Opening Width (IN)	12
Product Opening Height (IN)	8
Overall Dimensions (CM)	59.69 x 25.4 x 60.32
(W) Width (CM)	59.69
(D) Depth (CM)	25.4

(H) Height (CM)	60.32
Product Opening Width (CM)	30.4
Product Opening Height (CM)	20.3
Case Lot Measurement	
Case Width	24.25

Case Height	9
Case Length	24.25



30-inch wide mobile pass-through safety guard with flat acrylic panel and base holder

This 30-1/2-inch-wide mobile safety guard with flat acrylic panel, pass-through and base holder from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne

contaminants spread by sneezes, coughs and other methods, while providing a passthrough for transactions. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a two-piece design.

Acrylic construction is durable and lightweight	Ships knocked down
	Easy assembly, 2-piece design
Clear acrylic provides visibility and gives all components a consistent aesthetic	Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, hotels, classrooms, lecture halls, offices, manufacturing facilities, and more
12-inch x 8-inch pass-through enables safe transactions	

PRODUCT SPECIFICATIONS

Model Information

Model	SCSP
UPC	029419179558
Unit Dimensions	
Overall Dimensions (IN)	30 x 10 x 35.75
(W) Width (IN)	30
(D) Depth (IN)	10
(H) Height (IN)	35.75
Product Opening Width (IN)	12

8

25.4

Product Opening Height (IN)


 Overall Dimensions (CM)
 76.2 x 25.4 x 90.8

 (W) Width (CM)
 76.2

(D) Depth (CM)

(H) Height (CM)	90.8
Product Opening Width (CM)	30.4
Product Opening Height (CM)	20.3

Case Width	31
Case Height	8.5
Case Length	36



35 1/2-inchwide mobile passthrough safety guard with flat acrylic panel and base holder

This 36-inch-wide mobile safety guard with flat acrylic panel, pass-through and base holder from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel provides a shield that guards against airborne contaminants spread

by sneezes, coughs and other methods, while providing a pass-through for transactions. Ideal for use in any area where social distancing is needed, this durable and professionallooking safety guard is easy to assemble with a two-piece design.

Acrylic construction is durable and lightweight	Ships knocked down
	Easy assembly, 2-piece design
Clear acrylic provides visibility and gives all components a consistent aesthetic	Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets,
12-inch x 8-inch pass-through enables safe transactions	convenience stores, hotels, classrooms, lecture halls, offices, manufacturing facilities, and more

PRODUCT SPECIFICATIONS

Model Information

Model	SCSP
UPC	029419179565
Unit Dimensions	
Overall Dimensions (IN)	35.5 x 10 x 35.75
(W) Width (IN)	35.5
(D) Depth (IN)	10
(H) Height (IN)	35.75
Product Opening Width (IN)	12
Product Opening Height (IN)	8
Overall Dimensions (CM)	90.17 x 25.4 x 90.8
(W) Width (CM)	90.17
(D) Depth (CM)	25.4

(H) Height (CM)	90.8
Product Opening Width (CM)	30.4
Product Opening Height (CM)	20.3

Case Width	36.25
Case Height	8.5
Case Length	36.25



23 1/2-inch x 35 1/2-inch hanging safety guard with flat acrylic panel

The 23-½-inch by 35 ½-inch hanging safety guard with flat acrylic panel from Vollrath® helps create a sturdy safety barrier that protects customers and employees alike, without taking up valuable counter space. The acrylic panel creates a shield that guards against airborne contaminants spread by sneezes and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard comes with a mounting kit for easy installation.

23 1/2 inches x 35 1/2 inches

3/16-inch-thick clear acrylic panel helps create a barrier to prevent the spread of airborne contaminants, protecting your employees and customers, without taking up valuable counter space Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, classrooms, lecture halls, offices, manufacturing facilities, and more

Durable and professional-looking

Easy to install, included mounting kit has the hardware you need to simplify setup

PRODUCT **SPECIFICATIONS**

Model Information

Model	Safety Shield Mounted
UPC	671080019420

Unit Dimensions

Overall Dimensions (IN)	23.5 x 0.18 x 23.5
(W) Width (IN)	23.5
(D) Depth (IN)	0.18
(H) Height (IN)	23.5
Overall Dimensions (CM)	59.69 x 0.47 x 59.69
(W) Width (CM)	59.69
(D) Depth (CM)	0.47
(H) Height (CM)	59.69

Construction Material Acrylic	Construction Material	Acrylic	
-------------------------------	-----------------------	---------	--

Case Width	24.5
Case Height	2
Case Length	36.5



40-inch x 42-inch hanging safety guard with flat acrylic panel

The 40-inch by 42-inch hanging safety guard with flat acrylic panel from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike, without taking up valuable counter space. The acrylic panel creates a shield that guards against airborne contaminants spread by sneezes and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard comes with a mounting kit for easy installation.

40 inches x 42 inches

3/16-inch-thick clear acrylic panel helps create a barrier to prevent the spread of airborne contaminants, protecting your employees and customers, without taking up valuable counter space Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, classrooms, lecture halls, offices, manufacturing facilities, and more

Durable and professional-looking

Easy to install, included mounting kit has the hardware you need to simplify setup

PRODUCT SPECIFICATIONS

Model Information

Model	Safety Shield Mounted
UPC	671080019437

Unit Dimensions

Overall Dimensions (IN)	23.5 x 0.18 x 35.5
(W) Width (IN)	23.5
(D) Depth (IN)	0.18
(H) Height (IN)	35.5
Overall Dimensions (CM)	59.69 x 0.47 x 90.17
(W) Width (CM)	59.69
(D) Depth (CM)	0.47
(H) Height (CM)	90.17

Construction Material	Acrylic	
-----------------------	---------	--

Case Width	41
Case Height	2
Case Length	43



23 1/2-inch x 23 1/2-inch mounted safety guard with flat acrylic panel

The 23-½-inch x 23 ½-inch mounted safety guard with flat acrylic panel from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel creates a shield that guards against airborne contaminants spread by sneezes and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard comes with a mounting kit for easy installation.

23 1/2 inches x 23 1/2 inches

¹⁄₄-inch-thick clear acrylic panel helps create a barrier to prevent the spread of airborne contaminants, protecting your employees and customers

Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, classrooms, lecture halls, offices, manufacturing facilities, and more Durable and professional-looking

Easy to install, included mounting kit has the hardware you need to simplify setup

PRODUCT SPECIFICATIONS

Model Information

Model	Safety Shield Mounted
UPC	671080019444

Unit Dimensions

Overall Dimensions (IN)	23.5 x 0.18 x 23.5
(W) Width (IN)	23.5
(D) Depth (IN)	0.18
(H) Height (IN)	23.5
Overall Dimensions (CM)	59.69 x 0.47 x 59.69
(W) Width (CM)	59.69
(D) Depth (CM)	0.47
(H) Height (CM)	59.69

	Acrylic	Construction Material
--	---------	-----------------------

Case Width	24.5
Case Height	2
Case Length	24.5



23 1/2-inch x 35 1/2-inch mounted safety guard with flat acrylic panel

The 23-½-inch by 35 ½-inch mounted safety guard with flat acrylic panel from Vollrath® helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel creates a shield that guards against airborne contaminants spread by sneezes and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard comes with a mounting kit for easy installation.

23 1/2 inches x 35 1/2 inches

¹⁄₄-inch-thick clear acrylic panel helps create a barrier to prevent the spread of airborne contaminants, protecting your employees and customers

Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, classrooms, lecture halls, offices, manufacturing facilities, and more Durable and professional-looking

Easy to install, included mounting kit has the hardware you need to simplify setup

PRODUCT SPECIFICATIONS

Model Information

Model	Safety Shield Mounted
UPC	671080019451

Unit Dimensions

Overall Dimensions (IN)	23.5 x 0.18 x 35.5
(W) Width (IN)	23.5
(D) Depth (IN)	0.18
(H) Height (IN)	35.5
Overall Dimensions (CM)	59.69 x 0.47 x 90.17
(W) Width (CM)	59.69
(D) Depth (CM)	0.47
(H) Height (CM)	90.17

	Acrylic	Construction Material
--	---------	-----------------------

Case Width	24.5
Case Height	2
Case Length	36.5



40-inch x 42-inch mounted safety guard with flat acrylic panel

The 40-inch by 42-inch mounted safety guard with flat acrylic panel from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike. The acrylic panel creates a shield that guards against airborne contaminants spread by sneezes and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard comes with a mounting kit for easy installation.

40 inches x 42 inches

¹⁄₄-inch-thick clear acrylic panel helps create a barrier to prevent the spread of airborne contaminants, protecting your employees and customers

Ideal for all areas where social distancing needs to be addressed: restaurants, supermarkets, convenience stores, classrooms, lecture halls, offices, manufacturing facilities, and more Durable and professional-looking

Easy to install, included mounting kit has the hardware you need to simplify setup

PRODUCT SPECIFICATIONS

Model Information


Model	Safety Shield Mounted
UPC	671080019468

Unit Dimensions

Overall Dimensions (IN)	40 × 0.18 × 42
(W) Width (IN)	40
(D) Depth (IN)	0.18
(H) Height (IN)	42
Overall Dimensions (CM)	101.6 × 0.47 × 106.68
(W) Width (CM)	101.6
(D) Depth (CM)	0.47
(H) Height (CM)	106.68

	Acrylic	Construction Material
--	---------	-----------------------

Case Width	412
Case Height	2
Case Length	43



48-inch x 23-1/2-inch acrylic table safety guard for round table


This 48-inch x 23-1/2-inch acrylic table safety guard for round table from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike around a table. The acrylic panel provides a shield that guards against airborne contaminants spread by sneezes, coughs and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a two-piece design.

ips knocked down
sy assembly, 2-piece design
ortable sneeze guard to facilitate cial distancing and shield against borne contaminants

PRODUCT SPECIFICATIONS

Model Information

Model	TD48
UPC	029419179664
Unit Dimensions	
(W) Width (IN)	47.5
(D) Depth (IN)	47.5
(H) Height (IN)	23.5
(W) Width (CM)	120.7
(D) Depth (CM)	120.7
(H) Height (CM)	60
Case Lot Measurement	
Case Width	24.25
Case Height	2
Case Length	48.25



60-inch x 23-1/2-inch acrylic table safety guard for round table

This 60-inch x 23-1/2-inch acrylic table safety guard for round table from Vollrath[®] helps create a sturdy safety barrier that protects customers and employees alike around a table. The acrylic panel provides a shield that guards against airborne contaminants spread by sneezes, coughs and other methods. Ideal for use in any area where social distancing is needed, this durable and professional-looking safety guard is easy to assemble with a two-piece design.

Acrylic construction is durable and Ships knocked down lightweight	
Easy assembly, 2-piece design	
Clear acrylic provides visibility and gives all components a consistent aestheticPortable sneeze guard to facilitate social distancing and shield again airborne contaminants	
Rubber feet prevent shifting on table	

PRODUCT SPECIFICATIONS

Model Information

Model	TD60
UPC	029419179671
Unit Dimensions	
(W) Width (IN)	59.5
(D) Depth (IN)	59.5
(H) Height (IN)	23.5
(W) Width (CM)	151.1
(D) Depth (CM)	151.1
(H) Height (CM)	60
Case Lot Measurement	
Case Width	24.5
Case Height	2
Case Length	60

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Волоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Россия +7(495)268-04-70 Казахстан

Казахстан +7(727)345-47-04 Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Черповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 <u>Яросп</u>авль (4852)69-52-93

Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: https://vollrath.nt-rt.ru/