

Ломтерезки

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: <https://vollrath.nt-rt.ru/>



12-inch 120-volt heavy-duty automatic slicer

The Vollrath® heavy-duty automatic slicer is built for hours of hard work. This slicer can be operated automatically or manually, depending on your preference. The variable-speed automatic carriage improves versatility, and the food fence firmly holds foods in place during slicing. The hard-coated anodized aluminum exterior and stainless steel base are built to last, and the QuanTanium® coated nonstick plate reduces drag while also making this slicer easier to clean. This belt-driven slicer has a reliable belt that will last for years, and a built-in sharpener easily maintains your high-quality blade. The 35-degree gravity feed improves productivity and ease of use, and a slice-adjustment knob creates consistent slices up to

13/16 inch thick. A blade rim guard and a safety hand guard prevent accidental injury, as does a safety cover under the motor. For easy cleaning, the carriage can be removed, and a kickstand allows you to clean underneath the slicer. Nonmarking, nonskid rubber feet prevent movement, and the large receiving tray is ideal for any high-volume operation. QuanTanium is a registered trademark of Whitford Worldwide

Designed to efficiently slice a variety of meat and cheese products

Variable-speed automatic carriage for maximum operational efficiency, or manual operation depending on preference

Safe blade-removal tool is included for easy servicing

UL sanitation, certified to the NSF/ANSI 8

6-foot 4-inch cord with plug

35-degree gravity feed ensures easy operation, preventing operator fatigue

$\frac{3}{4}$ -peak-hp motor for continuous use and higher torque ideal for cheese slicing

13/16-inch maximum slice thickness

1 1/8" x 7 5/8" cutting capacity

Kickstand for easily and safely cleaning underneath the slicer

Non-marking, non-skid rubber feet

Belt driven. Durable, long-wearing belt provides reliable service.

Solid aluminum slice adjustment knob for precise and consistent slice thickness

Removable carriage for easy cleaning



“This slicer is a tank!! I usually choose to slice using a slicer’s manual setting. Most slicers automatic setting is clunky and yields poor quality and inconsistent slices. This is not the case with the Vollrath automatic slicer; you can set it

on auto and let it go. It’s a heavy duty machine that can thrive in a busy kitchen environment.”

Erling Wu-Bower Executive Chef/Co-Owner - Pacific Standard Time

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLP300A/S
UPC	671080468174

Unit Dimensions

Overall Dimensions (IN)	22.625 x 27 x 24.875
(W) Width (IN)	22.62
(D) Depth (IN)	27
(H) Height (IN)	24.87
(WL) Width between legs	13.375
(DL) Depth between legs	18.312
Product Opening Width (IN)	22.625
Product Opening Depth (IN)	29.625
Product Opening Height (IN)	24.875
Cut Size (IN)	up to 13/16
(W) Width (CM)	57.5
(D) Depth (CM)	68.6

(H) Height (CM)	63.2
(WL) Width between legs (CM)	34
(DL) Depth between legs (CM)	46.5
Product Opening Width (CM)	57.5
Product Opening Depth (CM)	75.2
Product Opening Height (CM)	63.2
Cut Size (CM)	up to 2.1
Size	12

Electrical

Amps	4
Cord Length (IN)	6' 4"
Cord Length (CM)	193
hp	1/2
Hz	60
Plug	NEMA 5-15P
Voltage	120

Case Lot Measurement

Case Lot	1
Case Width	33.5
Case Height	33
Case Length	32.5
Case Lot Cube (ft.)	20.79
Case Lot Weight (lbs.)	160

PRODUCT **ACCESSORIES**

Name	Item #
12" safe blade removal tool	40893
7" vegetable chute	40895
12" serrated blade - includes safe blade removal tool	40896

PRODUCT **PARTS**

Name	Part #
MOTOR SUPPORT BRACKET	XSSL5208
SHARPENER PIN SPRING	XSSL5146
CARRIAGE RELEASE SPRING	XSSL5149
MOTOR 115/60 UL	XSSL5250
KIT - AUTO-FEED LINKAGES	XSSL5174
GAUGE PLATE SUPPORT COVER KNOB	XSSL5131
CARRIAGE SLIDE ROD SPRING	XSSL5140
CARRIAGE DRIVE LOCK SPRING	XSSL5150
CARRIAGE SLIDE ROD SCREW	XSSL5139
KIT - CARRIAGE SLIDE ASSEMBLY	XSSL5249
GAUGE PLATE SLIDE SPRING	XSSL5181
CARRIAGE DRIVE FILTER COND	XSSL5171
MOTOR THRML PROTECTION 2.5A UL	XSSL5222
KIT - SHARPENER ASSEMBLY	XSSL5069
FOOD PRESS SLIDE ROD	XSSL5240
KIT-BLADE RING V.3	XSSL5256
CARRIAGE DRIVE FILTER	XSSL5169
FOOD PUSHER HANDLE	XSSL5152
POWER CORD 110/60 USA	XSSL5017

Name	Part #
KIT - MOTOR CAPACITOR	XSSL5071
GAUGE PLATE SUPPORT COVER KNOB	XSSL5177
KIT - MOTOR AUTO-FEED	XSSL5173
CARRIAGE SLIDE BUFFER M6X17	XSSL5138
CONTROL LABEL	XSSL5172
RELAY BOX COVER	XSSL5213
KIT - CARRIAGE SLIDE ASSEMBLY	XSSL5195
CARRIAGE DRIVE RESISTOR BOARD	XSSL5170
KIT - PROTECTION KIT AUTO	XSSL5157
CONTROL LABEL	XSSL5159
BLADE COVER ADAPTOR	XSSL5127
SHARPENER VIBRATION DAMPER	XSSL5147
CARRIAGE RELEASE BUSHING	XSSL5236
BLADE COVER KNOB	XSSL5178
KIT - CARRIAGE HANDLE	XSSL5072
CONTROL BOARD 110/60 UL	XSSL5019
DEBURRING PIN	XSSL5239
KIT - GAUGE PLATE CAM AND PIN	XSSL5241
KIT - PROTECTOR THUMB SCREWS	XSSL5158
KIT - BLADE COVER TIE ROD	XSSL5062
FOOD TRAY SUPPORT KNOB	XSSL5141
BRASS STUD BOLT M8	XSSL5137
FOOT PLATE	XSSL5126
SHARPENER PUSH BUTTON	XSSL5145
RELAY BOX	XSSL5212

Name	Part #
KIT - BLADE	XSSL5059
BLADE HUB PLUG	XSSL5182
GAUGE PLATE SUPPORT SEAL	XSSL5183
CARRIAGE DRIVE LOCK KNOB	XSSL5155
KIT - BLADE HUB W/BELT & SEAL	XSSL5136
KIT - THICKNESS KNOB	XSSL5077
GAUGE PLATE SUPPORT COVER SEAL	XSSL5133
GAUGE PLATE SUPPORT	XSSL5205
BOTTOM COVER	XSSL5206
KIT - SHARPENING STONE WHEELS	XSSL5070
CONTROL BOARD AUTO-DRIVE	XSSL5168
GAUGE PLATE SLIDE SPRING	XSSL5134
KIT - THICKNESS KNOB	XSSL5063
KIT - GAUGE PLATE MOVEMENT	XSSL5086
KIT - RUBBER FOOT FRONT	XSSL5088
KIT - KICKSTAND	XSSL5084
KIT - POTENTIOMETER W/KNOB	XSSL5087
KIT - FOOD PRESS ASSEMBLY	XSSL5196
KIT - GAUGE PLATE CAM AND PIN	XSSL5231
BRASS STUD BOLT M6X17	XSSL5097
KIT - CARRIAGE & TRAY ASSEMBLY	XSSL5156
THERMAL SWITCH SUPPORT FLANGE	XSSL5209
SHARPENING PIN	XSSL5238
GAUGE PLATE BOLT M8X38	XSSL5202
BRASS STUD BOLT	XSSL5179

Name	Part #
OIL BOTTLE	XSSL5027
CARRIAGE SLIDE ROD	XSSL5232
SNAP-IN COVER	XSSL5167
KIT - SLICE DEFLECTOR	XSSL5061
OIL TUBE	XSSL5132
S/S ON BUTTON W/BLOCK LIGHT UL	XSSL5161
BRASS STUD BOLT M6X25	XSSL5103
FOOD PUSHER STUD PLATE BOLT	XSSL5153
CARRIAGE RELEASE PIN	XSSL5235
KIT - GAUGE PLATE MOVEMENT	XSSL5247
SHARPENER COVER S/S KNOB	XSSL5148
BLADE HUB SEAL 95X110X6	XSSL5128
CABLE RESTRAINT	XSSL5162
OIL TUBE COVER	XSSL5180
LOCK RING - EXTERNAL THREADS	XSSL5237
MOUNTING BLOCK FOR KICKSTAND	XSSL5166
KIT - GAUGE PLATE MOVEMENT	XSSL5083
S/S OFF BUTTON UL	XSSL5010
BLADE HUB ASSEMBLY	XSSL5031
BLADE COVER KNOB SCREW M4X08	XSSL5184
GAUGE PLATE BOLT M8X29	XSSL5129
GAUGE PLATE SUPPORT COVER	XSSL5130
GAUGE PLATE	XSSL5002
BLADE HUB ASSEMBLY	XSSL5221
KICKSTAND BRACKET	XSSL5207

Name	Part #
SHARPENER ASSEMBLY KNOB	XSSL5144
KICKSTAND STOPPER	XSSL5211
BUTTON LOCKING SCREW	XSSL5112
KIT - BLADE COVER	XSSL5058
BELT	XSSL5006
FOOD PRESS CAPTURE BRACKET	XSSL5151
CARRIAGE RELEASE TIP	XSSL5234
SNAP-IN COVER	XSSL5135
MOTOR THERMAL PROTECTION 4A UL	XSSL5160
GAUGE PLATE SUPPORT	XSSL5175
KICKSTAND KNOB	XSSL5165
KIT-BLADE COVER V.3	XSSL5255
BLADE COVER KNOB	XSSL5090
FOOD FENCE	XSSL5154
GAUGE PLATE SUPPORT COVER	XSSL5176
KIT - RUBBER FOOT REAR	XSSL5089
POTENTIOMETER KNOB	XSSL5163
KIT - BLADE RING	XSSL5060
RELAY BOX ASSEMBLY	XSSL5203
CARRIAGE BEARING	XSSL5142



DISCONTINUED

12" (30.5 cm) heavy-duty slicer with non-stick finish and Safe Blade Removal system

Belt Driven: 40903. Large receiving tray. Powerful 1/2 hp motor

Belt Driven: 40904. Same features as the 40903, but includes the Safe Blade Removal system.

Gear Driven: 40906. Direct drive gear transmission for powerful cutting applications such as cheese

Recessed drip edge

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLR7712/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	20.5 x 23.75 x 19
(W) Width (IN)	20.5
(D) Depth (IN)	23.75
(H) Height (IN)	19
(W) Width (CM)	52.1
(D) Depth (CM)	60.3
(H) Height (CM)	48.3

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	10.21
Case Lot Weight (lbs.)	77.65

PRODUCT **PARTS**

Name	Part #
DRIVE BELT SLR7009/7010/7012/7	XSLA0048
MEAT TRAY HANDLE(BLUE) SLR701	XSLS0043
SHARPENING ASSY COMPLETE(SMALL	XSLM0047
MEAT TRAY CARRIAGE ROLLER WHEE	XSLM1102
SHAFT GAUGE PLATE MOVEMENT	XSLS0051
BLADE MTG W/PULLEY	XSLA1041

Name	Part #
QUICK RELEASE BLADE REMOVAL P	XSL1249
MEAT TRAY CARRIAGE ASSEMBLY CO	XSL0002
POWER CORD SLICER(ITALIAN)	XSL1270
RUBBER FOOT SLR(7012/7312/7412	XSL0115
REGULATOR CAM SLR7012/7014/741	XSL0010
BOTTOM COVER SLR7012 (#114)	XSL1206
SUPPORT GAUGE PLATE 300	XSL0027
RESET SWITCH SLR7012/7312/SLM7	XSL1235
SPRING SLIDING BAR RIGHT SLR70	XSL0003
SWITCH SIDE GUARD	XSL0100
DEBURRING STONE(40X8) SLM0012	XSLM1004
BLADE GUARD	XSL0058
HANDLE FOOD PUSHER	XSLG1229
MEAT TRAY LOCKING KNOB(BLUE) S	XSL0042
SHAFT FOOD PUSHER	XSL0134
MOTOR SLR7012 (#51) (COMPL W/	XSL1207
FOOD PUSHER ASSY	XSLA0006
SHARPENER SUPPORT	XSL0059
TIE ROD BLADE COVER MTG	XSL0026
PLATFORM SUPPORT ROD SLR7012/7	XSL0038
CAPACITOR 16UF SLR7512 (#130	XSLG1241
SHARPENER BASE	XSL0028
BLADE COVER RET.STUDY ASSM 300	XSL0121
ON/OFF TOGGLE SWITCH SLR7612/7	XSLT1233
SPRING GAUGE PLATE SUPPORT	XSL0048

Name	Part #
SET SCREW M10 X 20 CUP POINT	XSLS0131
MEAT TRAY SUPPORT STUD SLICER(XSLM0041
SBR BLADE (#63) (SLR7712/7512D	XSLG1210
SHARPENING STONE SLM0012/SLR75	XSLM1009
OIL SEAL(TC65X100X10) SLR7512/	XSLG1234
QUICK RELEASE LOCK NUT SLM7012	XSLG1235
WASHER RUBBER SLIDING BAR SLR7	XSLS0006
HOUSING WITH KNOB : SHARPENER	XSLA0038
SHARPENING ASSY COVER KNOB SL	XSLA1028
GAUGE PLATE 300 NSF8	XSLS0032
ADAPTER BLADE COVER	XSLA1250
BLADE RING GUARD ASSY	XSLS0031



DISCONTINUED

9" (22.9 cm) Light-Duty Electric Slicer

Vollrath offers the perfect slicer to fit your needs.

Space-saver design with smaller footprint for tight areas

Ideal for casual slicing needs such as coffee shops, small restaurants, sub shops and delis. Not recommended for slicing cheese

Recessed drip edge

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLR7009/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	16 x 18 x 15
(W) Width (IN)	16
(D) Depth (IN)	18
(H) Height (IN)	15
(W) Width (CM)	40.6
(D) Depth (CM)	45.7
(H) Height (CM)	38.1
Size	Medium

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	5.63
Case Lot Weight (lbs.)	41.0

PRODUCT **PARTS**

Name	Part #
SHARPENING ASSY NO COVER SLR70	XSLS1203
SUPPORT GAUGE PLATE	XSLS0083
BLADE COVER TIE ROD SLR7009/7	XSLA0027
PRODUCT HOLDER SUPPORT	XSLA0036
BLADE SLR7009 (#3)	XSLA9010

Name	Part #
BLADE RING GUARD - QUANTANIUM	XSLA1016
REGULATOR KNOB METAL	XSLS0082
PULLEY CAM	XSLA0024
HANDLE FOOD PUSHER	XSLG1229
DRIVE BELT SLR7009/7010/7012/7	XSLA0048
FOOD PUSHER ASSY	XSLA0056
BLUE VOLLRATH SWITCH LABEL	XSLA0030
SLIDE BAR SPRING SLR7009/7010	XSLA0016
POWER CORD SLICER(ITALIAN)	XSLS1270
CAPACITOR SLR7009/7010/7312 (XSLA0039
SPRING GAUGE PLATE SUPPORT	XSLS0048
SPRING GAUGE PLATE MOVEMENT	XSLS0087
SHARPENER MOUNTING	XSLA0054
BLADE PULLEY SLR7009/7010/7312	XSLA0046
REGULATOR CAM SLR7009/7010/731	XSLA0031
SPACER FOOD PUSHER	XSLA0011
SHAFT: PRODUCT HOLDER	XSLA0050
SWITCH SIDE GUARD	XSLS0100
LAST SLICE PUSHER BUSH SLR701	XSLA0022
GAUGE PLATE MOVEMENT SHAFT	XSLS0068
TIE ROD SPACER SLR7009/7010/73	XSLA9058
DEBURRING STONE SLR7009/7010/7	XSLS0097
BLADE CVR/RTAINNG STUD ASSY QT	XSLA1011
MEAT TRAY SLIDE BAR SLR7009/70	XSLA0010
SHARPENING STONE SLR7009/7010/	XSLS0102

Name	Part #
RING GUARD LOCKING STUD SHORT	XSLS0103
ON/OFF TOGGLE SWITCH SLR7612/7	XSLT1233
PIN: CARRIAGE	XSLA1008
PRODUCT-HOLDER SPPRT EXCENTRIC	XSLS0071
CAPACITOR BRACKET	XSLA0012
MEAT CARRIAGE NYLON WHEEL SLR7	XSLA0018
RUBBER FOOT (NEW TYPE) SLR7009	XSLA0020
CABLE RESTRAINT SLR7 SERIES (A	XSLA0042
SET SCREW M10 X 20 CUP POINT	XSLS0131
SHARPENING ASSY COVER KNOB SL	XSLA1028
MEAT TRAY LOCKING KNOB(BLUE)	XSLA0053
FOOD PUSHER 220/250	XSLA0007
SHARPENING ASSY COVER & KNOB S	XSLA0049
METAL GAUZE BOTTOM COVER SLR70	XSLA0037
GAUGE PLATE 220 - QUANTANIUM	XSLA1018



13-inch 120-volt heavy-duty electric deli slicer

The Vollrath® heavy-duty electric deli slicer is designed specifically for delis or other high-usage retail operations. The hard-coated anodized aluminum exterior and stainless steel base are built to last, and the QuanTanium®-coated nonstick plate reduces drag while also making this slicer easier to clean. This belt-driven slicer has a reliable belt that will last for years, and a built-in sharpener easily maintains your high-quality blade. The 35-degree gravity feed improves productivity and ease of use, and a slice-adjustment knob creates consistent slices up to 13/16 inch thick. The extra-long slide rod accommodates large loaves of meats and cheese. A blade rim guard and a safety hand guard prevent accidental injury,

as does a safety cover under the motor. For easy cleaning, the carriage tray safely tilts open, without exposing the blade, and a kickstand allows you to clean underneath the slicer. Nonmarking, nonskid rubber feet prevent movement, and the large receiving tray is ideal for any high-volume operation.

Designed to efficiently slice a variety of meat and cheese products	13/16-inch maximum slice thickness
Safe blade-removal tool is included for easy servicing	1 5/8" x 8" cutting capacity
UL sanitation, certified to the NSF/ANSI 8	Solid aluminum slice adjustment knob for precise and consistent slice thickness
6-foot 4-inch cord with plug	Carriage tray tilts open with zero blade exposure for safety and easy cleaning
35-degree gravity feed ensures easy operation, preventing operator fatigue	Large receiving tray
1/2-peak-hp motor for continuous use and higher torque ideal for cheese slicing	Safe blade removal tool
	Permanent blade rim guard for safety

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLP330E/S
UPC	671080468181

Unit Dimensions

Overall Dimensions (IN)	25.187 x 24.187 x 24.25
(W) Width (IN)	25.18
(D) Depth (IN)	24.18
(H) Height (IN)	24.25
(WL) Width between legs	13.375

(DL) Depth between legs	18.312
Product Opening Width (IN)	25.1875
Product Opening Depth (IN)	28.75
Product Opening Height (IN)	24.25
Cut Size (IN)	up to 13/16
(W) Width (CM)	64
(D) Depth (CM)	61.4
(H) Height (CM)	61.6
(WL) Width between legs (CM)	34
(DL) Depth between legs (CM)	46.5
Product Opening Width (CM)	64
Product Opening Depth (CM)	73
Product Opening Height (CM)	61.6
Cut Size (CM)	up to 2.1
Size	13

Electrical

Amps	2
Cord Length (IN)	6' 4"
Cord Length (CM)	193
hp	1/2
Hz	60
Plug	NEMA 5-15P
Voltage	120

Construction

Construction Material	Cast Aluminum
Construction Material 2	Stainless Steel
Construction Material 3	Electrical Components

Case Lot Measurement

Case Lot	1
Case Width	33.0709
Case Height	29.5276
Case Length	34.252
Case Lot Cube (ft.)	19.356
Case Lot Weight (lbs.)	121.254

PRODUCT **ACCESSORIES**

Name	Item #
13" safe blade removal tool	40894
7" vegetable chute	40895
13" serrated blade - includes safe blade removal tool	40897

PRODUCT **PARTS**

Name	Part #
MOTOR SUPPORT BRACKET	XSSL5208
KIT - RUBBER FOOT REAR	XSSL5187
SHARPENER PIN SPRING	XSSL5146
CARRIAGE RELEASE SPRING	XSSL5149
CARRIAGE SLIDE ROD SPRING	XSSL5140
CARRIAGE SLIDE ROD SCREW	XSSL5139
GAUGE PLATE SLIDE SPRING	XSSL5181

Name	Part #
KIT - SHARPENER ASSEMBLY	XSSL5069
NYLON SPACER	XSSL5218
FOOD PRESS SLIDE ROD SCREW M6	XSSL5220
GAUGE PLATE SUPPORT COVER KNOB	XSSL5177
KIT - BLADE	XSSL5074
CARRIAGE SLIDE BUFFER M6X17	XSSL5138
RELAY BOX COVER	XSSL5213
SHARPENER VIBRATION DAMPER	XSSL5147
CARRIAGE RELEASE BUSHING	XSSL5236
BLADE COVER KNOB	XSSL5178
MOTOR THERMAL RESET 5A UL	XSSL5014
KIT - FOOD PRESS ASSEMBLY	XSSL5198
CONTROL BOARD 110/60 UL	XSSL5019
DEBURRING PIN	XSSL5239
KIT - BLADE COVER	XSSL5073
KIT - SLICE DEFLECTOR	XSSL5076
POWER CORD SUPPORT BRACKET	XSSL5210
KIT - GAUGE PLATE CAM AND PIN	XSSL5241
FOOD PUSHER HOLDER	XSSL5219
FOOD TRAY SUPPORT KNOB	XSSL5141
MOTOR 115/60 UL	XSSL5251
FOOT PLATE	XSSL5126
SHARPENER PUSH BUTTON	XSSL5145
RELAY BOX	XSSL5212
BLADE HUB PLUG	XSSL5182

Name	Part #
GAUGE PLATE SUPPORT SEAL	XSSL5183
KIT - THICKNESS KNOB	XSSL5077
GAUGE PLATE SUPPORT COVER SEAL	XSSL5133
KIT - CARRIAGE SLIDE ASSEMBLY	XSSL5197
KIT - SHARPENING STONE WHEELS	XSSL5070
KIT - MOTOR CAPACITOR	XSSL5055
FOOD PRESS SLIDE ROD	XSSL5243
KIT - KICKSTAND	XSSL5084
BOTTOM COVER	XSSL5216
BRASS STUD BOLT M6X17	XSSL5097
SHARPENING PIN	XSSL5238
BRASS STUD BOLT	XSSL5179
OIL BOTTLE	XSSL5027
KIT - BLADE RING & HUB ASSY	XSSL5075
CARRIAGE SLIDE ROD	XSSL5232
KIT - RUBBER FOOT FRONT	XSSL5186
OIL TUBE	XSSL5132
BLADE REMOVAL TOOL	XSSL5185
S/S ON BUTTON W/BLOCK LIGHT UL	XSSL5161
FOOD PRESS END-WEIGHT ROD	XSSL5244
POWER CORD 110/60 PA 205	XSSL5018
SHARPENER COVER S/S KNOB	XSSL5148
KIT - CARRIAGE & TRAY ASSEMBLY	XSSL5079
BRASS STUD BOLT M8	XSSL5188
FOOD TRAY BOLT	XSSL5189

Name	Part #
OIL TUBE COVER	XSSL5180
LOCK RING - EXTERNAL THREADS	XSSL5237
MOUNTING BLOCK FOR KICKSTAND	XSSL5166
KIT - GAUGE PLATE MOVEMENT	XSSL5083
S/S OFF BUTTON UL	XSSL5010
BLADE HUB ASSEMBLY	XSSL5031
KIT - CARRIAGE HANDLE	XSSL5085
BLADE COVER KNOB SCREW M4X08	XSSL5184
CARRIAGE RELEASE PIN	XSSL5242
GAUGE PLATE BOLT M8X29	XSSL5129
CONTROL LABEL	XSSL5023
KICKSTAND BRACKET	XSSL5207
KIT - FOOD PRESS HANDLE	XSSL5080
SHARPENER ASSEMBLY KNOB	XSSL5144
KICKSTAND STOPPER	XSSL5211
BUTTON LOCKING SCREW	XSSL5112
FOOD PUSHER STUD PLATE	XSSL5217
BELT	XSSL5006
CARRIAGE RELEASE TIP	XSSL5234
GAUGE PLATE SUPPORT	XSSL5175
KICKSTAND KNOB	XSSL5165
BLADE COVER KNOB	XSSL5090
GAUGE PLATE SUPPORT COVER	XSSL5176
GAUGE PLATE	XSSL5003
CARRIAGE BEARING	XSSL5142



12" safe blade removal tool

For use with heavy-duty and deluxe slicers

For use with heavy-duty and deluxe
slicers

PRODUCT SPECIFICATIONS

Model Information

UPC	671080468167
-----	--------------

Unit Dimensions

(DI) Diameter	12
(DI) Diameter (CM)	30.5
Size	12

Case Lot Measurement

Case Lot	1
Case Width	2
Case Height	12
Case Length	12



13" safe blade removal tool

For use with heavy-duty and deluxe slicers

For use with heavy-duty and deluxe
slicers

PRODUCT SPECIFICATIONS

Model Information

UPC	671080504292
-----	--------------

Unit Dimensions

(DI) Diameter	13
---------------	----

(DI) Diameter (CM)	33.02
--------------------	-------

Size	13
------	----

Case Lot Measurement

Case Lot	1
----------	---

Case Width	13.25
------------	-------

Case Height	2
-------------	---

Case Length	13.25
-------------	-------



7" vegetable chute

For use with heavy-duty and deluxe slicers

For use with heavy-duty and deluxe
slicers

PRODUCT SPECIFICATIONS

Model Information

UPC	671080504254
-----	--------------

Unit Dimensions

(W) Width (IN)	12
(D) Depth (IN)	8.25
(H) Height (IN)	13.75
(DI) Diameter	8.25
(W) Width (CM)	30.48
(D) Depth (CM)	21
(H) Height (CM)	34.92
(DI) Diameter (CM)	21
Size	7

Case Lot Measurement

Case Lot	1
Case Width	12
Case Height	9.25
Case Length	15



12" serrated blade - includes safe blade removal tool

For use with heavy-duty and deluxe slicers

For use with heavy-duty and deluxe slicers

PRODUCT **SPECIFICATIONS**

Model Information

UPC	671080504261
-----	--------------

Unit Dimensions

(DI) Diameter	12
(DI) Diameter (CM)	30.5
Size	12

Case Lot Measurement

Case Lot	1
Case Width	0
Case Height	0
Case Length	0
Case Lot Cube (ft.)	0.3345
Case Lot Weight (lbs.)	5.25



13" serrated blade - includes safe blade removal tool

For use with heavy-duty and deluxe slicers

For use with heavy-duty and deluxe slicers

PRODUCT SPECIFICATIONS

Model Information

UPC	671080504278
-----	--------------

Unit Dimensions

(DI) Diameter	13
(DI) Diameter (CM)	33.02
Size	13

Case Lot Measurement

Case Lot	1
Case Width	0
Case Height	0
Case Length	0
Case Lot Cube (ft.)	0.3345
Case Lot Weight (lbs.)	6.9



10" safe blade removal tool

For use with heavy-duty and deluxe slicers

For use with heavy-duty and deluxe
slicers

PRODUCT SPECIFICATIONS

Model Information

UPC	671080504285
-----	--------------

Unit Dimensions

(DI) Diameter	10
(DI) Diameter (CM)	25.4
Size	10

Case Lot Measurement

Case Lot	1
Case Width	10
Case Height	2
Case Length	10



Carriage handle for Quebec

For use with heavy-duty and deluxe slicers

For use with heavy-duty and deluxe
slicers

PRODUCT **SPECIFICATIONS**

Model Information

UPC

671080504308

Case Lot Measurement

Case Lot

1

Case Width

2.5

Case Height

2.5

Case Length

10



DISCONTINUED

10" (25.4 cm) Light-Duty Electric Slicer

Vollrath offers the perfect slicer to fit your needs.

Space-saver design with smaller footprint for tight areas

Ideal for casual slicing needs such as coffee shops, small restaurants, sub shops and delis. Not recommended for slicing cheese

Recessed drip edge

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLR7010/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	17 x 21 x 15
(W) Width (IN)	17
(D) Depth (IN)	21
(H) Height (IN)	15
(W) Width (CM)	43.2
(D) Depth (CM)	53.3
(H) Height (CM)	38.1
Size	Medium

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	5.58
Case Lot Weight (lbs.)	43.12

PRODUCT **PARTS**

Name	Part #
SUPPORT GAUGE PLATE	XSLS0083
BLADE COVER TIE ROD SLR7009/7	XSLA0027
DRIVE BELT SLR7009/7010/7012/7	XSLA0048
BLADE COVER INSERT SLR7009/701	XSLA9100
FOOD PUSHER ASSY	XSLA0056

Name	Part #
BLUE VOLLRATH SWITCH LABEL	XSLA0030
PRODUCT HOLDER SUPPORT	XSLA0036
SHAFT: PRODUCT HOLDER	XSLA0050
GAUGE PLATE 250 - QUANTANIUM	XSLA0041
SLIDE BAR SPRING SLR7009/7010	XSLA0016
HOUSING WITH KNOB:SHARPENER	XSLS0074
BLADE RING GUARD - QUANTANIUM	XSLA0055
REGULATOR KNOB METAL	XSLS0082
PULLEY CAM	XSLA0024
HANDLE FOOD PUSHER	XSLG1229
SWITCH SIDE GUARD	XSLS0100
LAST SLICE PUSHER BUSH SLR701	XSLA0022
CAPACITOR SLR7009/7010/7312 (XSLA0039
SPRING GAUGE PLATE SUPPORT	XSLS0048
SPRING GAUGE PLATE MOVEMENT	XSLS0087
SHARPENER MOUNTING	XSLA0054
POWER CORD SLICER(ITALIAN)	XSLS1270
TIE ROD SPACER SLR7009/7010/73	XSLA9058
MEAT TRAY LOCKING KNOB SLR700	XSLA0014
BLADE PULLEY SLR7009/7010/7312	XSLA0046
REGULATOR CAM SLR7009/7010/731	XSLA0031
MOTOR/BELT/PULLEY/CAPCTOR ASSY	XSLS0107
RUBBER FOOT (NEW TYPE) SLR7009	XSLA0020
CABLE RESTRAINT SLR7 SERIES (A	XSLA0042
SET SCREW M10 X 20 CUP POINT	XSLS0131

Name	Part #
MEAT TRAY SLIDE BAR SLR7009/70	XSLA0010
NON-STICK COATED BLDE CVR DISC	XSLS0078
SHARPENING STONE SLR7009/7010/	XSLS0102
METAL GAUZE BOTTOM COVER SLR70	XSLA0037
BLADE 10" SLR7010 (#3)	XSLA1010
SHARPENING ASSY COVER & KNOB S	XSLA0049
PIN: CARRIAGE	XSLA1008
INTEGRATED SHARPENER ASSY	XSLM0008
PRODUCT-HOLDER SPRT EXCENTRIC	XSLS0071
CAPACITOR BRACKET	XSLA0012
MEAT CARRIAGE NYLON WHEEL SLR7	XSLA0018
SHARPENING ASSY COVER KNOB SL	XSLA1028
DEBURRING STONE SLR7009/7010/7	XSLS0097
FOOD PUSHER 220/250	XSLA0007
MEAT TRAY LOCKING KNOB(BLUE)	XSLA0053
RING GUARD LOCKING STUD SHORT	XSLS0103
ON/OFF TOGGLE SWITCH SLR7612/7	XSLT1233



DISCONTINUED

12" (30.5 cm) Space Saver Medium-Duty Electric Slicer

Vollrath offers the perfect slicer to fit your needs.

Space-saver design with smaller footprint for tight areas

Ideal for casual slicing needs such as coffee shops, small restaurants, sub shops and delis. Not recommended for slicing cheese

Recessed drip edge

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLR7312/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	18 x 22 x 16
(W) Width (IN)	18
(D) Depth (IN)	22
(H) Height (IN)	16
(W) Width (CM)	45.7
(D) Depth (CM)	55.9
(H) Height (CM)	40.6
Size	Medium

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	5.47
Case Lot Weight (lbs.)	48.72

PRODUCT **PARTS**

Name	Part #
PRODUCT HOLDER SUPPORT	XSLS0116
SHARPENING ASSY NO COVER SLR70	XSLS1203
SUPPORT GAUGE PLATE	XSLS0083
REGULATOR KNOB METAL	XSLS0082
RESET SWITCH SLR7012/7312/SLM7	XSLS1235

Name	Part #
PULLEY CAM	XSLA0024
BLADE COVER TIE ROD SLR7009/7	XSLA0027
DRIVE BELT SLR7009/7010/7012/7	XSLA0048
FOOD PUSHER ASSY	XSLA0006
SLIDE BAR SPRING SLR7009/7010	XSLA0016
POWER CORD SLICER(ITALIAN)	XSLS1270
SWITCH SIDE GUARD	XSLS0100
BLADE SLR7312/7012/7512/SLM001	XSLS1210
BLUE VOLLRATH SWITCH LABEL	XSLA0030
SHAFT FOOD PUSHER	XSLS0134
RUBBER FOOT SLR(7012/7312/7412	XSLS0115
RING GUARD LOCKING STUD LONG	XSLS0119
BLADE PULLEY SLR7009/7010/7312	XSLA0046
HANDLE FOOD PUSHER	XSLG1229
GAUGE PLATE MOVEMENT SHAFT	XSLS0068
TIE ROD SPACER SLR7009/7010/73	XSLA9058
CAPACITOR SLR7009/7010/7312 (XSLA0039
SPRING GAUGE PLATE MOVEMENT	XSLS0087
CABLE RESTRAINT SLR7 SERIES (A	XSLA0042
REGULATOR CAM SLR7009/7010/731	XSLA0031
SPACER FOOD PUSHER	XSLA0011
DEBURRING STONE SLR7009/7010/7	XSLS0097
ADAPTER BLADE COVER	XSLA1250
SHARPENING ASSY COVER & KNOB S	XSLA0049
BLADE RING GUARD ASSY	XSLS0031

Name	Part #
PIN: CARRIAGE	XSLA1008
LAST SLICE PUSHER ASSEMBLY SL	XSLA1217
PRODUCT-HOLDER SPPRT EXCENTRIC	XSLS0071
MEAT TRAY SLIDE BAR SLR7009/70	XSLA0010
SHARPENING STONE SLR7009/7010/	XSLS0102
RING GUARD LOCKING STUD SHORT	XSLS0103
CAPACITOR BRACKET	XSLA0012
MEAT CARRIAGE NYLON WHEEL SLR7	XSLA0018
SHARPENING ASSY COVER KNOB SL	XSLA1028
MEAT TRAY LOCKING KNOB(BLUE)	XSLA0053
SET SCREW M10 X 20 CUP POINT	XSLS0131
METAL GAUZE BOTTOM COVER SLR70	XSLA0037
ON/OFF TOGGLE SWITCH SLR7612/7	XSLT1233



DISCONTINUED

12" (30.5 cm) heavy-duty slicer with non-stick finish

Belt Driven: 40903. Large receiving tray. Powerful 1/2 hp motor

Belt Driven: 40904. Same features as the 40903, but includes the Safe Blade Removal system.

Gear Driven: 40906. Direct drive gear transmission for powerful cutting applications such as cheese

Recessed drip edge

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLR7012/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	20.5 x 23.75 x 19
(W) Width (IN)	20.5
(D) Depth (IN)	23.75
(H) Height (IN)	19
(W) Width (CM)	52.1
(D) Depth (CM)	60.3
(H) Height (CM)	48.3

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	10.21
Case Lot Weight (lbs.)	75.15

PRODUCT **PARTS**

Name	Part #
DRIVE BELT SLR7009/7010/7012/7	XSLA0048
MEAT TRAY HANDLE(BLUE) SLR701	XSLS0043
SHARPENING ASSY COMPLETE(SMALL	XSLM0047
MEAT TRAY CARRIAGE ROLLER WHEE	XSLM1102
SHAFT GAUGE PLATE MOVEMENT	XSLS0051
SUPPORT GAUGE PLATE 300	XSLS0027

Name	Part #
MOTOR SLR7012 (#51) (COMPL W/	XSL51207
FOOD PUSHER ASSY	XSLA0006
BLADE SLR7312/7012/7512/SLM001	XSL51210
RESET SWITCH SLR7012/7312/SLM7	XSL51235
SPRING SLIDING BAR RIGHT SLR70	XSL50003
HANDLE FOOD PUSHER	XSLG1229
BOTTOM COVER SLR7012 (#114)	XSL51206
SWITCH SIDE GUARD	XSL50100
DEBURRING STONE(40X8) SLM0012	XSLM1004
RUBBER FOOT SLR(7012/7312/7412	XSL50115
REGULATOR CAM SLR7012/7014/741	XSL50010
MEAT TRAY CARRIAGE ASSEMBLY CO	XSL50002
PULLEY ASSEMBLY	XSL50122
BLADE GUARD	XSL50058
WASHER RUBBER SLIDING BAR SLR7	XSL50006
CAPACITOR 16UF SLR7512 (#130	XSLG1241
SHARPENER BASE	XSL50028
BLADE COVER RET.STUDY ASSM 300	XSL50121
MEAT TRAY LOCKING KNOB(BLUE) S	XSL50042
SHARPENER SUPPORT	XSL50059
SHARPENING STONE SLM0012/SLR75	XSLM1009
POWER CORD SLICER(ITALIAN)	XSL51270
TIE ROD BLADE COVER MTG	XSL50026
PLATFORM SUPPORT ROD SLR7012/7	XSL50038
SHAFT FOOD PUSHER	XSL50134

Name	Part #
SPRING GAUGE PLATE SUPPORT	XSLS0048
SET SCREW M10 X 20 CUP POINT	XSLS0131
OIL SEAL(TC65X100X10) SLR7512/	XSLG1234
ADAPTER BLADE COVER	XSLA1250
BLADE RING GUARD ASSY	XSLS0031
SHARPENING ASSY COVER KNOB SL	XSLA1028
GAUGE PLATE 300 NSF8	XSLS0032
MEAT TRAY SUPPORT STUD SLICER(XSLM0041
ON/OFF TOGGLE SWITCH SLR7612/7	XSLT1233



DISCONTINUED

12" (30.5 cm) heavy-duty belt-driven slicer with non-stick finish

Belt Driven: 40903. Large receiving tray. Powerful 1/2 hp motor

Belt Driven: 40904. Same features as the 40903, but includes the Safe Blade Removal system.

Gear Driven: 40906. Direct drive gear transmission for powerful cutting applications such as cheese

Recessed drip edge

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLR7012/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	20.5 x 23.75 x 19
(W) Width (IN)	20.5
(D) Depth (IN)	23.75
(H) Height (IN)	19
(W) Width (CM)	52.1
(D) Depth (CM)	60.3
(H) Height (CM)	48.3

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	10.2
Case Lot Weight (lbs.)	78



DISCONTINUED

12" (30.5 cm) heavy-duty gear-driven slicer with non-stick finish

Belt Driven: 40903. Large receiving tray. Powerful 1/2 hp motor

Belt Driven: 40904. Same features as the 40903, but includes the Safe Blade Removal system.

Gear Driven: 40906. Direct drive gear transmission for powerful cutting applications such as cheese

Recessed drip edge

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLR7512/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	24 x 23.5 x 18.5
(W) Width (IN)	24
(D) Depth (IN)	23.5
(H) Height (IN)	18.5
(W) Width (CM)	61
(D) Depth (CM)	59.7
(H) Height (CM)	47

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	13.09
Case Lot Weight (lbs.)	111.0

PRODUCT **PARTS**

Name	Part #
MEAT TRAY CARRIAGE ROLLER WHEE	XSLM1102
CAPACITOR 14UF SLR7912 (#130	XSLT1263
SHAFT GAUGE PLATE MOVEMENT	XSLS0051
MEAT TRAY HANDLE(BLUE) SLR701	XSLS0043
SHARPENING ASSY COMPLETE(SMALL	XSLM0047
BLADE SLR7312/7012/7512/SLM001	XSLS1210

Name	Part #
SUPPORT GAUGE PLATE 300	XSLS0027
RESET SWITCH SLR7012/7312/SLM7	XSLS1235
SPRING SLIDING BAR RIGHT SLR70	XSLS0003
BOTTOM COVER SLR7012 (#114)	XSLS1206
SWITCH SIDE GUARD	XSLS0100
DEBURRING STONE(40X8) SLM0012	XSLM1004
RUBBER FOOT SLR(7012/7312/7412	XSLS0115
REGULATOR CAM SLR7012/7014/741	XSLS0010
MEAT TRAY CARRIAGE ASSEMBLY CO	XSLS0002
POWER CORD SLICER(ITALIAN)	XSLS1270
TIE ROD BLADE COVER MTG	XSLS0026
PLATFORM SUPPORT ROD SLR7012/7	XSLS0038
BLADE GUARD	XSLS0058
WASHER RUBBER SLIDING BAR SLR7	XSLS0006
HOUSING WITH KNOB : SHARPENER	XSLA0038
HANDLE FOOD PUSHER	XSLG1229
MEAT TRAY LOCKING KNOB(BLUE) S	XSLS0042
BLADE COVER (TEFLON) SLR7012/	XSLS1216
SPRING GAUGE PLATE SUPPORT	XSLS0048
SET SCREW M10 X 20 CUP POINT	XSLS0131
MEAT TRAY SUPPORT STUD SLICER(XSLM0041
SHARPENING STONE SLM0012/SLR75	XSLM1009
OIL SEAL(TC65X100X10) SLR7512/	XSLG1234
RATCHET PIN ASSEMBLY SLR7412/7	XSLT1254
SHARPENER SUPPORT	XSLS0059

Name	Part #
SHARPENING ASSY COVER KNOB SL	XSLA1028
GAUGE PLATE 300 NSF8	XSLS0032
CAPACITOR 16UF SLR7512 (#130	XSLG1241
SHARPENER BASE	XSLS0028
ON/OFF TOGGLE SWITCH SLR7612/7	XSLT1233
PULLEY SHAFT EXTENSION SLR7512	XSLG1244
BLADE RING GUARD ASSY	XSLS0031



DISCONTINUED

Deluxe Slicers - DISCONTINUED

Vollrath's deluxe slicers are designed to meet the challenges of any high-use operation.

Includes easy kickstand to prop up slicer for cleaning.

Recessed drip edge

Automatic carriage slices approximately 60 slices per minute for maximum operational efficiency. Intuitive setup includes simple main switch and variable speed control. Can also be used manually

Safe blade removal system

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLR7912/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	26 x 24.5 x 24
(W) Width (IN)	26
(D) Depth (IN)	24.5
(H) Height (IN)	24
(W) Width (CM)	66
(D) Depth (CM)	62.2
(H) Height (CM)	61

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	13.9
Case Lot Weight (lbs.)	130.0

PRODUCT **PARTS**

Name	Part #
MEAT TRAY CARRIAGE ROLLER WHEE	XSLM1102
CAPACITOR 14UF SLR7912 (#130	XSLT1263
SHAFT GAUGE PLATE MOVEMENT	XSLS0051
DRIVE BELT SLR7009/7010/7012/7	XSLA0048
MEAT TRAY HANDLE(BLUE) SLR701	XSLS0043
SHARPENING ASSY COMPLETE(SMALL	XSLM0047

Name	Part #
BRACKET:FOOD PUSHER	XSLA1037
BLADE MTG W/PULLEY	XSLA1041
SUPPORT GAUGE PLATE 300	XSLS0027
QUICK RELEASE BLADE REMOVAL P	XSLS1249
POWER CORD SLICER(ITALIAN)	XSLS1270
TIE ROD BLADE COVER MTG	XSLS0026
KNOB FOR QUICK RELEASE EXTRACT	XSLT1265
SHAFT PRODUCT HOLDER	XSLA1063
SPRING SLIDING BAR RIGHT SLR70	XSLS0003
REGULATOR CAM SLR7012/7014/741	XSLS0010
BOTTOM COVER SLR7012 (#114)	XSLS1206
DEBURRING STONE(40X8) SLM0012	XSLM1004
HANDLE FOOD PUSHER	XSLG1229
MEAT TRAY LOCKING KNOB(BLUE) S	XSLS0042
SPRING GAUGE PLATE SUPPORT	XSLS0048
MOTOR SLR7012 (#51) (COMPL W/	XSLS1207
ROLLER ENGAGEMENT WHEEL SLR761	XSLT1232
SWITCH W/SPEED CONTRL ASY 110V	XSLR0336
PLATFORM SUPPORT ROD SLR7012/7	XSLS0038
PLATE	XSLA1038
ADJUSTABLE FENCE ASSY	XSLA1032
BLADE GUARD	XSLS0058
WASHER RUBBER SLIDING BAR SLR7	XSLS0006
STAINLESS STEEL BOTTOM FRAME	XSLA1039
DRIVE TRANSMISSION	XSLA1029

Name	Part #
SHARPENER SUPPORT	XSLS0059
THUMB WHEEL: SPEED CONTROL	XSLA1036
LAST SLICE PUSHER ASSEMBLY SLR	XSLT1231
MOTOR/BELT/PULLEY/CPCTR ASSY	XSLA1035
SHARPENER BASE	XSLS0028
AUTO LOCKING LEVER SLR7912 (#3	XSLT1327
MEAT TRAY SUPPORT STUD SLICER(XSLM0041
AUTO POST & SPRING SLR7612/791	XSLT1250
SBR BLADE (#63) (SLR7712/7512D	XSLG1210
SHARPENING STONE SLM0012/SLR75	XSLM1009
OIL SEAL(TC65X100X10) SLR7512/	XSLG1234
BRASS AUTO SLIDE SLR7912 (#303	XSLT1303
SHARPENING ASSY COVER KNOB SL	XSLA1028
GAUGE PLATE 300 NSF8	XSLS0032
HOUSING WITH KNOB : SHARPENER	XSLA0038
ADAPTER BLADE COVER	XSLA1250
BLADE RING GUARD ASSY	XSLS0031
QUICK RELEASE LOCK NUT SLM7012	XSLG1235
LABEL: VOLLRATH FRONT FASCIA	XSLA1034
BLADE COVER RET.STUDY ASSM 300	XSLS0121
KEY(5X5X20) MIX7120 (#113)	XMIX2113



DISCONTINUED

Deluxe Slicers - DISCONTINUED

Vollrath's deluxe slicers are designed to meet the challenges of any high-use operation.

Includes easy kickstand to prop up slicer for cleaning.

Recessed drip edge

Special clear slice exit design provides unobstructed receiving tray area for easier slicing and cleaning. Extended 1 1/4" maximum slice thickness for greater versatility.

Safe blade removal system

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLM0012/N
-------	-----------

Unit Dimensions

Overall Dimensions (IN)	25 x 16.5 x 19
(W) Width (IN)	25
(D) Depth (IN)	16.5
(H) Height (IN)	19
(W) Width (CM)	63.5
(D) Depth (CM)	67.3
(H) Height (CM)	49.5

Case Lot Measurement

Case Lot	1
Case Lot Cube (ft.)	10.21
Case Lot Weight (lbs.)	87.4

PRODUCT **PARTS**

Name	Part #
THUMBSCREW FOR SLICE DIRECTOR	XSLM0078
MACHINE BASE	XSLA1045
RUBBER FOOT SLR(7012/7312/7412	XSLS0115
SHAFT: PRODUCT HOLDER	XSLA1060
LABEL: VOLLRATH FRONT FASCIA	XSLA1051
QUICK RELEASE BLADE REMOVAL P	XSLS1249

Name	Part #
MEAT TRAY CARRIAGE ROLLER WHEE	XSLM1102
CARRIAGE ASSY WITH SHAFT	XSLA1043
SPRING SLIDING BAR RIGHT SLR70	XSLS0003
HANDLE FOOD PUSHER	XSLG1229
LAST SLICE DEVICE ASSY	XSLA1042
MEAT TRAY LOCKING KNOB(BLUE) S	XSLS0042
POWER CORD SLICER(ITALIAN)	XSLS1270
SLIDE BAR EXTENSION REAR SLM7	XSLM0075
BLADE COVER TIE ROD & KNOB SLM	XSLM0077
BUMPER	XSLA1058
INTEGRATED SHARPENER ASSY	XSLA1046
SWITCH SIDE GUARD	XSLS0100
SLICE DEFLECTOR SLM7012	XSLM0040
REGULATOR CAM SLR7012/7014/741	XSLS0010
BLADE COVER(TEFLON) SLM7012 (#	XSLM0085
DEBURRING STONE(40X8) SLM0012	XSLM1004
WASHER RUBBER SLIDING BAR SLR7	XSLS0006
PRODUCT HOLDER SUPPORT ASSY	XSLA1044
REGULATOR SLIDE SLM7012 (#35))	XSLM0066
PROD.HLDER SUPPORT HANDLE BLUE	XSLA1057
ON/OFF TOGGLE SWITCH SLR7612/7	XSLT1233
HOUSING WITH KNOB : SHARPENER	XSLA0038
SBR BLADE (#63) (SLR7712/7512D	XSLG1210
SHARPENING STONE SLM0012/SLR75	XSLM1009
REGULATOR PLATE(TEFLON) SLM701	XSLM1026

Name	Part #
MEAT TRAY SUPPORT STUD SLICER(XSLM0041
BLADE CVR/RET.STUD ASSY 300-QT	XSLA1050
FLAT BAR	XSLA1055
ADAPTER BLADE COVER	XSLA1250
BLADE PROTECTION	XSLA1061
OIL SEAL(TC65X100X10) SLR7512/	XSLG1234
QUICK RELEASE LOCK NUT SLM7012	XSLG1235
RATCHET PIN ASSEMBLY SLR7412/7	XSLT1254
BLADE SUPPORT 300	XSLA1056
BLADE RINGGRD ASSY 300 NSF8 QT	XSLA1052
CAPACITOR 10MF (SN 110598BD013	XSLM1075
BLADE PULLEY SLM7012 (QUICK RE	XSLM1031
SHARPENING ASSY COVER KNOB SL	XSLA1028
REGULATOR KNOB METAL	XSLA1059
PRODUCT HOLDER	XSLA1047
FOOD PUSHER ASSY	XSLA1049
SLIDE BAR EXTENSION SLM0012/70	XSLM0069
WASHER	XSLA1053



10-inch 120-volt medium-duty electric slicer

The Vollrath® medium-duty electric slicer is compact, reliable and easy to use. The hard-coated anodized aluminum exterior is durable, and the nonstick coating reduces drag, while also making this slicer easier to clean. This belt-driven slicer has a reliable belt that will last for years, and a built-in sharpener easily maintains your high-quality blade. A 25-degree gravity feed improves productivity and ease of use, and a slice-adjustment knob creates consistent slices up to ½-inch thick. A safety hand guard prevents accidental injury, as does

a safety cover under the motor. The carriage can be removed for easy cleaning. Nonmarking, nonskid rubber feet prevent movement, and the compact design saves space on any countertop in your medium-volume operation.

- Designed to efficiently slice a variety of meat products

Easy-to-carry handle for catering needs or other transportation

UL sanitation, certified to the NSF/ANSI 8

6-foot 4-inch cord with plug

25-degree gravity feed ensures easy operation, preventing operator fatigue

1/3-peak-hp motor
- 1/2-inch maximum slice thickness

8 3/8" x 6 7/8" cutting capacity

Removable carriage for easy cleaning

6' 4" (1.9 m) cord with plug

1/3 peak HP motor

Space-saving design with small footprint

Easy to carry for catering needs

PRODUCT SPECIFICATIONS

Model Information

Model	SLM250/S
UPC	671080468112

Unit Dimensions

Overall Dimensions (IN)	22.062 x 22.437 x 18.687
(W) Width (IN)	22.06
(D) Depth (IN)	22.43
(H) Height (IN)	18.68
(WL) Width between legs	9.625
(DL) Depth between legs	15.5
Product Opening Width (IN)	22.0625

Product Opening Depth (IN)	22.4375
Product Opening Height (IN)	18.6875
Cut Size (IN)	up to 1
(W) Width (CM)	56
(D) Depth (CM)	57
(H) Height (CM)	47.5
(WL) Width between legs (CM)	24.4
(DL) Depth between legs (CM)	39.5
Product Opening Width (CM)	56
Product Opening Depth (CM)	57
Product Opening Height (CM)	47.5
Cut Size (CM)	up to 2.5
Size	10

Electrical

Amps	2.5
Cord Length (IN)	6' 4"
Cord Length (CM)	193
hp	1/3
Hz	60
Plug	NEMA 5-15P
Voltage	120
Watts	180

Construction

Construction Material	Cast Aluminum
-----------------------	---------------

Construction Material 2

Stainless Steel

Construction Material 3

Electrical Components

Case Lot Measurement

Case Lot

1

Case Width

19.6875

Case Height

16.5625

Case Length

23.625

Case Lot Cube (ft.)

4.4581

Case Lot Weight (lbs.)

40

PRODUCT ACCESSORIES

Name

Item #

10" safe blade removal tool

40898

Carriage handle for Quebec

40899

PRODUCT PARTS

Name

Part #

GAUGE PLATE SLIDE SPRING

XSSL5096

SHARPENER PIN SPRING

XSSL5110

MICROSWITCH SINGLE PHASE

XSSL5015

SHARPENING PIN

XSSL5226

FOOT

XSSL5024

DEBURRING BUTTON

XSSL5111

POWER CORD 110/60 USA

XSSL5017

KIT - THUMB GUARD

XSSL5039

FOOD TRAY SUPPORT KNOB

XSSL5028

Name	Part #
GAUGE PLATE BOLT	XSSL5094
SHARPENER ASSEMBLY KNOB	XSSL5109
CARRIAGE SLIDE ROD	XSSL5224
KIT - SHARPENING STONE WHEELS	XSSL5041
BRASS STUD BOLT M6X17	XSSL5097
KIT - SLICE DEFLECTOR	XSSL5034
KIT-FOOD PRESS ROD BLOCKS	XSSL5252
GAUGE PLATE SUPPORT DRIP COVER	XSSL5026
KIT - BLADE HUB W/BELT & SEAL	XSSL5100
FOOD PUSHER BUFFER	XSSL5107
MOTOR 110/60 HZ	XSSL5007
BRASS STUD BOLT M6X25	XSSL5103
SHARPENING BUTTON	XSSL5114
KIT - CARRIAGE SLIDE ASSEMBLY	XSSL5191
DEBURRING PIN	XSSL5227
GAUGE PLATE	XSSL5093
MOTOR THERMAL PROTECTION	XSSL5013
KIT - SHARPENER ASSEMBLY	XSSL5040
BOTTOM COVER	XSSL5214
SHARPENER MOUNTING FOOT	XSSL5113
GAUGE PLATE SUPPORT	XSSL5095
KIT - GAUGE PLATE MOVEMENT	XSSL5099
KIT - GAUGE PLATE SUPPORT CAPS	XSSL5043
BLADE COVER ADAPTOR	XSSL5091
BLADE HUB ASSEMBLY	XSSL5030

Name	Part #
KIT - SHARPENER ASSY HOLD KNOB	XSSL5044
ON/OFF SWITCH 110V	XSSL5012
FOOD PUSHER HANDLE	XSSL5025
KIT - THICKNESS KNOB	XSSL5036
BLADE HUB SEAL PLATE	XSSL5092
KIT - CARRIAGE & TRAY ASSEMBLY	XSSL5038
KIT - BLADE	XSSL5033
CONTROL LABEL	XSSL5020
BELT	XSSL5004
KIT - BLADE COVER TIE ROD	XSSL5035
OIL BOTTLE	XSSL5027
BUTTON LOCKING SCREW	XSSL5112
CARRIAGE SLIDE ROD SPRING	XSSL5106
CARRIAGE BEARING	XSSL5104
KIT - BLADE COVER	XSSL5032
KIT - GAUGE PLATE CAM AND PIN	XSSL5223
KIT - FOOD PRESS ASSEMBLY	XSSL5200
KIT - MOTOR CAPACITOR	XSSL5042
BLADE COVER KNOB	XSSL5090
KIT - FOOD PRESS HANDLE	XSSL5199
FOOD PRESS SLIDE ROD	XSSL5225
CARRIAGE SLIDE BUFFER M5X12	XSSL5102
CARRIAGE SLIDE ROD SCREW	XSSL5105
INDICATOR LIGHT BLUE 110 V UL	XSSL5016



12-inch 120-volt medium-duty electric slicer

The Vollrath® medium-duty electric slicer is compact, reliable and easy to use. The hard-coated anodized aluminum exterior is durable, and the nonstick coating reduces drag, while also making this slicer easier to clean. This belt-driven slicer has a reliable belt that will last for years, and a built-in sharpener easily maintains your high-quality blade. A 25-degree gravity feed improves productivity and ease of use, and a slice-adjustment knob creates consistent slices up to ½-inch thick. A blade rim guard and a safety hand guard prevent

accidental injury, as does a safety cover under the motor. The carriage can be removed for easy cleaning. Nonmarking, nonskid rubber feet prevent movement, and the compact design saves space on any countertop in your medium-volume operation.

Designed to efficiently slice a variety of meat products	1/2-inch maximum slice thickness
Easy-to-carry handle for catering needs or other transportation	8 3/8" x 6 7/8" cutting capacity
UL sanitation, certified to the NSF/ANSI 8	Slice adjustment knob for precise and consistent slice thickness up to 1/2" (1.3 cm)
6-foot 4-inch cord with plug	Removable carriage for easy cleaning
25-degree gravity feed ensures easy operation, preventing operator fatigue	6' 4" (1.9 m) cord with plug
2/5-peak-hp motor	2/5 peak HP motor
	Permanent blade rim guard for safety

PRODUCT **SPECIFICATIONS**

Model Information

Model	SLM300P/S
UPC	671080468136

Unit Dimensions

Overall Dimensions (IN)	24 x 25.187 x 20.062
(W) Width (IN)	24
(D) Depth (IN)	25.18
(H) Height (IN)	20.06
(WL) Width between legs	9.625
(DL) Depth between legs	15.5

Product Opening Width (IN)	24
Product Opening Depth (IN)	25.1875
Product Opening Height (IN)	20.0625
Cut Size (IN)	up to 1
(W) Width (CM)	61
(D) Depth (CM)	64
(H) Height (CM)	51
(WL) Width between legs (CM)	24.4
(DL) Depth between legs (CM)	39.5
Product Opening Width (CM)	61
Product Opening Depth (CM)	64
Product Opening Height (CM)	51
Cut Size (CM)	up to 2.5
Size	12

Electrical

Amps	1.8
Cord Length (IN)	6' 4"
Cord Length (CM)	193
hp	2/5
Hz	60
Plug	NEMA 5-15P
Voltage	120

Construction

Construction Material	Cast Aluminum
-----------------------	---------------

Construction Material 2

Stainless Steel

Construction Material 3

Electrical Components

Case Lot Measurement

Case Lot

1

Case Width

23.625

Case Height

20.5

Case Length

31.5

Case Lot Cube (ft.)

8.8889

Case Lot Weight (lbs.)

63

PRODUCT ACCESSORIES

Name

Item #

12" safe blade removal tool

40893

Carriage handle for Quebec

40899

PRODUCT PARTS

Name

Part #

BLADE HUB ASSEMBLY

XSSL5029

SHARPENING PIN

XSSL5226

MOTOR 110/60 HZ

XSSL5008

KIT - GAUGE PLATE MOVEMENT

XSSL5122

SHARPENER PIN SPRING

XSSL5110

POWER CORD 110/60 USA

XSSL5017

KIT - SHARPENING STONE WHEELS

XSSL5041

FOOD PUSHER BUFFER

XSSL5107

KIT-FOOD PRESS ROD BLOCKS

XSSL5253

Name	Part #
FOOT	XSSL5024
DEBURRING BUTTON	XSSL5111
BLADE HUB SEAL 80X95X5	XSSL5115
KIT - THUMB GUARD	XSSL5053
GAUGE PLATE MOUNT BOLT	XSSL5117
CARRIAGE SLIDE ROD	XSSL5229
SHARPENER ASSEMBLY KNOB	XSSL5109
SHARPENING BUTTON	XSSL5114
DEBURRING PIN	XSSL5227
KIT - SLICE DEFLECTOR	XSSL5048
FOOD TRAY SUPPORT KNOB	XSSL5028
GAUGE PLATE SUPPORT DRIP COVER	XSSL5026
KIT - MOTOR CAPACITOR	XSSL5055
MOTOR THERMAL PROTECTION	XSSL5013
KIT - BLADE COVER TIE ROD	XSSL5049
KIT - BLADE	XSSL5046
KIT - GAUGE PLATE CAM AND PIN	XSSL5228
BRASS STUD BOLT M6X17	XSSL5097
KIT - THICKNESS KNOB	XSSL5050
KIT - CARRIAGE SLIDE ASSEMBLY	XSSL5192
GAUGE PLATE SLIDE SPRING	XSSL5119
FOOD PUSHER HANDLE	XSSL5025
KIT - GAUGE PLATE SUPPORT CAPS	XSSL5056
KIT - CARRIAGE & TRAY ASSEMBLY	XSSL5052
BRASS STUD BOLT M6X25	XSSL5103

Name	Part #
KIT - SHARPENER ASSY HOLD KNOB	XSSL5057
CARRIAGE RELEASE BUSHING	XSSL5245
BLADE COVER ADAPTOR	XSSL5091
KIT - BLADE COVER	XSSL5045
CONTROL LABEL	XSSL5021
KIT - SHARPENER ASSEMBLY	XSSL5054
KIT - FOOD PRESS ASSEMBLY	XSSL5193
ON/OFF SWITCH 110V	XSSL5012
GAUGE PLATE SUPPORT	XSSL5118
CARRIAGE SLIDE ROD SCREW	XSSL5125
BUTTON LOCKING SCREW	XSSL5112
OIL BOTTLE	XSSL5027
KIT - BLADE HUB W/BELT & SEAL	XSSL5123
BOTTOM COVER	XSSL5215
BLADE COVER KNOB	XSSL5090
KIT - FOOD PRESS HANDLE	XSSL5199
INDICATOR LIGHT BLUE 110 V UL	XSSL5016
BELT	XSSL5005
GAUGE PLATE	XSSL5001
CARRIAGE BEARING	XSSL5104
CARRIAGE SLIDE ROD SPRING	XSSL5124
CARRIAGE SLIDE BUFFER M5X12	XSSL5102
FOOD PRESS SLIDE ROD	XSSL5230
GAUGE PLATE SUPPORT SHAFT RING	XSSL5116
KIT - BLADE RING	XSSL5047

Name

Part #

KIT - BLADE RING

XSSL5121



12-inch 120-volt heavy-duty electric slicer

The Vollrath® heavy-duty electric slicer is built for hours of hard work. The hard-coated anodized aluminum exterior is durable, and the nonstick coating reduces drag while also making this slicer easier to clean. This belt-driven slicer has a reliable belt that will last for years, and a built-in sharpener easily maintains your high-quality blade. The 35-degree gravity feed improves productivity and ease of use, and a slice adjustment knob creates consistent slices up to 13/16 inch thick. A blade rim guard and a safety hand guard prevent

accidental injury, as does a safety cover under the motor. The carriage can be removed for easy cleaning. Non-marking, non-skid rubber feet prevent movement, and the large receiving tray is ideal for any high-volume operation.

Designed to efficiently slice a variety of meat and cheese products

Safe blade-removal tool is included for easy servicing

UL sanitation, certified to the NSF/ANSI 8

6-foot 4-inch cord with plug

35-degree gravity feed ensures easy operation, preventing operator fatigue

½-peak-hp motor for continuous use and higher torque ideal for cheese slicing

13/16" (2.1 cm) maximum slice thickness

1 1/8" x 7 5/8" cutting capacity

Belt driven. Durable, long-wearing belt provides reliable service

Solid aluminum slice adjustment knob for precise and consistent slice thickness

Removable carriage for easy cleaning

Large receiving tray

Safe blade removal tool



PRODUCT **SPECIFICATIONS**

Model Information

Model	SLP300/S
UPC	671080468150

Unit Dimensions

Overall Dimensions (IN)	22.562 x 24.25 x 22.562
(W) Width (IN)	22.56
(D) Depth (IN)	24.25
(H) Height (IN)	22.56
(WL) Width between legs	13.375
(DL) Depth between legs	18.312
Product Opening Width (IN)	22.5625
Product Opening Depth (IN)	27.9375
Product Opening Height (IN)	22.5625
Cut Size (IN)	up to 13/16
(W) Width (CM)	54.7
(D) Depth (CM)	61.6
(H) Height (CM)	54.7
(WL) Width between legs (CM)	34
(DL) Depth between legs (CM)	46.5
Product Opening Width (CM)	54.7
Product Opening Depth (CM)	71
Product Opening Height (CM)	54.7
Cut Size (CM)	up to 2.1
Size	12

Electrical

Amps	2
Cord Length (IN)	6' 4"
Cord Length (CM)	193
hp	1/2
Hz	60
Plug	NEMA 5-15P
Voltage	120

Construction

Construction Material	Cast Aluminum
Construction Material 2	Stainless Steel
Construction Material 3	Electrical Components

Case Lot Measurement

Case Lot	1
Case Width	29.5
Case Height	28.5
Case Length	25.25
Case Lot Cube (ft.)	11.0725
Case Lot Weight (lbs.)	97

PRODUCT ACCESSORIES

Name	Item #
12" safe blade removal tool	40893
7" vegetable chute	40895
12" serrated blade - includes safe blade removal tool	40896

Name	Item #
Carriage handle for Quebec	40899

PRODUCT PARTS

Name	Part #
MOTOR SUPPORT BRACKET	XSSL5208
SHARPENER PIN SPRING	XSSL5146
CARRIAGE RELEASE SPRING	XSSL5149
GAUGE PLATE SUPPORT COVER KNOB	XSSL5131
CARRIAGE SLIDE ROD SPRING	XSSL5140
CARRIAGE SLIDE ROD SCREW	XSSL5139
GAUGE PLATE SLIDE SPRING	XSSL5181
KIT - SHARPENER ASSEMBLY	XSSL5069
KIT-BLADE RING V.3	XSSL5256
KIT - MOTOR CAPACITOR	XSSL5071
GAUGE PLATE SUPPORT COVER KNOB	XSSL5177
CARRIAGE SLIDE BUFFER M6X17	XSSL5138
RELAY BOX COVER	XSSL5213
BLADE COVER ADAPTOR	XSSL5127
SHARPENER VIBRATION DAMPER	XSSL5147
CARRIAGE RELEASE BUSHING	XSSL5236
BLADE COVER KNOB	XSSL5178
MOTOR THERMAL RESET 5A UL	XSSL5014
KIT - CARRIAGE HANDLE	XSSL5072
FOOD PUSHER BUFFER	XSSL5107
DEBURRING PIN	XSSL5239

Name	Part #
POWER CORD SUPPORT BRACKET	XSSL5210
KIT - GAUGE PLATE CAM AND PIN	XSSL5241
KIT - BLADE COVER TIE ROD	XSSL5062
FOOD TRAY SUPPORT KNOB	XSSL5141
KIT - CARRIAGE SLIDE ASSEMBLY	XSSL5194
BRASS STUD BOLT M8	XSSL5137
FOOT PLATE	XSSL5126
SHARPENER PUSH BUTTON	XSSL5145
RELAY BOX	XSSL5212
KIT - BLADE	XSSL5059
BLADE HUB PLUG	XSSL5182
GAUGE PLATE SUPPORT SEAL	XSSL5183
KIT - BLADE HUB W/BELT & SEAL	XSSL5136
KIT - THICKNESS KNOB	XSSL5077
GAUGE PLATE SUPPORT COVER SEAL	XSSL5133
KIT - CARRIAGE SLIDE ASSEMBLY	XSSL5248
GAUGE PLATE SUPPORT	XSSL5205
KIT - SHARPENING STONE WHEELS	XSSL5070
GAUGE PLATE SLIDE SPRING	XSSL5134
KIT - THICKNESS KNOB	XSSL5063
KIT - GAUGE PLATE MOVEMENT	XSSL5086
KIT - GAUGE PLATE CAM AND PIN	XSSL5231
KIT - FOOD PRESS HANDLE	XSSL5068
BOTTOM COVER	XSSL5216
BRASS STUD BOLT M6X17	XSSL5097

Name	Part #
SHARPENING PIN	XSSL5238
GAUGE PLATE BOLT M8X38	XSSL5202
MOTOR 115/60 HZ UL	XSSL5009
BRASS STUD BOLT	XSSL5179
OIL BOTTLE	XSSL5027
CARRIAGE SLIDE ROD	XSSL5232
KIT - SLICE DEFLECTOR	XSSL5061
OIL TUBE	XSSL5132
BRASS STUD BOLT M6X25	XSSL5103
KIT - CARRIAGE & TRAY ASSEMBLY	XSSL5066
POWER CORD 110/60 PA 205	XSSL5018
CARRIAGE RELEASE PIN	XSSL5235
KIT - GAUGE PLATE MOVEMENT	XSSL5247
SHARPENER COVER S/S KNOB	XSSL5148
BLADE HUB SEAL 95X110X6	XSSL5128
BRASS STUD BOLT M8	XSSL5188
FOOD PRESS SLIDE ROD	XSSL5233
OIL TUBE COVER	XSSL5180
LOCK RING - EXTERNAL THREADS	XSSL5237
KIT - GAUGE PLATE MOVEMENT	XSSL5083
BLADE HUB ASSEMBLY	XSSL5031
BLADE COVER KNOB SCREW M4X08	XSSL5184
GAUGE PLATE BOLT M8X29	XSSL5129
GAUGE PLATE SUPPORT COVER	XSSL5130
GAUGE PLATE	XSSL5002

Name	Part #
FOOD PUSHER HANDLE	XSSL5204
ON/OFF SWITCH 110V	XSSL5012
BLADE HUB ASSEMBLY	XSSL5221
SHARPENER ASSEMBLY KNOB	XSSL5144
BUTTON LOCKING SCREW	XSSL5112
KIT - BLADE COVER	XSSL5058
BELT	XSSL5006
CARRIAGE RELEASE TIP	XSSL5234
SNAP-IN COVER	XSSL5135
GAUGE PLATE SUPPORT	XSSL5175
KIT-FOOD PRESS ROD BLOCKS	XSSL5254
KIT-BLADE COVER V.3	XSSL5255
BLADE COVER KNOB	XSSL5090
KIT - ON/OFF SWITCH	XSSL5246
KIT - FOOD PRESS ASSEMBLY	XSSL5201
INDICATOR LIGHT BLUE 110 V UL	XSSL5016
GAUGE PLATE SUPPORT COVER	XSSL5176
KIT - RUBBER FOOT	XSSL5064
KIT - BLADE RING	XSSL5060
CONTROL LABEL	XSSL5022
KIT - THUMB GUARD	XSSL5067
CARRIAGE BEARING	XSSL5142



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: <https://vollrath.nt-rt.ru/>