

Фритюрницы

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: <https://vollrath.nt-rt.ru/>



DISCONTINUED

Double-well 120-volt 10-lb standard-duty Cayenne® countertop deep fryer

The Vollrath® double-well 10-lb Cayenne countertop deep fryer efficiently prepares a variety of fried foods while saving precious counter space. This fryer is thermostatically controlled to 375°F and has quick heating and recovery times. This double-well unit increases volume and variety while keeping food and flavors separate. Two nickel-plated steel fryer baskets have

Kool-Touch® handles for your safety and comfort. The one-piece stainless steel tanks simply lift out by their handles, making cleaning easy and efficient, while nonskid rubber feet prevent the unit from moving during use. Thanks to its compact size, this unit fits nicely on any countertop.

Quickly fry chicken, french fries, seafood, and more

One-piece stainless steel tank with carrying handles is durable and easy to clean

Double-well unit features two separate power cords and requires two receptacles

Microswitch safely shuts off unit when element box is removed


Automatic shutoff feature at 390°F maintains safety of operation

Thermostatic controls maintain a temperature of 375°F for more accurate heating


Two 4- x 10- x 4-inch fryer baskets fit a variety of products




PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA7020
UPC	029419718870

Unit Dimensions

Overall Dimensions (IN)	23 x 17.625 x 11
-------------------------	------------------

(W) Width (IN)	23
(D) Depth (IN)	17.62
(H) Height (IN)	11
Overall Dimensions (CM)	58.4 x 44.7 x 27.9
(W) Width (CM)	58.4
(D) Depth (CM)	44.7
(H) Height (CM)	27.9
Size	10

Electrical

Amps	15 per well
Cord Length (IN)	60
Cord Length (CM)	150
Plug	NEMA 5-15P
Voltage	120
Watts	1800 per well

Construction

Countertop or Drop-In	Countertop
Number of Wells	2

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
4-inch-wide fryer basket	40711
8-inch-wide fryer basket	40712

Name	Item #
Large fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40713
Small fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40714

PRODUCT PARTS

Name	Part #
MICROSWITCH PUSH PIN FFA7110/8	XFFA0012
SAFETY CUT OUT PLASTIC CAP FF	XFFA0013
FEB0005 ELEMENT BOX COMPLETE 1	FFEB100
ELEMENT 120V FFA7110/7020 (#27	XFFA0002
CABLE RESTRAINT COA7001/7002/8	XCOA1013
S/STEEL INSERT FFA7010/7110/8	XFEIN001
CONTROL PANEL FASCIA - BLACK	XAA0009
RUBBER FOOT TSA(ALL) (#40/41)	XTSA0004
PILOT LIGHT 110V (YELLOW)	XAA0011
MICROSWITCH SAFETY FFA7110/811	XFFA0011
OVER-TEMP THERMOSTAT FFA7110	XFFA0009
VOLLRATH CONTROL KNOB FFA7110/	XFFA0004
THERMOSTAT FFA(ALL)(#19)	XFFA0008
POWERCORD 120V (NEMA5-15P)	XAA0005



DISCONTINUED

120-volt 10-lb standard-duty Cayenne® countertop deep fryer

The Vollrath® 10-lb Cayenne countertop deep fryer efficiently prepares a variety of fried foods while saving precious counter space. This fryer is thermostatically controlled to 375°F and has quick heating and recovery times. Two nickel-plated steel fryer baskets have Kool-Touch® handles for your safety and comfort. The one-piece stainless steel tank simply lifts

out by its handles, making cleaning easy and efficient, while nonskid rubber feet prevent the unit from moving during use. Thanks to its compact size, this unit fits nicely on any countertop.

Quickly fry chicken, french fries, seafood, and more

One-piece stainless steel tank with carrying handles is durable and easy to clean

Microswitch safely shuts off unit when element box is removed




Automatic shutoff feature at 390°F maintains safety of operation

Thermostatic controls maintain a temperature of 375°F for more accurate heating

Two 4- x 10- x 4-inch fryer baskets fit a variety of products



PRODUCT **SPECIFICATIONS**



Model Information

Model	FFA7110
UPC	029419718856

Unit Dimensions

Overall Dimensions (IN)	11 x 17.625 x 11
-------------------------	------------------

(W) Width (IN)	11
(D) Depth (IN)	17.62
(H) Height (IN)	11
Overall Dimensions (CM)	27.9 x 44.7 x 27.9
(W) Width (CM)	27.9
(D) Depth (CM)	44.7
(H) Height (CM)	27.9
Size	10

Electrical

Amps	15
Cord Length (IN)	60
Cord Length (CM)	150
Plug	NEMA 5-15P
Voltage	120
Watts	1800

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Countertop or Drop-In	Countertop
Number of Wells	1

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
4-inch-wide fryer basket	40711
8-inch-wide fryer basket	40712
Large fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40713
Small fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40714

PRODUCT PARTS

Name	Part #
MICROSWITCH PUSH PIN FFA7110/8	XFFA0012
SAFETY CUT OUT PLASTIC CAP FF	XFFA0013
FEB0005 ELEMENT BOX COMPLETE 1	FFEB100
ELEMENT 120V FFA7110/7020 (#27	XFFA0002
CABLE RESTRAINT COA7001/7002/8	XCOA1013
S/STEEL INSERT FFA7010/7110/8	XFEIN001
CONTROL PANEL FASCIA - BLACK	XAA0009
RUBBER FOOT TSA(ALL) (#40/41)	XTSA0004
PILOT LIGHT 110V (YELLOW)	XAA0011
MICROSWITCH SAFETY FFA7110/811	XFFA0011
OVER-TEMP THERMOSTAT FFA7110	XFFA0009
VOLLRATH CONTROL KNOB FFA7110/	XFFA0004
THERMOSTAT FFA(ALL)(#19)	XFFA0008
POWERCORD 120V (NEMA5-15P)	XAA0005



DISCONTINUED

208- to 240-volt 15-lb medium duty Cayenne® countertop deep fryer

The Vollrath® 15-lb Cayenne countertop deep fryer efficiently prepares a variety of fried foods while saving precious counter space. This fryer is thermostatically controlled to 374°F and has quick heating and recovery times, making this unit suitable even for frozen foods. A designated cold zone keeps oil fresh longer, improving quality and taste. Two nickel-plated

steel fryer baskets have Kool-Touch® handles for your safety and comfort. Nonskid rubber feet prevent the unit from moving during use and maintain stability. Thanks to its compact size, this unit fits nicely on any countertop.

Quickly fry chicken, french fries, seafood, and more

Fully welded oil tank and front-mounted drainage valve make cleaning easy and efficient

Double-well unit features two separate power cords and requires two receptacles


Microswitch safely shuts off unit when element box is removed

Automatic shutoff feature at 446°F maintains safety of operation


Thermostatic controls maintain a temperature of 374°F for more accurate heating

Two 4- x 10- x 4-inch fryer baskets fit a variety of products


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8115
UPC	029419718894

Unit Dimensions

Overall Dimensions (IN)	11.5 x 19.75 x 16
(W) Width (IN)	11.5
(D) Depth (IN)	19.75
(D2) Secondary Depth (IN)	18.5
(H) Height (IN)	16
(HB) Height of Body (IN)	11.5
Overall Dimensions (CM)	29.2 x 50.2 x 40.6
(W) Width (CM)	29.2
(D) Depth (CM)	50.2
(D2) Secondary Depth (CM)	47
(H) Height (CM)	40.6

(HB) Height of Body (CM)	29.2
--------------------------	------

Size	15
------	----

Electrical

Amps	12.6 - 14.6 per well
------	----------------------

Cord Length (IN)	60
------------------	----

Cord Length (CM)	150
------------------	-----

Plug	NEMA 6-15P
------	------------

Voltage	208-240
---------	---------

Watts	2630-3500 per well
-------	--------------------

Weight

Weight (LB)	27
-------------	----

Weight (KG)	12.25
-------------	-------

Construction

Construction Material	Stainless Steel
-----------------------	-----------------

Construction Material 2	Electrical Components
-------------------------	-----------------------

Countertop or Drop-In	Countertop
-----------------------	------------

Number of Wells	1
-----------------	---

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
------	--------

4-inch-wide fryer basket	40711
--------------------------	-------

8-inch-wide fryer basket	40712
--------------------------	-------

Name	Item #
Large fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40713
Small fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40714

PRODUCT PARTS

Name	Part #
CONTROL PANEL FASCIA - BLACK	XAA0009
PARTICLE SIEVE	XFFA0014
NIGHT COVER FFA80115/FFA8130	XFFA8027
ELEMENT FFA8115/FFA8130 (#1) 3	XFFA8001
MICRO SWITCH FFA5110/8115/8130	XFFA5010
POWERCORD 220V (NEMA6-15P)	XAA0006
C/T FRYER PART- ELEMENT BOX CO	FFEB400
SAFETY CUT OUT PLASTIC CAP FF	XFFA0013
FAUCET FIBRE WASHER FFA8115/FF	XFFA8013
THERMOSTAT	XFFA8103
RELAY DPST 200-240V COIL	XFFA0005
RUBBER FOOT FFA8115/FFA8130 (	XFFA8011
VOLLRATH CONTROL KNOB FFA7110/	XFFA0004
DRAIN VALVE FFA8115/FFA8130 (#	XFFA8002
PILOT LIGHT 220V (RED)	XAA0002
SAFETY THERMOSTAT FFA8115/FFA8	XFFA8008
DRAIN VALVE HANDLE FFA8115/FFA	XFFA8102
FAUCET O RING FFA8115/FFA8130	XFFA8015
CABLE RESTRAINT (FMA SKA FFA)	XAA0012



120-Volt 10 lb. standard-duty countertop fryer

With Vollrath® standard-duty fryers, you can count on safe handling, durability and low maintenance. Our space-saving single fryer combines performance with a minimal footprint, so your guests enjoy crisp fried foods while you appreciate a compact design that's easy to handle and clean. Standard fryer ships with 2 stainless steel wire baskets, each featuring a cool-touch handle for comfort and safety.

Standard single fryer delivers 120 volts of power

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F;
auto shutoff at 500°F


3-position fryer head enables easy pan
removal and cleaning

One-piece stainless tank with handles
lifts out for cleaning


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA7110
UPC	671080969336

Unit Dimensions

(W) Width (IN)	10.75
(D) Depth (IN)	17.125
(H) Height (IN)	12.625
(DB) Depth of Body (IN)	16.75
(W) Width (CM)	27.4
(D) Depth (CM)	43.5
(H) Height (CM)	32.1
(DB) Depth of Body (CM)	42.5

Electrical

Amps	15
Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 5-15P
Voltage	120
Watts	1800

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals

Number of Wells	1
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
FRYER HEAD OVERLAY	351788-01-1
FRYER INTERLOCK MAGNET	351792-04-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
10LB BODY ASSM	351816-01-1
120V PILOT LIGHT	351788-17-1
Fryer Head 120V	351788-1
RECTANGULAR POWER SWITCH 120V	352739-1
120V RELAY KIT	351815-01-1
120V HEATING ELEMENT KIT	351813-01-1
SPILLAGE PAN ASSM	351797-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1

Name

Part #

Kit, Foot, 1.00" OD, 20Mm LG

351775-1



DISCONTINUED

208- to 240-volt 10-lb standard-duty Cayenne® countertop deep fryer

The Vollrath® 10-lb Cayenne countertop deep fryer efficiently prepares a variety of fried foods while saving precious counter space. This fryer is thermostatically controlled to 375°F and has quick heating and recovery times. Two nickel-plated steel fryer baskets have Kool-Touch® handles for your safety and comfort. The one-piece stainless steel tank simply lifts

out by its handles, making cleaning easy and efficient, while nonskid rubber feet prevent the unit from moving during use. Thanks to its compact size, this unit fits nicely on any countertop.

Quickly fry chicken, french fries, seafood, and more

One-piece stainless steel tank with carrying handles is durable and easy to clean

Microswitch safely shuts off unit when element box is removed




Automatic shutoff feature at 390°F maintains safety of operation

Thermostatic controls maintain a temperature of 375°F for more accurate heating

Two 4- x 10- x 4-inch fryer baskets fit a variety of products



PRODUCT **SPECIFICATIONS**



Model Information

Model	FFA8110
UPC	029419718863

Unit Dimensions

Overall Dimensions (IN)	11 x 17.625 x 11
-------------------------	------------------

(W) Width (IN)	11
(D) Depth (IN)	17.62
(H) Height (IN)	11
Overall Dimensions (CM)	27.9 x 44.7 x 27.9
(W) Width (CM)	27.9
(D) Depth (CM)	44.7
(H) Height (CM)	27.9
Size	10

Electrical

Amps	10.8 - 12.5
Cord Length (IN)	60
Cord Length (CM)	150
Plug	NEMA 6-15P
Voltage	208-240
Watts	2253-3000

Weight

Weight (LB)	15
Weight (KG)	6.8

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Countertop or Drop-In	Countertop
Number of Wells	1

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
4-inch-wide fryer basket	40711
8-inch-wide fryer basket	40712
Large fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40713
Small fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40714

PRODUCT PARTS

Name	Part #
CONTROL PANEL FASCIA - BLACK	XAA0009
RUBBER FOOT TSA(ALL) (#40/41)	XTSA0004
PILOT LIGHT 220V (RED)	XAA0002
POWERCORD 220V (NEMA6-15P)	XAA0006
FEB0006 ELEMENT BOX COMPLETE 2	FFEB200
CABLE RESTRAINT COA7001/7002/8	XCOA1013
MICROSWITCH SAFETY FFA7110/811	XFFA0011
ELEMENT 220V FFA8110/8020 (#27	XFFA0003
RELAY DPST 200-240V COIL	XFFA0005
S/STEEL INSERT FFA7010/7110/8	XFEIN001
THERMOSTAT FFA(ALL)(#19)	XFFA0008
OVER-TEMP THERMOSTAT FFA7110	XFFA0009
VOLLRATH CONTROL KNOB FFA7110/	XFFA0004
MICROSWITCH PUSH PIN FFA7110/8	XFFA0012

Name

Part #

SAFETY CUT OUT PLASTIC CAP FF

XFFA0013



DISCONTINUED

Double-well 208- to 240-volt 10-lb standard-duty Cayenne® countertop deep fryer

The Vollrath® double-well 10-lb Cayenne countertop deep fryer efficiently prepares a variety of fried foods while saving precious counter space. This fryer is thermostatically controlled to 375°F and has quick heating and recovery times. This double-well unit increases volume and variety while keeping food and flavors separate. Two nickel-plated steel fryer baskets have

Kool-Touch® handles for your safety and comfort. The one-piece stainless steel tanks simply lift out by their handles, making cleaning easy and efficient, while nonskid rubber feet prevent the unit from moving during use. Thanks to its compact size, this unit fits nicely on any countertop.

Quickly fry chicken, french fries, seafood, and more

One-piece stainless steel tank with carrying handles is durable and easy to clean

Double-well unit features two separate power cords and requires two receptacles

Microswitch safely shuts off unit when element box is removed


Automatic shutoff feature at 390°F maintains safety of operation

Thermostatic controls maintain a temperature of 375°F for more accurate heating


Two 4- x 10- x 4-inch fryer baskets fit a variety of products




PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8020
UPC	029419718887

Unit Dimensions

Overall Dimensions (IN)	23 x 17.625 x 11
-------------------------	------------------

(W) Width (IN)	23
(D) Depth (IN)	17.62
(H) Height (IN)	11
Overall Dimensions (CM)	58.4 x 44.7 x 27.9
(W) Width (CM)	58.4
(D) Depth (CM)	44.7
(H) Height (CM)	27.9
Size	10

Electrical

Amps	10.8 - 12.5 per well
Cord Length (IN)	60
Cord Length (CM)	150
Plug	NEMA 6-15P
Voltage	208-240
Watts	2253-3000 per well

Weight

Weight (LB)	30
Weight (KG)	13.61

Construction

Countertop or Drop-In	Countertop
Number of Wells	2

Case Lot Measurement

PRODUCT **ACCESSORIES**

Name	Item #
4-inch-wide fryer basket	40711
8-inch-wide fryer basket	40712
Large fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40713
Small fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40714

PRODUCT **PARTS**

Name	Part #
CONTROL PANEL FASCIA - BLACK	XAA0009
RUBBER FOOT TSA(ALL) (#40/41)	XTSA0004
PILOT LIGHT 220V (RED)	XAA0002
POWERCORD 220V (NEMA6-15P)	XAA0006
FEB0006 ELEMENT BOX COMPLETE 2	FFEB200
CABLE RESTRAINT COA7001/7002/8	XCOA1013
MICROSWITCH SAFETY FFA7110/811	XFFA0011
ELEMENT 220V FFA8110/8020 (#27	XFFA0003
RELAY DPST 200-240V COIL	XFFA0005
S/STEEL INSERT FFA7010/7110/8	XFEIN001
THERMOSTAT FFA(ALL)(#19)	XFFA0008
OVER-TEMP THERMOSTAT FFA7110	XFFA0009
VOLLRATH CONTROL KNOB FFA7110/	XFFA0004
MICROSWITCH PUSH PIN FFA7110/8	XFFA0012
SAFETY CUT OUT PLASTIC CAP FF	XFFA0013



DISCONTINUED

208- to 240-volt 15-lb medium-duty Cayenne® countertop deep fryer - Canada

The 15-lb Cayenne countertop deep fryer by Vollrath efficiently prepares a variety of fried foods while saving precious counter space. This fryer is thermostatically controlled to 374°F and has quick heating and recovery times, making this unit suitable even for frozen foods. A designated cold zone keeps oil fresh longer, improving quality and taste. Two nickel-plated

steel fryer baskets have Kool-Touch® handles for your safety and comfort. Nonskid rubber feet prevent the unit from moving during use and maintain stability. Thanks to its compact size, this unit fits nicely on any countertop.

Fry chicken, french fries, seafood and more quickly

Fully welded oil tank and front-mounted drainage valve make cleaning easy and efficient

Double-well unit features two separate power cords and requires two receptacles

Microswitch safely shuts off unit when element box is removed

Automatic shutoff feature at 446°F maintains safety of operation

Thermostatic controls maintain a temperature of 374°F for more accurate heating


Two 4- x 10- x 4-inch fryer baskets fit a variety of products

Non-skid rubber feet prevent slipping


Includes one small night cover per well.

Includes two small baskets per well.


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8115-C
UPC	671080380179

Unit Dimensions

Overall Dimensions (IN)	11.5 x 19.75 x 16
(W) Width (IN)	11.5
(D) Depth (IN)	19.75
(D2) Secondary Depth (IN)	18.5
(H) Height (IN)	16
(HB) Height of Body (IN)	11.5
Overall Dimensions (CM)	29.2 x 50.2 x 40.6
(W) Width (CM)	29.2
(D) Depth (CM)	50.2
(D2) Secondary Depth (CM)	47
(H) Height (CM)	40.6

(HB) Height of Body (CM)	29.2
--------------------------	------

Size	Medium
------	--------

Electrical

Amps	12.6 - 14.6 per well
------	----------------------

Cord Length (IN)	60
------------------	----

Cord Length (CM)	150
------------------	-----

Plug	NEMA 6-20P
------	------------

Voltage	208-240
---------	---------

Watts	2630-3500 per well
-------	--------------------

Construction

Countertop or Drop-In	Countertop
-----------------------	------------

Number of Wells	1
-----------------	---

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
------	--------

4-inch-wide fryer basket	40711
--------------------------	-------

8-inch-wide fryer basket	40712
--------------------------	-------

Large fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40713
---	-------

Small fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40714
---	-------

PRODUCT PARTS

Name	Part #
ELEMENT FFA8115/FFA8130 (#1) 3	XFFA8001
MICRO SWITCH FFA5110/8115/8130	XFFA5010
POWERCORD 220V (NEMA6-15P)	XAA0006
CONTROL PANEL FASCIA - BLACK	XAA0009
PARTICLE SIEVE	XFFA0014
NIGHT COVER FFA80115/FFA8130	XFFA8027
C/T FRYER PART- ELEMENT BOX CO	FFEB400C
C/T FRYER PART- ELEMENT BOX CO	FFEB400
PILOT LIGHT 220V (RED)	XAA0002
THERMOSTAT	XFFA8103
RELAY DPST 200-240V COIL	XFFA0005
RUBBER FOOT FFA8115/FFA8130 (	XFFA8011
SAFETY CUT OUT PLASTIC CAP FF	XFFA0013
FAUCET FIBRE WASHER FFA8115/FF	XFFA8013
DRAIN VALVE HANDLE FFA8115/FFA	XFFA8102
SAFETY THERMOSTAT FFA8115/FFA8	XFFA8008
VOLLRATH CONTROL KNOB FFA7110/	XFFA0004
DRAIN VALVE FFA8115/FFA8130 (#	XFFA8002
FAUCET O RING FFA8115/FFA8130	XFFA8015
CABLE RESTRAINT (FMA SKA FFA)	XAA0012



DISCONTINUED

Double-well 208- to 240-volt 15-lb medium duty Cayenne® countertop deep fryer

The Vollrath® double-well 15-lb Cayenne countertop deep fryer efficiently prepares a variety of fried foods while saving precious counter space. This fryer is thermostatically controlled to 374°F and has quick heating and recovery times, making this unit suitable even for frozen foods. A designated cold zone keeps oil fresh longer, improving quality and taste. This

double-well unit increases volume and variety while keeping food and flavors separate. Two nickel-plated steel fryer baskets have Kool-Touch® handles for your safety and comfort. Nonskid rubber feet prevent the unit from moving during use and maintain stability. Thanks to its compact size, this unit fits nicely on any countertop.

Quickly fry chicken, french fries, seafood, and more

Fully welded oil tank and front-mounted drainage valve make cleaning easy and efficient

Double-well unit features two separate power cords and requires two receptacles

Microswitch safely shuts off unit when element box is removed


Automatic shutoff feature at 446°F maintains safety of operation

Thermostatic controls maintain a temperature of 374°F for more accurate heating


Two 4- x 10- x 4-inch fryer baskets fit a variety of products




PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8130
UPC	029419718917

Unit Dimensions

Overall Dimensions (IN)	23 x 19.75 x 16
-------------------------	-----------------

(W) Width (IN)	23
(D) Depth (IN)	19.75
(D2) Secondary Depth (IN)	18.5
(H) Height (IN)	16
(HB) Height of Body (IN)	11.5
Overall Dimensions (CM)	59.4 x 50.2 x 40.6
(W) Width (CM)	59.4
(D) Depth (CM)	50.2
(D2) Secondary Depth (CM)	47
(H) Height (CM)	40.6
(HB) Height of Body (CM)	29.2
Size	15

Electrical

Amps	12.6 - 14.6 per well
Cord Length (IN)	60
Cord Length (CM)	150
Plug	NEMA 6-15P
Voltage	208-240
Watts	2630-3500 per well

Weight

Weight (LB)	46.4
Weight (KG)	21.05

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Countertop or Drop-In	Countertop
Number of Wells	2

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
4-inch-wide fryer basket	40711
8-inch-wide fryer basket	40712
Large fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40713
Small fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40714

PRODUCT PARTS

Name	Part #
ELEMENT FFA8115/FFA8130 (#1) 3	XFFA8001
MICRO SWITCH FFA5110/8115/8130	XFFA5010
POWERCORD 220V (NEMA6-15P)	XAA0006
CONTROL PANEL FASCIA - BLACK	XAA0009
PARTICLE SIEVE	XFFA0014
NIGHT COVER FFA80115/FFA8130	XFFA8027
THERMOSTAT	XFFA8103
RUBBER FOOT FFA8115/FFA8130 (	XFFA8011
VOLLRATH CONTROL KNOB FFA7110/	XFFA0004
PILOT LIGHT 220V (RED)	XAA0002

Name	Part #
RELAY SWITCH FFA8115/FFA8130 #	XFFA8030
SAFETY THERMOSTAT FFA8115/FFA8	XFFA8008
SAFETY CUT OUT PLASTIC CAP FF	XFFA0013
FAUCET FIBRE WASHER FFA8115/FF	XFFA8013
DRAIN VALVE HANDLE FFA8115/FFA	XFFA8102
DRAIN VALVE FFA8115/FFA8130 (#	XFFA8002
FAUCET O RING FFA8115/FFA8130	XFFA8015
CABLE RESTRAINT (FMA SKA FFA)	XAA0012



DISCONTINUED

Double-well 208- to 240-volt 15-lb medium-duty Cayenne® countertop deep fryer - Canada

The double-well 15-lb Cayenne countertop deep fryer by Vollrath efficiently prepares a variety of fried foods while saving precious counter space. This fryer is thermostatically controlled to 374°F and has quick heating and recovery times, making this unit suitable even for frozen foods. A designated cold zone keeps oil fresh longer, improving quality and taste.

This double-well unit increases volume and variety while keeping food and flavors separate. Two nickel-plated steel fryer baskets have Kool-Touch® handles for your safety and comfort. Nonskid rubber feet prevent the unit from moving during use and maintain stability. Thanks to its compact size, this unit fits nicely on any countertop.

Fry chicken, french fries, seafood and more quickly

Fully welded oil tank and front-mounted drainage valve make cleaning easy and efficient

Double-well unit features two separate power cords and requires two receptacles

Microswitch safely shuts off unit when element box is removed

Automatic shutoff feature at 446°F maintains safety of operation

Thermostatic controls maintain a temperature of 374°F for more accurate heating


Two 4- x 10- x 4-inch fryer baskets fit a variety of products

Non-skid rubber feet prevent slipping


Includes one small night cover per well.

Includes two small baskets per well.


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8130-C
UPC	671080380421

Unit Dimensions

Overall Dimensions (IN)	23 x 19.75 x 16
(W) Width (IN)	23
(D) Depth (IN)	19.75
(D2) Secondary Depth (IN)	18.5
(H) Height (IN)	16
(HB) Height of Body (IN)	11.5
Overall Dimensions (CM)	59.4 x 50.2 x 40.6
(W) Width (CM)	59.4
(D) Depth (CM)	50.2
(D2) Secondary Depth (CM)	47
(H) Height (CM)	40.6

(HB) Height of Body (CM)	29.2
--------------------------	------

Size	Medium
------	--------

Electrical

Amps	12.6 - 14.6 per well
------	----------------------

Cord Length (IN)	60
------------------	----

Cord Length (CM)	150
------------------	-----

Plug	NEMA 6-20P
------	------------

Voltage	208-240
---------	---------

Watts	2630-3500 per well
-------	--------------------

Construction

Countertop or Drop-In	Countertop
-----------------------	------------

Number of Wells	2
-----------------	---

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
------	--------

4-inch-wide fryer basket	40711
--------------------------	-------

8-inch-wide fryer basket	40712
--------------------------	-------

Large fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40713
---	-------

Small fryer basket night cover for standard-duty Cayenne® countertop deep fryer	40714
---	-------

PRODUCT PARTS

Name	Part #
ELEMENT FFA8115/FFA8130 (#1) 3	XFFA8001
MICRO SWITCH FFA5110/8115/8130	XFFA5010
POWERCORD 220V (NEMA6-15P)	XAA0006
CONTROL PANEL FASCIA - BLACK	XAA0009
PARTICLE SIEVE	XFFA0014
NIGHT COVER FFA80115/FFA8130	XFFA8027
C/T FRYER PART- ELEMENT BOX CO	FFEB400C
C/T FRYER PART- ELEMENT BOX CO	FFEB400
PILOT LIGHT 220V (RED)	XAA0002
THERMOSTAT	XFFA8103
RUBBER FOOT FFA8115/FFA8130 (	XFFA8011
VOLLRATH CONTROL KNOB FFA7110/	XFFA0004
SAFETY CUT OUT PLASTIC CAP FF	XFFA0013
FAUCET FIBRE WASHER FFA8115/FF	XFFA8013
DRAIN VALVE HANDLE FFA8115/FFA	XFFA8102
RELAY SWITCH FFA8115/FFA8130 #	XFFA8030
SAFETY THERMOSTAT FFA8115/FFA8	XFFA8008
DRAIN VALVE FFA8115/FFA8130 (#	XFFA8002
FAUCET O RING FFA8115/FFA8130	XFFA8015
CABLE RESTRAINT (FMA SKA FFA)	XAA0012



120-Volt 10 lb. standard-duty countertop fryer - Canada

With Vollrath® standard-duty fryers, you can count on safe handling, durability and low maintenance. Our space-saving single fryer combines performance with a minimal footprint, so your guests enjoy crisp fried foods while you appreciate a compact design that's easy to handle and clean. Standard fryer ships with 2 stainless steel wire baskets, each featuring a cool-touch handle for comfort and safety.

Standard single fryer delivers 1800 watts of power

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F;
auto shutoff at 500°F


3-position fryer head enables easy pan
removal and cleaning

One-piece stainless tank with handles
lifts out for cleaning


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA7110-C
UPC	671080969343

Unit Dimensions

(W) Width (IN)	10.75
(D) Depth (IN)	17.125
(H) Height (IN)	12.625
(DB) Depth of Body (IN)	16.75
(W) Width (CM)	27.4
(D) Depth (CM)	43.5
(H) Height (CM)	32.1
(DB) Depth of Body (CM)	42.5

Electrical

Amps	15
Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 5-20P
Voltage	120
Watts	1800

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals

Number of Wells	1
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
FRYER HEAD OVERLAY	351788-01-1
FRYER INTERLOCK MAGNET	351792-04-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
10LB BODY ASSM	351816-01-1
120V PILOT LIGHT	351788-17-1
RECTANGULAR POWER SWITCH 120V	352739-1
120V RELAY KIT	351815-01-1
120V HEATING ELEMENT KIT	351813-01-1
SPILLAGE PAN ASSM	351797-1
FRYER HEAD 120V CANADA	351789-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1

Name

Part #

Kit, Foot, 1.00" OD, 20Mm LG

351775-1



120-Volt 10 lb. standard-duty double-well countertop fryer

The Vollrath® double-well countertop fryer provides twice the capacity with the same safe handling, durability and low maintenance. It features powerful performance in a dual unit, for more cooking capacity while keeping fried food flavors separate. Easy-to-clean standard fryer ships with 4 stainless steel wire baskets, each featuring a cool-touch handle for comfort and safety.

Dual-well fryer delivers 1800 watts per well

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F;
auto shutoff at 500°F


3-position fryer heads enable easy pan
removal and cleaning

Separate stainless tanks with handles
lift out for cleaning


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA7020
UPC	671080969350

Unit Dimensions

(W) Width (IN)	23
(D) Depth (IN)	17.125
(H) Height (IN)	12.625
(DB) Depth of Body (IN)	16.75
(W) Width (CM)	58.4
(D) Depth (CM)	43.5
(H) Height (CM)	32.1
(DB) Depth of Body (CM)	42.5

Electrical

Amps	15 per well
Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 5-15P
Voltage	120
Watts	1800 per well

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals

Number of Wells	2
-----------------	---

Product Function	Fryer
------------------	-------

Case Lot Measurement

PRODUCT ACCESSORIES

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT PARTS

Name	Part #
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
FRYER HEAD OVERLAY	351788-01-1
FRYER INTERLOCK MAGNET	351792-04-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
120V PILOT LIGHT	351788-17-1
Fryer Head 120V	351788-1
20LB BODY ASSM	351816-02-1
RECTANGULAR POWER SWITCH 120V	352739-1
120V RELAY KIT	351815-01-1
120V HEATING ELEMENT KIT	351813-01-1

Name	Part #
SPILLAGE PAN ASSM	351797-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1



120-Volt 10 lb. standard-duty double-well countertop fryer - Canada

The Vollrath® double-well countertop fryer provides twice the capacity with the same safe handling, durability and low maintenance. It features powerful performance in a dual unit, for more cooking capacity while keeping fried food flavors separate. Easy-to-clean standard fryer ships with 4 stainless steel wire baskets, each featuring a cool-touch handle for comfort and safety.

Dual-well fryer delivers 1800 watts per well

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F; auto shutoff at 500°F


3-position fryer heads enable easy pan removal and cleaning

Separate stainless tanks with handles lift out for cleaning


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA7020-C
UPC	671080969367

Unit Dimensions

(W) Width (IN)	23
(D) Depth (IN)	17.125
(H) Height (IN)	12.625
(DB) Depth of Body (IN)	16.75
(W) Width (CM)	58.4
(D) Depth (CM)	43.5
(H) Height (CM)	32.1
(DB) Depth of Body (CM)	42.5

Electrical

Amps	15 per well
------	-------------

Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 5-20P
Voltage	120
Watts	1800 per well

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals
Number of Wells	2
Product Function	Fryer

PRODUCT ACCESSORIES

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT PARTS

Name	Part #
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
FRYER HEAD OVERLAY	351788-01-1
FRYER INTERLOCK MAGNET	351792-04-1
REGULATING THERMOSTAT	351788-12-1

Name	Part #
HI-LIMIT THERMOSTAT COVER	351788-03-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
120V PILOT LIGHT	351788-17-1
20LB BODY ASSM	351816-02-1
RECTANGULAR POWER SWITCH 120V	352739-1
120V RELAY KIT	351815-01-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
120V HEATING ELEMENT KIT	351813-01-1
SPILLAGE PAN ASSM	351797-1
FRYER HEAD 120V CANADA	351789-1



208-240-Volt 10 lb. standard-duty countertop fryer

With Vollrath® standard-duty fryers, you can count on safe handling, durability and low maintenance. Our space-saving single fryer combines performance with a minimal footprint, so your guests enjoy crisp fried foods while you appreciate a compact design that's easy to handle and clean. Standard fryer ships with 2 stainless steel wire baskets, each featuring a cool-touch handle for comfort and safety.

New 208-240-volt fryer heads deliver 20% more power

Standard fryer with single well delivers 1800 watts of power

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F; auto shutoff at 500°F


3-position fryer head enables easy pan removal and cleaning

One-piece stainless tank with handles lifts out for cleaning


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8110
UPC	671080969374

Unit Dimensions

(W) Width (IN)	10.75
(D) Depth (IN)	17.125
(H) Height (IN)	12.625
(DB) Depth of Body (IN)	16.75
(W) Width (CM)	27.4
(D) Depth (CM)	43.5
(H) Height (CM)	32.1
(DB) Depth of Body (CM)	42.5

Electrical

Amps	13 - 15
------	---------

Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 6-15P
Voltage	208-240
Watts	2700 - 3600

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals
Number of Wells	1
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
240V HEATING ELEMENT KIT	351813-02-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
240V RELAY KIT	351815-02-1
FRYER HEAD OVERLAY	351788-01-1
FRYER INTERLOCK MAGNET	351792-04-1

Name	Part #
FRYER HEAD 208-240V	351790-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
240V PILOT LIGHT	351788-18-1
RECTANGULAR POWER SWITCH 240V	352740-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
10LB BODY ASSM	351816-01-1
SPILLAGE PAN ASSM	351797-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1



208-240-Volt 10 lb. standard-duty countertop fryer - Canada

With Vollrath® standard-duty fryers, you can count on safe handling, durability and low maintenance. Our space-saving single fryer combines performance with a minimal footprint, so your guests enjoy crisp fried foods while you appreciate a compact design that's easy to handle and clean. Standard fryer ships with 2 stainless steel wire baskets, each featuring a cool-touch handle for comfort and safety.

New 208-240-volt fryer heads deliver 20% more power

Standard fryer with single well delivers 1800 watts of power

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F; auto shutoff at 500°F


3-position fryer head enables easy pan removal and cleaning

One-piece stainless tank with handles lifts out for cleaning


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8110-C
UPC	671080969381

Unit Dimensions

(W) Width (IN)	10.75
(D) Depth (IN)	17.125
(H) Height (IN)	12.625
(DB) Depth of Body (IN)	16.75
(W) Width (CM)	27.4
(D) Depth (CM)	43.5
(H) Height (CM)	32.1
(DB) Depth of Body (CM)	42.5

Electrical

Amps	13 - 15
------	---------

Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 6-20P
Voltage	208-240
Watts	2700 - 3600

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals
Number of Wells	1
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
240V HEATING ELEMENT KIT	351813-02-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
240V RELAY KIT	351815-02-1
FRYER HEAD OVERLAY	351788-01-1
FRYER INTERLOCK MAGNET	351792-04-1

Name	Part #
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
240V PILOT LIGHT	351788-18-1
RECTANGULAR POWER SWITCH 240V	352740-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
10LB BODY ASSM	351816-01-1
SPILLAGE PAN ASSM	351797-1
FRYER HEAD 208-240V CANADA	351791-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1



208-240-Volt 10 lb. standard-duty double-well countertop fryer

The Vollrath® double-well countertop fryer provides twice the capacity with the same safe handling, durability and low maintenance. It features powerful performance in a dual unit, for more cooking capacity while keeping fried food flavors separate. Easy-to-clean standard fryer ships with 4 stainless steel wire baskets, each featuring a cool-touch handle for comfort and safety.

New 208-240-volt fryer heads deliver 20% more power

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F;
auto shutoff at 500°F


3-position fryer heads enable easy pan
removal and cleaning

Separate stainless tanks with handles
lift out for cleaning


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8020
UPC	671080969398

Unit Dimensions

(W) Width (IN)	23
(D) Depth (IN)	17.125
(H) Height (IN)	12.625
(DB) Depth of Body (IN)	16.75
(W) Width (CM)	58.4
(D) Depth (CM)	43.5
(H) Height (CM)	32.1
(DB) Depth of Body (CM)	42.5

Electrical

Amps	13 - 15 per well
Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 6-15P
Voltage	208-240
Watts	2700-3600 per well

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals

Number of Wells	2
-----------------	---

Product Function	Fryer
------------------	-------

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
240V HEATING ELEMENT KIT	351813-02-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
240V RELAY KIT	351815-02-1
FRYER HEAD OVERLAY	351788-01-1
FRYER INTERLOCK MAGNET	351792-04-1
FRYER HEAD 208-240V	351790-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
240V PILOT LIGHT	351788-18-1
RECTANGULAR POWER SWITCH 240V	352740-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
20LB BODY ASSM	351816-02-1
SPILLAGE PAN ASSM	351797-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1

Name

Part #

Kit, Foot, 1.00" OD, 20Mm LG

351775-1



208-280-Volt 15 lb. medium-duty countertop fryer with drain

The Vollrath® medium-duty fryer takes durability and performance to a new level. Fully welded oil tanks with drainage valves are even easier to empty and clean, and increased power is ideal for frying frozen products and more, with excellent recovery time between batches. Medium-duty single fryer ships with night cover and 2 stainless steel wire baskets with cool-touch handles.

Medium-duty single fryer delivers 2700 - 3600 watts of power

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F;
auto shutoff at 500°F


3-position fryer head enables easy pan
removal and cleaning

Optional accessories sold separately
include large basket


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8115
UPC	671080969411

Unit Dimensions

(D) Depth (IN)	20.875
(H) Height (IN)	16
(DB) Depth of Body (IN)	14.75
(HB) Height of Body (IN)	17.375
(D) Depth (CM)	53.02
(H) Height (CM)	40.8
(DB) Depth of Body (CM)	37.5
(HB) Height of Body (CM)	43.5

Electrical

Amps	13 - 15
Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 6-15P
Voltage	208-240
Watts	2700 - 3600

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals

Number of Wells	1
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
240V HEATING ELEMENT KIT	351813-02-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
240V RELAY KIT	351815-02-1
DRAIN VALVE KIT	351808-1
FRYER HEAD OVERLAY	351788-01-1
15LB BODY ASSM	351816-03-1
FRYER INTERLOCK MAGNET	351792-04-1
FRYER HEAD 208-240V	351790-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
240V PILOT LIGHT	351788-18-1
RECTANGULAR POWER SWITCH 240V	352740-1
Control Knob	351788-06-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1

Name

Part #

HI-LIMIT THERMOSTAT

351788-02-1



208-280-Volt 15 lb. medium-duty countertop fryer with drain - Canada

The Vollrath® medium-duty fryer takes durability and performance to a new level. Fully welded oil tanks with drainage valves are even easier to empty and clean, and increased power is ideal for frying frozen products and more, with excellent recovery time between batches. Medium-duty single fryer ships with night cover and 2 stainless steel wire baskets with cool-touch handles.

Medium-duty single fryer delivers 2700 - 3600 watts of power

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F;
auto shutoff at 500°F


3-position fryer head enables easy pan
removal and cleaning

Optional accessories sold separately
include large basket


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8115-C
UPC	671080969428

Unit Dimensions

(D) Depth (IN)	20.875
(H) Height (IN)	16
(DB) Depth of Body (IN)	14.75
(HB) Height of Body (IN)	17.375
(D) Depth (CM)	53.02
(H) Height (CM)	40.8
(DB) Depth of Body (CM)	37.5
(HB) Height of Body (CM)	43.5

Electrical

Amps	13 - 15
Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 6-20P
Voltage	208-240
Watts	2700 - 3600

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals

Number of Wells	1
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
240V HEATING ELEMENT KIT	351813-02-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
240V RELAY KIT	351815-02-1
DRAIN VALVE KIT	351808-1
FRYER HEAD OVERLAY	351788-01-1
15LB BODY ASSM	351816-03-1
FRYER INTERLOCK MAGNET	351792-04-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
240V PILOT LIGHT	351788-18-1
RECTANGULAR POWER SWITCH 240V	352740-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
FRYER HEAD 208-240V CANADA	351791-1

Name

Part #

Kit, Foot, 1.00" OD, 20Mm LG

351775-1



208-280-Volt 15 lb. medium-duty double-well countertop fryer with drain

The Vollrath® medium-duty fryer takes durability and performance to a new level. Dual fryer features 2 fully welded oil tanks, keeping foods separate and preventing flavor transfer from oil. Increased power is perfect for frying frozen products and more, with excellent recovery time between batches. Medium-duty dual fryer ships with 2 night covers and 4 stainless steel wire baskets with cool-touch handles.

Medium-duty dual fryer delivers 2700 - 3600 watts of power per well

Dual tanks with drainage valves empty and clean with ease

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F; auto shutoff at 500°F


3-position fryer head enables easy pan removal and cleaning

Optional accessories sold separately include large basket


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8130
UPC	671080969435

Unit Dimensions

(D) Depth (IN)	20.875
(H) Height (IN)	16
(DB) Depth of Body (IN)	14.75
(HB) Height of Body (IN)	17.375
(D) Depth (CM)	53.02
(H) Height (CM)	40.8
(DB) Depth of Body (CM)	37.5
(HB) Height of Body (CM)	43.5

Electrical

Amps	13 - 15 per well
------	------------------

Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 6-15P
Voltage	208-240
Watts	2700 - 3600 per well

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals
Number of Wells	2
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
240V HEATING ELEMENT KIT	351813-02-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
240V RELAY KIT	351815-02-1
DRAIN VALVE KIT	351808-1
FRYER HEAD OVERLAY	351788-01-1

Name	Part #
FRYER INTERLOCK MAGNET	351792-04-1
FRYER HEAD 208-240V	351790-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
240V PILOT LIGHT	351788-18-1
RECTANGULAR POWER SWITCH 240V	352740-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
30LB BODY ASSM	351816-04-1



208-280-Volt 15 lb. medium-duty double-well countertop fryer with drain - Canada

The Vollrath® medium-duty fryer takes durability and performance to a new level. Dual fryer features 2 fully welded oil tanks, keeping foods separate and preventing flavor transfer from oil. Increased power is perfect for frying frozen products and more, with excellent recovery time between batches. Medium-duty dual fryer ships with 2 night covers and 4 stainless steel wire baskets with cool-touch handles.

Medium-duty dual fryer delivers 2700 - 3600 watts of power per well

Dual tanks with drainage valves empty and clean with ease

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F; auto shutoff at 500°F


3-position fryer head enables easy pan removal and cleaning

Optional accessories sold separately include large basket


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8130-C
UPC	671080969442

Unit Dimensions

(D) Depth (IN)	20.875
(H) Height (IN)	16
(DB) Depth of Body (IN)	14.75
(HB) Height of Body (IN)	17.375
(D) Depth (CM)	53.02
(H) Height (CM)	40.8
(DB) Depth of Body (CM)	37.5
(HB) Height of Body (CM)	43.5

Electrical

Amps	13 - 15 per well
------	------------------

Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 6-20P
Voltage	208-240
Watts	2700 - 3600 per well

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals
Number of Wells	2
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
240V HEATING ELEMENT KIT	351813-02-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
240V RELAY KIT	351815-02-1
DRAIN VALVE KIT	351808-1
FRYER HEAD OVERLAY	351788-01-1

Name	Part #
FRYER INTERLOCK MAGNET	351792-04-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
240V PILOT LIGHT	351788-18-1
RECTANGULAR POWER SWITCH 240V	352740-1
Control Knob	351788-06-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
HI-LIMIT THERMOSTAT	351788-02-1
30LB BODY ASSM	351816-04-1
FRYER HEAD 208-240V CANADA	351791-1



208-240-Volt 10 lb. standard-duty double-well countertop fryer - Canada

The Vollrath® double-well countertop fryer provides twice the capacity with the same safe handling, durability and low maintenance. It features powerful performance in a dual unit, for more cooking capacity while keeping fried food flavors separate. Easy-to-clean standard fryer ships with 4 stainless steel wire baskets, each featuring a cool-touch handle for comfort and safety.

New 208-240-volt fryer heads deliver 20% more power

New components deliver quality, safety and durability


Lighted power switch and oil-ready indicators

Thermostatically controlled to 375°F; auto shutoff at 500°F


3-position fryer heads enable easy pan removal and cleaning

Separate stainless tanks with handles lift out for cleaning


PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

Model Information

Model	FFA8020-C
UPC	671080969404

Unit Dimensions

(W) Width (IN)	23
(D) Depth (IN)	17.125
(H) Height (IN)	12.625
(DB) Depth of Body (IN)	16.75
(W) Width (CM)	58.4
(D) Depth (CM)	43.5
(H) Height (CM)	32.1
(DB) Depth of Body (CM)	42.5

Electrical

Amps	13 - 15 per well
------	------------------

Cord Length (IN)	48
Cord Length (CM)	121.9
Plug	NEMA 6-20P
Voltage	208-240
Watts	2700-3600 per well

Construction

Construction Material	Stainless Steel
Construction Material 2	Electrical Components
Material Type	Metals
Number of Wells	2
Product Function	Fryer

PRODUCT **ACCESSORIES**

Name	Item #
4-inch wide stainless steel fryer basket	351796
Night Cover for Counter Fryers	351802
8-inch wide stainless steel fryer basket	351807

PRODUCT **PARTS**

Name	Part #
Kit, Foot, 1.00" OD, 20Mm LG	351775-1
240V HEATING ELEMENT KIT	351813-02-1
RUBBER GASKET	351788-09-1
INTERLOCK SWITCH KIT	351814-1
240V RELAY KIT	351815-02-1
FRYER HEAD OVERLAY	351788-01-1

Name	Part #
FRYER INTERLOCK MAGNET	351792-04-1
REGULATING THERMOSTAT	351788-12-1
HI-LIMIT THERMOSTAT COVER	351788-03-1
240V PILOT LIGHT	351788-18-1
RECTANGULAR POWER SWITCH 240V	352740-1
Control Knob	351788-06-1
HI-LIMIT THERMOSTAT	351788-02-1
20LB BODY ASSM	351816-02-1
SPILLAGE PAN ASSM	351797-1
FRYER HEAD 208-240V CANADA	351791-1
Kit, Foot, 1.00" OD, 20Mm LG	351775-1



По вопросам продаж и поддержки обращайтесь:				
Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89	Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81	Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47	Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35	Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93
Россия +7(495)268-04-70	Казахстан +7(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: <https://vollrath.nt-rt.ru/>