

Транспортные тележки

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: <https://vollrath.nt-rt.ru/>

Heavyweight polypropylene webbed straps in black for flatbed utility dolly

These 1½-inch heavyweight polypropylene webbed straps in black for flatbed utility dollies are perfect for securing a load of EPP carriers, delivery bags and pizza dough boxes.

Secure loads for transport

Use with 1694, 1695, 1695-1

PRODUCT SPECIFICATIONS

Model Information

UPC	671080951744
-----	--------------

Case Lot Measurement

Case Width	11
Case Height	14
Case Length	14.75



Flatbed utility dolly in dark gray with 5" casters and straps

Easily transport EPP carriers, delivery bags, pizza dough boxes and more with this Vollrath® flatbed utility dolly. These units are made of impact-resistant plastic and feature straps to safely secure your load. Four sturdy 5-inch casters ensure swift maneuvering, allowing you to easily move up to 350 pounds.

Easily transports up to 350 pounds

Recessed top surface helps secure load and reduce shifting

Four 5-inch casters ensure swift maneuvering with two fixed casters in the front and two swivel casters with a brake in the back

Impact-resistant plastic is durable and long lasting

1½-inch black heavyweight polypropylene webbed straps to safely secure load

Storage pocket to store straps when not in use

Optional chrome-plated handle with tethered pin to lock upright or fold down for easy storage (sold separately)

Made in the USA

PRODUCT SPECIFICATIONS

Model Information

UPC	671080951751
-----	--------------

Unit Dimensions

(W) Width (IN)	19
(D) Depth (IN)	34.5
(H) Height (IN)	8.81
(WB) Width of Body (IN)	19
(DB) Depth of Body (IN)	34.18
(HB) Height of Body (IN)	3
(W) Width (CM)	48.3
(D) Depth (CM)	86.8
(H) Height (CM)	22.37
(WB) Width of Body (CM)	48.26
(DB) Depth of Body (CM)	86.81
(HB) Height of Body (CM)	7.62

Volume

Capacity (KG)	136.07
Capacity (LB)	300

Construction

Color	Gray
Construction Feature 2	Heavy-duty polypropylene webbed straps in black
Construction Material	Heavy-Duty Plastic

Case Lot Measurement

Case Width	28.25
Case Height	5.5
Case Length	37

PRODUCT **PARTS**

Name	Part #
CASTER 5X1 PLATE SWIVEL W/BRK	352195-1
CASTER 5X1 PLATE RIGID	352194-1



DISCONTINUED

Flatbed utility dolly in dark gray with 6" pneumatic wheels, straps and chrome-plated handle

Easily transport EPP carriers, delivery bags and pizza dough boxes with this Vollrath® flatbed utility dolly. These units are made of impact-resistant plastic and feature straps to safely secure your load and a chrome-plated handle to easily move it. Four sturdy 6-inch pneumatic wheels ensure swift maneuvering, allowing you to easily move up to 350 pounds.

Easily transports up to 350 pounds

Recessed top surface helps secure load and reduce shifting

Ideal for outdoor use

Four 6-inch pneumatic wheels ensure swift maneuvering with two fixed wheels in the front and two swivel wheels with a brake in the back

Impact-resistant plastic is durable and long lasting

1½-inch black heavyweight polypropylene webbed straps to safely secure load

Storage pocket to store straps when not in use

Chrome-plated handle with tethered pin to lock upright or fold down for easy storage

Made in the USA

PRODUCT **SPECIFICATIONS**

Model Information

UPC	671080951768
-----	--------------

Unit Dimensions

(W) Width (IN)	19
(D) Depth (IN)	34.5
(H) Height (IN)	8.81
(WB) Width of Body (IN)	19
(DB) Depth of Body (IN)	34.18
(HB) Height of Body (IN)	3
(HH) Handle Height (IN)	33.55
(WH) Handle Width (IN)	17
(DH) Handle Depth (IN)	8.09
(W) Width (CM)	48.3
(D) Depth (CM)	86.8

(H) Height (CM)	22.37
(WB) Width of Body (CM)	48.26
(DB) Depth of Body (CM)	86.81
(HB) Height of Body (CM)	7.62
(HH) Handle Height (CM)	85.21
(WH) Handle Width (CM)	43.18
(DH) Handle Depth (CM)	20.54

Volume

Capacity (KG)	136.07
Capacity (LB)	300

Construction

Color	Gray
Construction Feature 2	Heavy-duty polypropylene webbed straps in black
Construction Material	Heavy-Duty Plastic
Handle Color	Chrome

PRODUCT PARTS

Name	Part #
PNEU CAST 6X2 PLATE RIGID	352198-1
PNEU CAST 6X2 PLT SWIVEL W/BRK	352196-1
DOLLY HARDWARE PACKET	352484-1



Flatbed utility dolly in dark gray with 6" pneumatic wheels and straps

Easily transport EPP carriers, delivery bags and pizza dough boxes with this Vollrath® flatbed utility dolly. These units are made of impact-resistant plastic and feature straps to safely secure your load. Four sturdy 6-inch pneumatic wheels ensure swift maneuvering, allowing you to easily move up to 350 pounds.

Easily transports up to 350 pounds

Ideal for outdoor use

Recessed top surface helps secure load and reduce shifting

Four 6-inch pneumatic wheels ensure swift maneuvering with two fixed wheels in the front and two swivel wheels with a brake in the back

Impact-resistant plastic is durable and long lasting

1½-inch black heavyweight polypropylene webbed straps to safely secure load

Storage pocket to store straps when not in use

Optional chrome-plated handle with tethered pin to lock upright or fold down for easy storage (sold separately)

Made in the USA

PRODUCT SPECIFICATIONS

Model Information

UPC	671080986715
-----	--------------

Unit Dimensions

(W) Width (IN)	19
(D) Depth (IN)	37
(H) Height (IN)	41.5
(WB) Width of Body (IN)	19
(DB) Depth of Body (IN)	34.18
(HB) Height of Body (IN)	3
(W) Width (CM)	48.3
(D) Depth (CM)	94
(H) Height (CM)	105.41
(WB) Width of Body (CM)	48.26
(DB) Depth of Body (CM)	86.81
(HB) Height of Body (CM)	7.62

Volume

Capacity (KG)	136.07
Capacity (LB)	300

Construction

Color	Gray
Construction Feature 2	Heavy-duty polypropylene webbed straps in black
Construction Material	Heavy-Duty Plastic

Case Lot Measurement

Case Width	28.25
Case Height	4.75
Case Length	31

PRODUCT PARTS

Name	Part #
PNEU CAST 6X2 PLATE RIGID	352198-1
PNEU CAST 6X2 PLT SWIVEL W/BRK	352196-1



33 1/2-inch chrome-plated handle for flatbed utility dolly

This chrome-plated handle for flatbed utility dollies is perfect for more easily transporting EPP carriers, delivery bags and pizza dough boxes.

Folds down for easy storage

Use with 1694, 1695-1

Chrome plated handle allows for easier navigation and maneuvering.

PRODUCT **SPECIFICATIONS**

Model Information

UPC	671080951775
-----	--------------

Case Lot Measurement

Case Width	18
Case Height	4.75
Case Length	36



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89	Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81	Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47	Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35	Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93
Россия +7(495)268-04-70	Казахстан +7(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47

эл.почта: vha@nt-rt.ru || сайт: <https://vollrath.nt-rt.ru/>