

# Прессы для сэндвичей

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [vha@nt-rt.ru](mailto:vha@nt-rt.ru) || сайт: <https://vollrath.nt-rt.ru/>



## 120-volt super-size panini sandwich grill with aluminum flat plates and NEMA 5-15P Plug

Take sandwiches to the next level with this Vollrath® panini sandwich grill. Its super-sized cooking area with smooth aluminum plates heats quickly, evenly and precisely for consistently amazing results. The pivot-action top plate adjusts to food thickness for an even press - perfect for warming tortillas, flatbread, pitas, and naan. And it doubles as a grill for fish, chicken, meats and vegetables, bringing outstanding versatility to your commercial kitchen.

High-power heating element is efficient and consistent

Natural-finish aluminum plates heat up quickly and evenly

Thermostatically controlled temperature range is 125°F to 500°F


Power switch and ready lights remove the guesswork

Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 17- x 16-in (43.18- x 40.64-cm)



PRODUCT SPECIFICATIONS



Model Information

|       |              |
|-------|--------------|
| Model | TS17021      |
| UPC   | 029419520527 |

Unit Dimensions

|                |    |
|----------------|----|
| (W) Width (IN) | 21 |
|----------------|----|

|                                  |        |
|----------------------------------|--------|
| (D) Depth (IN)                   | 22.625 |
| (H) Height (IN)                  | 9.875  |
| Product Opening Dimensions (IN)  | 27.875 |
| (WCS) Cooking Surface Width (IN) | 17     |
| (DCS) Cooking Surface Depth (IN) | 16     |
| (W) Width (CM)                   | 53.3   |
| (D) Depth (CM)                   | 57.4   |
| (H) Height (CM)                  | 24.9   |
| Product Opening Dimensions (CM)  | 70.8   |
| (WCS) Cooking Surface Width (CM) | 43.1   |
| (DCS) Cooking Surface Depth (CM) | 40.6   |

### Electrical

|         |            |
|---------|------------|
| Amps    | 15         |
| Hz      | 50/60      |
| Plug    | NEMA 5-15P |
| Voltage | 120        |
| Watts   | 1800       |

### Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

### PRODUCT PARTS

| Name                         | Part #   |
|------------------------------|----------|
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1 |
| SSSHP HANDLE KIT             | 354094-1 |
| SSSHP PANINI BEZEL & OVERLAY | 354195-1 |

| Name                           | Part #      |
|--------------------------------|-------------|
| 350C HIGH LIMIT THERMOSTAT     | 352751-1    |
| M6X25 PIN                      | 352775-1    |
| SHAFT SLEEVE                   | 352776-1    |
| 300C REGULATING THERMOSTAT     | 352750-1    |
| 5-15 POWER CORD W/ STRN RELIEF | 354095-1    |
| SSSHP TOP HEATING ELEMENT      | 352756-1    |
| SSSHP FLAT TOP PLATE           | 352749-05-1 |
| TENSIONER SILICONE PLUG        | 352764-1    |
| HANDLE SPRING                  | 352761-1    |
| SSSHP HINGE AXLE BACK          | 352747-09-1 |
| TENSIONER                      | 352759-1    |
| SSSHP DRIP TRAY                | 352747-07-1 |
| HI-LIMIT THERMOSTAT COVER      | 351788-03-1 |
| Control Knob                   | 351788-06-1 |
| SSSHP BTM HEATING ELEMENT      | 352755-1    |
| SSSHP FLAT BOTTOM PLATE        | 352747-13-1 |
| SSSHP OVERLAY                  | 352747-01-1 |
| LEFT WIRE TUBE                 | 352758-1    |
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1    |
| 120V PILOT LIGHT               | 351788-17-1 |



## 120-volt super-size panini sandwich grill with aluminum flat plates and NEMA 5-20P Plug

Take sandwiches to the next level with this Vollrath® panini sandwich grill. Its super-sized cooking area with smooth aluminum plates heats quickly, evenly and precisely for consistently amazing results. The pivot-action top plate adjusts to food thickness for an even press - perfect for warming tortillas, flatbread, pitas, and naan. And it doubles as a grill for fish, chicken, meats and vegetables, bringing outstanding versatility to your commercial kitchen.

High-power heating element is efficient and consistent

Natural-finish aluminum plates heat up quickly and evenly

Thermostatically controlled temperature range is 125°F to 500°F

Power switch and ready lights remove the guesswork




Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 17- x 16-in (43.18- x 40.64-cm)





PRODUCT SPECIFICATIONS



Model Information

|       |              |
|-------|--------------|
| Model | TS17021-C    |
| UPC   | 029419520541 |

Unit Dimensions

|                |    |
|----------------|----|
| (W) Width (IN) | 21 |
|----------------|----|

|                                  |        |
|----------------------------------|--------|
| (D) Depth (IN)                   | 22.625 |
| (H) Height (IN)                  | 9.875  |
| Product Opening Dimensions (IN)  | 27.875 |
| (WCS) Cooking Surface Width (IN) | 17     |
| (DCS) Cooking Surface Depth (IN) | 16     |
| (W) Width (CM)                   | 53.3   |
| (D) Depth (CM)                   | 57.4   |
| (H) Height (CM)                  | 24.9   |
| Product Opening Dimensions (CM)  | 70.8   |
| (WCS) Cooking Surface Width (CM) | 43.1   |
| (DCS) Cooking Surface Depth (CM) | 40.6   |

## Electrical

|         |            |
|---------|------------|
| Amps    | 15         |
| Hz      | 50/60      |
| Plug    | NEMA 5-20P |
| Voltage | 120        |
| Watts   | 1800       |

## Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

## PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| SSSHP HANDLE KIT               | 354094-1 |
| 5-20 POWER CORD W/ STRN RELIEF | 354096-1 |
| SSSHP PANINI BEZEL & OVERLAY   | 354195-1 |

| Name                         | Part #      |
|------------------------------|-------------|
| 350C HIGH LIMIT THERMOSTAT   | 352751-1    |
| HI-LIMIT THERMOSTAT COVER    | 351788-03-1 |
| Control Knob                 | 351788-06-1 |
| M6X25 PIN                    | 352775-1    |
| SHAFT SLEEVE                 | 352776-1    |
| 300C REGULATING THERMOSTAT   | 352750-1    |
| SSSHP TOP HEATING ELEMENT    | 352756-1    |
| SSSHP FLAT TOP PLATE         | 352749-05-1 |
| TENSIONER SILICONE PLUG      | 352764-1    |
| HANDLE SPRING                | 352761-1    |
| SSSHP HINGE AXLE BACK        | 352747-09-1 |
| TENSIONER                    | 352759-1    |
| SSSHP DRIP TRAY              | 352747-07-1 |
| SSSHP BTM HEATING ELEMENT    | 352755-1    |
| SSSHP FLAT BOTTOM PLATE      | 352747-13-1 |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |
| 120V PILOT LIGHT             | 351788-17-1 |
| SSSHP OVERLAY                | 352747-01-1 |
| LEFT WIRE TUBE               | 352758-1    |



DISCONTINUED

## Supersized 120-volt Cayenne® sandwich press with smooth, natural-finish plates

The Vollrath® supersized Cayenne sandwich press is a versatile addition to your kitchen. With an impressive cooking area of 17- x 15-inches, your options are endless. Made out of triple-layered aluminum, the flat plates are smooth and durable. While the plates quickly heat

up and recover, the handle always stays cool to the touch. The handle is also adjustable, allowing you to change the press height, so you can evenly cook any order. Thermostatically controlled for consistent results, this sandwich press provides high-quality results every time.

Excellent choice for sandwiches, paninis, meats, vegetables, tortillas, and more

Durable aluminum plates heat and recover quickly for more efficient cooking

Inset heating element channels create greater heating efficiency

Smooth natural-finish plates are easy to wipe down and clean


Adjustable handle changes press height, so you can evenly cook any order

17- x 15-inch cooking area is ideal for high-volume output


120°F to 470°F temperature range




PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

**Model Information**

|       |              |
|-------|--------------|
| Model | TSA7012      |
| UPC   | 029419719877 |

**Unit Dimensions**

|                         |                      |
|-------------------------|----------------------|
| Overall Dimensions (IN) | 18.125 x 23.5 x 15.5 |
|-------------------------|----------------------|

|                                  |                  |
|----------------------------------|------------------|
| (W) Width (IN)                   | 18.12            |
| (D) Depth (IN)                   | 23.5             |
| (H) Height (IN)                  | 15.5             |
| (WCS) Cooking Surface Width (IN) | 17.4375          |
| (DCS) Cooking Surface Depth (IN) | 15.625           |
| Overall Dimensions (CM)          | 46 x 59.7 x 39.4 |
| (W) Width (CM)                   | 46               |
| (D) Depth (CM)                   | 59.7             |
| (H) Height (CM)                  | 39.4             |
| (WCS) Cooking Surface Width (CM) | 44.3             |
| (DCS) Cooking Surface Depth (CM) | 39.7             |

**Electrical**

|                  |            |
|------------------|------------|
| Amps             | 15         |
| Cord Length (IN) | 48         |
| Cord Length (CM) | 120        |
| Hz               | 60         |
| Plug             | NEMA 5-15P |
| Voltage          | 120        |
| Watts            | 1800       |

**Construction**

|                         |                       |
|-------------------------|-----------------------|
| Construction Material   | Stainless Steel       |
| Construction Material 2 | Cast Aluminum Plates  |
| Construction Material 3 | Electrical Components |
| Countertop or Drop-In   | Countertop            |

## Case Lot Measurement

### PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| HANDLE TOP ARM ONLY TSA7012/8  | XTSA0037 |
| HEIGHT ADJUSTER SCREW & KNOB(  | XTSA0032 |
| THERMOSTAT TSI; TSA(ALL) (#43  | XTSA0007 |
| CONTROL PANEL FASCIA - BLACK   | XAA0009  |
| TOP PLATE TSA7012/8012 (#17)   | XTSA0044 |
| HANDLE SCREW M5-10 THREAD CUT  | XTSA0051 |
| DRIP CUP TSA(ALL) (#26)        | XTSA0002 |
| PLATED EYE BOLT M5 X 85MM      | XTSA0016 |
| PLATED EYE BOLT TSA7012/8012 ( | XTSA2003 |
| CABLE RESTRAINT COA7001/7002/8 | XCOA1013 |
| TOP ELEMENT 110V TSA7012 (#19  | XTSA0040 |
| PILOT LIGHT 110V (YELLOW)      | XAA0011  |
| RUBBER GROMMET                 | XTSA1009 |
| POWERCORD 120V (NEMA5-15P)     | XAA0005  |
| 12 SLICE TOASTER HANDLE        | XTSA1008 |
| CONNECTOR BLOCK TSA(ALL) SAA(A | XTSA0005 |
| PLASTIC HANDLE GRIP TSA(ALL)   | XTSA0003 |
| RUBBER FOOT COA7001/7002/8004/ | XCOA1012 |
| CONTROL KNOB(0-570F) TSA(NON C | XTSA0010 |
| HANDLE SPRING TSA(ALL) (# 30)  | XTSA0001 |
| BOTTOM ELEMENT 110V TSA7012 (  | XTSA0038 |
| VOLLRATH CONTROL KNOB TSA7009/ | XTSA0015 |





## 120-volt Cayenne® sandwich press with panini-style, nonstick plates

The Vollrath® Cayenne sandwich press is a versatile addition to your kitchen. Made out of triple-layered aluminum, the grooved nonstick plates are durable, easy to clean and create mouthwatering grill lines. While the plates quickly heat up and recover, the handle always stays cool to the touch. The handle is also adjustable, allowing you to change the press height, so you can evenly cook any order. Thermostatically controlled for consistent results, this sandwich press provides high-quality results every time.

Excellent choice for sandwiches, paninis, meats, vegetables and more

Durable aluminum plates heat and recover quickly for more efficient cooking

Inset heating element channels create greater heating efficiency


Nonstick coating makes cleaning easy

Ribbed top and bottom plates create panini-style presentation


Adjustable handle changes press height, so you can evenly cook any order

120°F to 470°F temperature range


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | TSA7309      |
| UPC   | 029419720422 |

## Unit Dimensions

|                                  |                  |
|----------------------------------|------------------|
| Overall Dimensions (IN)          | 14 x 19 x 13     |
| (W) Width (IN)                   | 14               |
| (D) Depth (IN)                   | 19               |
| (H) Height (IN)                  | 13               |
| (WCS) Cooking Surface Width (IN) | 13.312           |
| (DCS) Cooking Surface Depth (IN) | 12.187           |
| Overall Dimensions (CM)          | 35.5 x 48.3 x 33 |
| (W) Width (CM)                   | 35.5             |
| (D) Depth (CM)                   | 48.3             |
| (H) Height (CM)                  | 33               |
| (WCS) Cooking Surface Width (CM) | 33.8             |

|                                  |    |
|----------------------------------|----|
| (DCS) Cooking Surface Depth (CM) | 31 |
|----------------------------------|----|

## Electrical

|                  |            |
|------------------|------------|
| Amps             | 15         |
| Cord Length (IN) | 48         |
| Cord Length (CM) | 120        |
| Hz               | 60         |
| Plug             | NEMA 5-15P |
| Voltage          | 120        |
| Watts            | 1800       |

## Weight

|             |       |
|-------------|-------|
| Weight (LB) | 30    |
| Weight (KG) | 13.61 |

## Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

## Case Lot Measurement

## PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| CONTROL PANEL FASCIA - BLACK   | XAA0009  |
| THERMOSTAT TEFLON TSA(COATED)  | XTSA0023 |
| RUBBER FOOT TSA(ALL) (#40/41)  | XTSA0004 |
| HEIGHT ADJUSTER SCREW & KNOB(  | XTSA0032 |
| VOLLRATH CONTROL KNOB TSA7109/ | XTSA0014 |

| Name                           | Part #   |
|--------------------------------|----------|
| HEX SPACER TSA (ALL) (#11)     | XTSA0052 |
| BOTTOM ELEMENT TSA7009/7109/72 | XTSA0011 |
| DRIP CUP TSA(ALL) (#26)        | XTSA0002 |
| TOP ELEMENT110V TSA(ALL) (#14  | XTSA0012 |
| HANDLE SCREW M5-10 THREAD CUT  | XTSA0051 |
| CONNECTOR BLOCK TSA(ALL) SAA(A | XTSA0005 |
| FIBER HEAT SHIELD(5MM) TSA(AL  | XTSA0026 |
| BOTTOM PLATE PANINI COATED TS  | XTSA0036 |
| POWERCORD 120V (NEMA5-15P)     | XAA0005  |
| HANDLE BRACKET TSA(ALL) (#4)   | XTSA0050 |
| BOTTOM ELEMENT COVER TSA(ALL)  | XTSA0025 |
| HANDLE AXLE PIN TSA(ALL) (#7   | XTSA0013 |
| HANDLE ASSEMBLY COMPLETE TSA7  | XTSA0043 |
| PLASTIC HANDLE GRIP TSA(ALL)   | XTSA0003 |
| PLATED EYE BOLT TSA7009/7109/7 | XTSA0006 |
| SPRING SUPPORT BRACKET TSA(ALL | XTSA0057 |
| CABLE RESTRAINT COA7001/7002/8 | XCOA1013 |
| PILOT LIGHT 110V (YELLOW)      | XAA0011  |
| HANDLE SPRING TSA(ALL) (# 30)  | XTSA0001 |



DISCONTINUED

## 120-volt Cayenne® sandwich press with smooth, natural-finish plates

The Vollrath® Cayenne sandwich press is a versatile addition to your kitchen. Made out of triple-layered aluminum, the flat plates are smooth and durable. While the plates quickly heat up and recover, the handle always stays cool to the touch. The handle is also adjustable, allowing you to change the press height, so you can evenly cook any order.

Thermostatically controlled for consistent results, this sandwich press provides high-quality results every time.

Excellent choice for sandwiches, paninis, meats, vegetables, tortillas, and more

Durable aluminum plates heat and recover quickly for more efficient cooking

Inset heating element channels create greater heating efficiency


Smooth natural-finish plates are easy to wipe down and clean

Adjustable handle changes press height, so you can evenly cook any order


120°F to 470°F temperature range




PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

**Model Information**

|       |              |
|-------|--------------|
| Model | TSA7009      |
| UPC   | 029419719860 |

**Unit Dimensions**

|                         |              |
|-------------------------|--------------|
| Overall Dimensions (IN) | 14 x 19 x 13 |
|-------------------------|--------------|



|                                  |                  |
|----------------------------------|------------------|
| (W) Width (IN)                   | 14               |
| (D) Depth (IN)                   | 19               |
| (H) Height (IN)                  | 13               |
| (WCS) Cooking Surface Width (IN) | 13.312           |
| (DCS) Cooking Surface Depth (IN) | 12.187           |
| Overall Dimensions (CM)          | 35.5 x 48.3 x 33 |
| (W) Width (CM)                   | 35.5             |
| (D) Depth (CM)                   | 48.3             |
| (H) Height (CM)                  | 33               |
| (WCS) Cooking Surface Width (CM) | 33.8             |
| (DCS) Cooking Surface Depth (CM) | 31               |

**Electrical**

|                  |            |
|------------------|------------|
| Amps             | 15         |
| Cord Length (IN) | 48         |
| Cord Length (CM) | 120        |
| Hz               | 60         |
| Plug             | NEMA 5-15P |
| Voltage          | 120        |
| Watts            | 1800       |

**Weight**

|             |       |
|-------------|-------|
| Weight (LB) | 27.38 |
| Weight (KG) | 12.42 |

**Construction**

|                         |                       |
|-------------------------|-----------------------|
| Construction Material   | Stainless Steel       |
| Construction Material 2 | Cast Aluminum Plates  |
| Construction Material 3 | Electrical Components |
| Countertop or Drop-In   | Countertop            |

### Case Lot Measurement

### PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| HEIGHT ADJUSTER SCREW & KNOB(  | XTSA0032 |
| THERMOSTAT TSi; TSA(ALL) (#43  | XTSA0007 |
| HEX SPACER TSA (ALL) (#11)     | XTSA0052 |
| BOTTOM ELEMENT TSA7009/7109/72 | XTSA0011 |
| DRIP CUP TSA(ALL) (#26)        | XTSA0002 |
| TOP ELEMENT110V TSA(ALL) (#14  | XTSA0012 |
| CONTROL PANEL FASCIA - BLACK   | XAA0009  |
| RUBBER FOOT TSA(ALL) (#40/41)  | XTSA0004 |
| TOP PLATE TSA7009 (#15)        | XTSA0009 |
| CABLE RESTRAINT COA7001/7002/8 | XCOA1013 |
| SPRING SUPPORT BRACKET TSA(ALL | XTSA0057 |
| CONTROL KNOB(0-570F) TSA(NON C | XTSA0010 |
| POWERCORD 120V (NEMA5-15P)     | XAA0005  |
| HANDLE BRACKET TSA(ALL) (#4)   | XTSA0050 |
| BOTTOM ELEMENT COVER TSA(ALL)  | XTSA0025 |
| HANDLE SCREW M5-10 THREAD CUT  | XTSA0051 |
| CONNECTOR BLOCK TSA(ALL) SAA(A | XTSA0005 |
| FIBER HEAT SHIELD(5MM) TSA(AL  | XTSA0026 |

| Name                           | Part #   |
|--------------------------------|----------|
| PLASTIC HANDLE GRIP TSA(ALL)   | XTSA0003 |
| PLATED EYE BOLT TSA7009/7109/7 | XTSA0006 |
| BOTTOM PLATE TSA7009 (#16)     | XTSA0008 |
| HANDLE AXLE PIN TSA(ALL) (#7   | XTSA0013 |
| VOLLRATH CONTROL KNOB TSA7009/ | XTSA0015 |
| PILOT LIGHT 110V (YELLOW)      | XAA0011  |
| HANDLE ASSEMBLY COMPLETE TSA7  | XTSA0043 |
| HANDLE SPRING TSA(ALL) (# 30)  | XTSA0001 |



DISCONTINUED

## 120-volt Cayenne® sandwich press with smooth, nonstick plates

The Vollrath® Cayenne sandwich press is a versatile addition to your kitchen. Made out of triple-layered aluminum, the smooth nonstick plates are durable and easy to clean. While the plates quickly heat up and recover, the handle always stays cool to the touch. The handle is also adjustable, allowing you to change the press height, so you can evenly cook any order. Thermostatically controlled for consistent results, this sandwich press provides high-quality results every time.

Excellent choice for sandwiches,  
paninis, meats, vegetables and more

Durable aluminum plates heat and  
recover quickly for more efficient  
cooking

Inset heating element channels create  
greater heating efficiency

Smooth nonstick plates are easy to  
wipe down and clean


Adjustable handle changes press  
height, so you can evenly cook any  
order

120°F to 470°F temperature range


## PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | TSA7109      |
| UPC   | 029419720439 |

## Unit Dimensions

|                                  |                  |
|----------------------------------|------------------|
| Overall Dimensions (IN)          | 14 x 19 x 13     |
| (W) Width (IN)                   | 14               |
| (D) Depth (IN)                   | 19               |
| (H) Height (IN)                  | 13               |
| (WCS) Cooking Surface Width (IN) | 13.312           |
| (DCS) Cooking Surface Depth (IN) | 12.187           |
| Overall Dimensions (CM)          | 35.5 x 48.3 x 33 |
| (W) Width (CM)                   | 35.5             |
| (D) Depth (CM)                   | 48.3             |
| (H) Height (CM)                  | 33               |
| (WCS) Cooking Surface Width (CM) | 33.8             |

|                                  |    |
|----------------------------------|----|
| (DCS) Cooking Surface Depth (CM) | 31 |
|----------------------------------|----|

## Electrical

|                  |            |
|------------------|------------|
| Amps             | 15         |
| Cord Length (IN) | 48         |
| Cord Length (CM) | 120        |
| Hz               | 60         |
| Plug             | NEMA 5-15P |
| Voltage          | 120        |
| Watts            | 1800       |

## Weight

|             |      |
|-------------|------|
| Weight (LB) | 28   |
| Weight (KG) | 12.7 |

## Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

## Case Lot Measurement

## PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| CONTROL PANEL FASCIA - BLACK   | XAA0009  |
| THERMOSTAT TEFLON TSA(COATED)  | XTSA0023 |
| RUBBER FOOT TSA(ALL) (#40/41)  | XTSA0004 |
| HEIGHT ADJUSTER SCREW & KNOB(  | XTSA0032 |
| VOLLRATH CONTROL KNOB TSA7109/ | XTSA0014 |

| Name                           | Part #   |
|--------------------------------|----------|
| HEX SPACER TSA (ALL) (#11)     | XTSA0052 |
| BOTTOM ELEMENT TSA7009/7109/72 | XTSA0011 |
| DRIP CUP TSA(ALL) (#26)        | XTSA0002 |
| TOP ELEMENT110V TSA(ALL) (#14  | XTSA0012 |
| HANDLE SCREW M5-10 THREAD CUT  | XTSA0051 |
| CONNECTOR BLOCK TSA(ALL) SAA(A | XTSA0005 |
| FIBER HEAT SHIELD(5MM) TSA(AL  | XTSA0026 |
| CABLE RESTRAINT COA7001/7002/8 | XCOA1013 |
| PILOT LIGHT 110V (YELLOW)      | XAA0011  |
| BOTTOM PLATE COATED TSA7109    | XTSA0034 |
| POWERCORD 120V (NEMA5-15P)     | XAA0005  |
| HANDLE BRACKET TSA(ALL) (#4)   | XTSA0050 |
| BOTTOM ELEMENT COVER TSA(ALL)  | XTSA0025 |
| HANDLE AXLE PIN TSA(ALL) (#7   | XTSA0013 |
| HANDLE ASSEMBLY COMPLETE TSA7  | XTSA0043 |
| HANDLE SPRING TSA(ALL) (# 30)  | XTSA0001 |
| TOP PLATE COATED TSA7109 (#15  | XTSA0033 |
| PLASTIC HANDLE GRIP TSA(ALL)   | XTSA0003 |
| PLATED EYE BOLT TSA7009/7109/7 | XTSA0006 |
| SPRING SUPPORT BRACKET TSA(ALL | XTSA0057 |





DISCONTINUED

## 120-volt Cayenne® sandwich press with panini-style, cast-iron plates

The Vollrath® Cayenne sandwich press quickly and evenly cooks a variety of food items. Made out of heavy-duty cast iron to maintain heat, both the top and bottom plates have grooves that create mouthwatering grill lines. This sandwich press has a high power output and is built to last. Inset heating element channels create greater heating efficiency, and the stainless steel exterior gives everything a smooth finish.

Excellent choice for sandwiches,  
paninis, meats, vegetables and more

Ribbed top and bottom plates create  
panini-style presentation


Adjustable handle changes press  
height, so you can evenly cook any  
order

Brush included to make cleaning easy  
and efficient


120°F to 470°F temperature range




PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

**Model Information**

|       |              |
|-------|--------------|
| Model | TSI7001      |
| UPC   | 029419719891 |

**Unit Dimensions**

|                         |                     |
|-------------------------|---------------------|
| Overall Dimensions (IN) | 16.125 x 15 x 8.062 |
|-------------------------|---------------------|

|                           |                  |
|---------------------------|------------------|
| (W) Width (IN)            | 16.12            |
| (D) Depth (IN)            | 15               |
| (D2) Secondary Depth (IN) | 14.5             |
| (H) Height (IN)           | 8.06             |
| Overall Dimensions (CM)   | 41 x 38.1 x 20.6 |
| (W) Width (CM)            | 41               |
| (D) Depth (CM)            | 38.1             |
| (D2) Secondary Depth (CM) | 36.8             |
| (H) Height (CM)           | 20.6             |

**Electrical**

|                  |            |
|------------------|------------|
| Amps             | 15         |
| Cord Length (IN) | 48         |
| Cord Length (CM) | 120        |
| Hz               | 60         |
| Plug             | NEMA 5-15P |
| Voltage          | 120        |
| Watts            | 1800       |

**Weight**

|             |       |
|-------------|-------|
| Weight (LB) | 46    |
| Weight (KG) | 20.87 |

**Construction**

|                         |                  |
|-------------------------|------------------|
| Construction Material   | Stainless Steel  |
| Construction Material 2 | Cast Iron Plates |

Construction Material 3

Electrical Components

Countertop or Drop-In

Countertop

## Case Lot Measurement

## PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| CONTROL PANEL FASCIA - BLACK   | XAA0009  |
| BOTTOM ELEMENT(NEW TYPE) TSI70 | XTSI2035 |
| TOP ELEMENT(NEW TYPE) TSI7001  | XTSI2030 |
| VOLLRATH CONTROL KNOB TSI7001/ | XTSI2015 |
| STEEL HANDLE TSI7001 (#16)     | XTSI2016 |
| HINGE AXLE CIRCLIP TSI7001 (#2 | XTSI2020 |
| BRASS CLAMPING SADDLE TSI7001  | XTSI2023 |
| THERMOSTAT TSI; TSA(ALL) (#43  | XTSA0007 |
| HANDLE SPRING TSI7001/TSI8002  | XTSI2018 |
| DRIP TRAY TSI7001 (#8 9)       | XTSI2005 |
| BOTTOM PLATE TSI7001 (#6)      | XTSI2007 |
| POWERCORD 120V (NEMA5-15P)     | XAA0005  |
| WIRE BRUSH TSI7009/TSI8012 (#  | XTSI0031 |
| HINGE AXLE REAR(WITH BOLTS) T  | XTSI2021 |
| TOP PLATE TSI7001 (#5)         | XTSI2006 |
| PLASTIC HANDLE GRIP TSI7001 (# | XTSI2017 |
| CONNECTOR BLOCK TSA(ALL) SAA(A | XTSA0005 |
| WIRING TUBE TSI7001/8002       | XTSI2036 |
| HINGE AXLE FRONT TSI7001 (#19  | XTSI2019 |
| CABLE RESTRAINT (FMA SKA FFA)  | XAA0012  |

| Name                           | Part #   |
|--------------------------------|----------|
| RUBBER FOOT TSI7001(#3)TSI8002 | XTSI2004 |
| PILOT LIGHT 110V (YELLOW)      | XAA0011  |



DISCONTINUED

## 120-volt Cayenne® sandwich press with panini-style, cast-iron plates

The Cayenne sandwich press by Vollrath cooks a variety of food items quickly and evenly. Made of heavy-duty cast iron to maintain heat, both the top and bottom plates have grooves that create mouthwatering grill lines. This sandwich press has a high power output and is built to last. Inset heating element channels create greater heating efficiency, and the stainless steel exterior gives everything a smooth finish.



Excellent choice for sandwiches,  
paninis, meats, vegetables and more

Ribbed top and bottom plates create  
panini-style presentation

Adjustable handle changes press  
height, so you can cook any order  
evenly


Brush included to make cleaning easy  
and efficient

120°F to 470°F temperature range







PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

**Model Information**

|       |              |
|-------|--------------|
| Model | TSI7001-C    |
| UPC   | 029419917655 |

**Unit Dimensions**

|                         |                     |
|-------------------------|---------------------|
| Overall Dimensions (IN) | 16.125 x 15 x 8.062 |
|-------------------------|---------------------|

|                           |                  |
|---------------------------|------------------|
| (W) Width (IN)            | 16.12            |
| (D) Depth (IN)            | 15               |
| (D2) Secondary Depth (IN) | 14.5             |
| (H) Height (IN)           | 8.06             |
| Overall Dimensions (CM)   | 41 x 38.1 x 20.6 |
| (W) Width (CM)            | 41               |
| (D) Depth (CM)            | 38.1             |
| (D2) Secondary Depth (CM) | 36.8             |
| (H) Height (CM)           | 20.6             |

### Electrical

|                  |            |
|------------------|------------|
| Amps             | 15         |
| Cord Length (IN) | 48         |
| Cord Length (CM) | 120        |
| Hz               | 60         |
| Plug             | NEMA 5-20P |
| Voltage          | 120        |
| Watts            | 1800       |

### Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

### Case Lot Measurement

### PRODUCT PARTS

| Name                         | Part #  |
|------------------------------|---------|
| CONTROL PANEL FASCIA - BLACK | XAA0009 |

| Name                           | Part #   |
|--------------------------------|----------|
| BOTTOM ELEMENT(NEW TYPE) TSI70 | XTSI2035 |
| TOP ELEMENT(NEW TYPE) TSI7001  | XTSI2030 |
| VOLLRATH CONTROL KNOB TSI7001/ | XTSI2015 |
| STEEL HANDLE TSI7001 (#16)     | XTSI2016 |
| HINGE AXLE CIRCLIP TSI7001 (#2 | XTSI2020 |
| BRASS CLAMPING SADDLE TSI7001  | XTSI2023 |
| THERMOSTAT TSI; TSA(ALL) (#43  | XTSA0007 |
| HANDLE SPRING TSI7001/TSI8002  | XTSI2018 |
| DRIP TRAY TSI7001 (#8 9)       | XTSI2005 |
| BOTTOM PLATE TSI7001 (#6)      | XTSI2007 |
| POWERCORD 120V (NEMA5-15P)     | XAA0005  |
| WIRE BRUSH TSI7009/TSI8012 (#  | XTSI0031 |
| HINGE AXLE REAR(WITH BOLTS) T  | XTSI2021 |
| TOP PLATE TSI7001 (#5)         | XTSI2006 |
| PLASTIC HANDLE GRIP TSI7001 (# | XTSI2017 |
| CONNECTOR BLOCK TSA(ALL) SAA(A | XTSA0005 |
| WIRING TUBE TSI7001/8002       | XTSI2036 |
| HINGE AXLE FRONT TSI7001 (#19  | XTSI2019 |
| CABLE RESTRAINT (FMA SKA FFA)  | XAA0012  |
| RUBBER FOOT TSI7001(#3)TSI8002 | XTSI2004 |
| PILOT LIGHT 110V (YELLOW)      | XAA0011  |



DISCONTINUED

## Double 208- to 240-volt Cayenne® sandwich press with panini-style, cast-iron plates

The Vollrath® Cayenne sandwich press quickly and evenly cooks a variety of food items. Made out of heavy-duty cast iron to maintain heat, both the top and bottom plates have grooves that create mouthwatering grill lines. This sandwich press has a high power output and is built to last. It is a versatile addition to your kitchen, as both sides of this press can be

operated independently. This allows you to cook two different foods at once, and the thermostatic controls ensure consistent results. Inset heating element channels create greater heating efficiency, and the stainless steel exterior gives everything a smooth finish.

Excellent choice for sandwiches, paninis, meats, vegetables and more

Double unit features separate controls for each side, increasing productivity by allowing you to cook two foods at one time

Ribbed top and bottom plates create panini-style presentation


Adjustable handle changes press height, so you can evenly cook any order

Brush included to make cleaning easy and efficient


120°F to 470°F temperature range




PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

**Model Information**

|       |              |
|-------|--------------|
| Model | TSI8002      |
| UPC   | 029419719907 |

**Unit Dimensions**

|                         |                         |
|-------------------------|-------------------------|
| Overall Dimensions (IN) | 22.437 x 14.875 x 8.062 |
|-------------------------|-------------------------|

|                           |                  |
|---------------------------|------------------|
| (W) Width (IN)            | 22.5             |
| (D) Depth (IN)            | 15               |
| (D2) Secondary Depth (IN) | 14.5             |
| (H) Height (IN)           | 8.06             |
| Overall Dimensions (CM)   | 57 x 37.8 x 20.6 |
| (W) Width (CM)            | 57.2             |
| (D) Depth (CM)            | 38.1             |
| (D2) Secondary Depth (CM) | 36.8             |
| (H) Height (CM)           | 20.6             |

### Electrical

|                  |             |
|------------------|-------------|
| Amps             | 13 - 15     |
| Cord Length (IN) | 48          |
| Cord Length (CM) | 120         |
| Hz               | 60          |
| Plug             | NEMA 6-15P  |
| Voltage          | 208-240     |
| Watts            | 2700 - 3600 |

### Weight

|             |       |
|-------------|-------|
| Weight (LB) | 63.2  |
| Weight (KG) | 28.67 |

### Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

### Case Lot Measurement

## PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| BRASS CLAMPING SADDLE TSI7001  | XTSI2023 |
| THERMOSTAT TSI; TSA(ALL) (#43  | XTSA0007 |
| POWERCORD 220V (NEMA6-15P)     | XAA0006  |
| HINGE AXLE REAR (WITH BOLTS) T | XTSI3021 |
| PILOT LIGHT 220V (RED)         | XAA0002  |
| HANDLE SPRING TSI7001/TSI8002  | XTSI2018 |
| CONTROL PANEL FASCIA - BLACK   | XAA0009  |
| HINGE AXLE FRONT TSI8002 (#5)  | XTSI3022 |
| WIRE BRUSH TSI7009/TSI8012 (#  | XTSI0031 |
| VOLLRATH CONTROL KNOB TSI7001/ | XTSI2015 |
| BOTTOM PLATE TSI8002 (#23)     | XTSI3006 |
| HINGE AXLE CIRCLIP TSI7001 (#2 | XTSI2020 |
| AXLE REAR COVER                | XTSI3024 |
| BOTTOM ELEMENT(NEW TYPE) TSI80 | XTSI3008 |
| CABLE RESTRAINT (FMA SKA FFA)  | XAA0012  |
| RUBBER FOOT TSI7001(#3)TSI8002 | XTSI2004 |
| PLASTIC HANDLE GRIP TSI8002 (# | XTSI3020 |
| DRIP TRAY                      | XTSI3004 |
| CONNECTOR BLOCK TSA(ALL) SAA(A | XTSA0005 |
| WIRING TUBE RIGHT TSI8002      | XTSI2038 |
| STEEL HANDLE TSI8002 (#19)     | XTSI3019 |
| WIRING TUBE TSI8002            | XTSI2037 |
| TOP PLATE TSI8002 (#2)         | XTSI3005 |
| TOP ELEMENT(NEW TYPE) TSI8002  | XTSI3007 |





DISCONTINUED

## Double 208- to 240-volt Cayenne® sandwich press with panini-style, cast-iron plates

The Vollrath® Cayenne sandwich press quickly and evenly cooks a variety of food items. Made out of heavy-duty cast iron to maintain heat, both the top and bottom plates have grooves that create mouthwatering grill lines. This sandwich press has a high power output and is built to last. It is a versatile addition to your kitchen, as both sides of this press can be

operated independently. This allows you to cook two different foods at once, and the thermostatic controls ensure consistent results. Inset heating element channels create greater heating efficiency, and the stainless steel exterior gives everything a smooth finish.

Excellent choice for sandwiches, paninis, meats, vegetables and more

Double unit features separate controls for each side, increasing productivity by allowing you to cook two foods at one time

Ribbed top and bottom plates create panini-style presentation


Adjustable handle changes press height, so you can evenly cook any order

Brush included to make cleaning easy and efficient


120°F to 470°F temperature range




PRODUCT **SPECIFICATIONS**



FRONT VIEW



SIDE VIEW



TOP VIEW

**Model Information**

|       |              |
|-------|--------------|
| Model | TSI8002-C    |
| UPC   | 029419917662 |

**Unit Dimensions**

|                         |                   |
|-------------------------|-------------------|
| Overall Dimensions (IN) | 22.5 x 15 x 8.062 |
|-------------------------|-------------------|

|                           |                    |
|---------------------------|--------------------|
| (W) Width (IN)            | 22.5               |
| (D) Depth (IN)            | 15                 |
| (D2) Secondary Depth (IN) | 14.5               |
| (H) Height (IN)           | 8.06               |
| Overall Dimensions (CM)   | 57.2 x 38.1 x 20.6 |
| (W) Width (CM)            | 57.2               |
| (D) Depth (CM)            | 38.1               |
| (D2) Secondary Depth (CM) | 36.8               |
| (H) Height (CM)           | 20.6               |

### Electrical

|                  |             |
|------------------|-------------|
| Amps             | 13 - 15     |
| Cord Length (IN) | 48          |
| Cord Length (CM) | 120         |
| Hz               | 60          |
| Plug             | NEMA 6-20P  |
| Voltage          | 208-240     |
| Watts            | 2700 - 3600 |

### Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

### Case Lot Measurement

### PRODUCT PARTS

| Name                         | Part #  |
|------------------------------|---------|
| CONTROL PANEL FASCIA - BLACK | XAA0009 |

| Name                           | Part #   |
|--------------------------------|----------|
| HINGE AXLE FRONT TSI8002 (#5)  | XTSI3022 |
| PLUG-250V 20A NEMA 6-20P       | 26604-1  |
| BRASS CLAMPING SADDLE TSI7001  | XTSI2023 |
| THERMOSTAT TSI; TSA(ALL) (#43  | XTSA0007 |
| POWERCORD 220V (NEMA6-15P)     | XAA0006  |
| VOLLRATH CONTROL KNOB TSI7001/ | XTSI2015 |
| BOTTOM PLATE TSI8002 (#23)     | XTSI3006 |
| HINGE AXLE CIRCLIP TSI7001 (#2 | XTSI2020 |
| PILOT LIGHT 220V (RED)         | XAA0002  |
| HANDLE SPRING TSI7001/TSI8002  | XTSI2018 |
| RUBBER FOOT TSI7001(#3)TSI8002 | XTSI2004 |
| HINGE AXLE REAR (WITH BOLTS) T | XTSI3021 |
| WIRE BRUSH TSI7009/TSI8012 (#  | XTSI0031 |
| CONNECTOR BLOCK TSA(ALL) SAA(A | XTSA0005 |
| PLASTIC HANDLE GRIP TSI8002 (# | XTSI3020 |
| DRIP TRAY                      | XTSI3004 |
| TOP PLATE TSI8002 (#2)         | XTSI3005 |
| TOP ELEMENT(NEW TYPE) TSI8002  | XTSI3007 |
| WIRING TUBE RIGHT TSI8002      | XTSI2038 |
| STEEL HANDLE TSI8002 (#19)     | XTSI3019 |
| AXLE REAR COVER                | XTSI3024 |
| BOTTOM ELEMENT(NEW TYPE) TSI80 | XTSI3008 |
| CABLE RESTRAINT (FMA SKA FFA)  | XAA0012  |
| WIRING TUBE TSI8002            | XTSI2037 |



DISCONTINUED

## 220 - to 240-volt Cayenne® sandwich press with panini-style cast-iron plates and China plug

The Cayenne sandwich press by Vollrath cooks a variety of food items quickly and evenly. Made of heavy-duty cast iron to maintain heat, both the top and bottom plates have grooves that create mouthwatering grill lines. This sandwich press has a high power output and is



built to last. Inset heating element channels create greater heating efficiency, and the stainless steel exterior gives everything a smooth finish.

Excellent choice for sandwiches, paninis, meats, vegetables and more

Ribbed top and bottom plates create panini-style presentation

Adjustable handle changes press height, so you can cook any order evenly

Brush included to make cleaning easy and efficient

120°F to 470°F temperature range



## PRODUCT SPECIFICATIONS

### Model Information

Model

TSI8001CE

### Unit Dimensions

|                         |                         |
|-------------------------|-------------------------|
| Overall Dimensions (IN) | 16.125 x 14.875 x 8.062 |
| (W) Width (IN)          | 16.12                   |
| (D) Depth (IN)          | 14.87                   |
| (H) Height (IN)         | 8.06                    |
| Overall Dimensions (CM) | 41 x 37.8 x 20.6        |
| (W) Width (CM)          | 41                      |
| (D) Depth (CM)          | 37.8                    |
| (H) Height (CM)         | 20.6                    |

### Electrical

|                          |             |
|--------------------------|-------------|
| Amps                     | 9 - 10      |
| Plug                     | China       |
| Domestic / International | China       |
| Voltage                  | 220 - 240   |
| Watts                    | 2000 - 2400 |

### Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

### Case Lot Measurement





DISCONTINUED

## Cayenne® Cast Iron Plate Sandwich Presses, Panini Style

Heavy-duty cast iron plates for durability and superior heat retention

Pivot-action top plate to suit any food thickness

Ribbed top and bottom plates for grilled food presentation

Thermostatically controlled up to 550° F (288° C)

Efficient element design and high power output

Brushed finish stainless steel body construction

Double unit features separate controls for each side, creating two independent stations in one unit

Cleaning brushes included



PRODUCT **SPECIFICATIONS**

**Model Information**

|       |           |
|-------|-----------|
| Model | TSI8002CE |
|-------|-----------|

**Unit Dimensions**

|                         |                         |
|-------------------------|-------------------------|
| Overall Dimensions (IN) | 22.437 x 14.875 x 8.062 |
| (W) Width (IN)          | 22.43                   |
| (D) Depth (IN)          | 14.87                   |

|                 |      |
|-----------------|------|
| (H) Height (IN) | 8.06 |
|-----------------|------|

|                         |                  |
|-------------------------|------------------|
| Overall Dimensions (CM) | 57 x 37.8 x 20.6 |
|-------------------------|------------------|

|                |    |
|----------------|----|
| (W) Width (CM) | 57 |
|----------------|----|

|                |      |
|----------------|------|
| (D) Depth (CM) | 37.8 |
|----------------|------|

|                 |      |
|-----------------|------|
| (H) Height (CM) | 20.6 |
|-----------------|------|

## Electrical

|      |             |
|------|-------------|
| Amps | 18.2 - 19.8 |
|------|-------------|

|      |       |
|------|-------|
| Plug | China |
|------|-------|

|                          |       |
|--------------------------|-------|
| Domestic / International | China |
|--------------------------|-------|

|         |           |
|---------|-----------|
| Voltage | 220 - 240 |
|---------|-----------|

|       |             |
|-------|-------------|
| Watts | 4000 - 4750 |
|-------|-------------|

## Construction

|                       |            |
|-----------------------|------------|
| Countertop or Drop-In | Countertop |
|-----------------------|------------|

## Case Lot Measurement



## 208- to 240-volt double panini sandwich grill with cast-iron flat plates and NEMA 6-15P Plug

Enjoy twice-as-nice cooking capacity with the Vollrath® double panini sandwich grill. It features smooth, flat plates and two cooking areas, each side with its own separate temperature control. You'll love the versatility, helping you prepare everything from warm and toasty sandwiches, to fish, chicken, burgers and vegetables. Cast-iron plates provide exceptional heat retention and durability, and the pivot-action top plate adjusts to food thickness for an even press.

Heavy-duty cast-iron flat plates brown foods evenly

High-power heating element is efficient and consistent


Thermostatically controlled temperature range is 125°F to 575°F

Power switch and ready lights remove the guesswork


Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 19- x 9-in (48.26- x 22.9-cm)


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | TS18012      |
| UPC   | 029419520329 |

## Unit Dimensions

|                                 |        |
|---------------------------------|--------|
| (W) Width (IN)                  | 24     |
| (D) Depth (IN)                  | 15.625 |
| (H) Height (IN)                 | 9.875  |
| Product Opening Dimensions (IN) | 21     |
| (W) Width (CM)                  | 60.8   |
| (D) Depth (CM)                  | 39.5   |
| (H) Height (CM)                 | 25     |
| Product Opening Dimensions (CM) | 53.4   |

## Electrical

|      |       |
|------|-------|
| Amps | 13-15 |
|------|-------|

|         |             |
|---------|-------------|
| Hz      | 50/60       |
| Plug    | NEMA 6-15P  |
| Voltage | 208 - 240   |
| Watts   | 2700 - 3600 |

### Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

### PRODUCT PARTS

| Name                           | Part #      |
|--------------------------------|-------------|
| SHP/DHP PANINI BEZEL & OVERLAY | 354194-1    |
| 350C HIGH LIMIT THERMOSTAT     | 352751-1    |
| DHP HANDLE KIT                 | 354093-1    |
| M6X25 PIN                      | 352775-1    |
| WIRE BRUSH                     | 352760      |
| 6-15 POWER CORD W/ STRN RELIEF | 354097-1    |
| 300C REGULATING THERMOSTAT     | 352750-1    |
| DHP DRIP TRAY                  | 352742-07-1 |
| TENSIONER SILICONE PLUG        | 352764-1    |
| DHP TOP HEATING ELEMENT        | 352752-1    |
| HANDLE SPRING                  | 352761-1    |
| Rect Power Switch 240V Dpst    | 352774-1    |
| HI-LIMIT THERMOSTAT COVER      | 351788-03-1 |
| 240V PILOT LIGHT               | 351788-18-1 |
| Control Knob                   | 351788-06-1 |
| TENSIONER                      | 352759-1    |
| DHP OVERLAY                    | 352742-01-1 |

| Name                         | Part #      |
|------------------------------|-------------|
| DHP HINGE AXLE BACK          | 352742-09-1 |
| RIGHT WIRE TUBE              | 352757-1    |
| DHP FLAT TOP RIGHT PLATE     | 352743-23-1 |
| DHP FLAT TOP LEFT PLATE      | 352743-21-1 |
| LEFT WIRE TUBE               | 352758-1    |
| DHP FLAT BOTTOM PLATE        | 352742-21-1 |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |
| DHP BTM HEATING ELEMENT      | 352744-1    |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |





## 208- to 240-volt double panini sandwich grill with cast-iron flat plates and NEMA 6-20P Plug

Enjoy twice-as-nice cooking capacity with the Vollrath® double panini sandwich grill. It features smooth, flat plates and two cooking areas, each side with its own separate temperature control. You'll love the versatility, helping you prepare everything from warm and toasty sandwiches, to fish, chicken, burgers and vegetables. Cast-iron plates provide exceptional heat retention and durability, and the pivot-action top plate adjusts to food thickness for an even press.

Heavy-duty cast-iron flat plates brown foods evenly

High-power heating element is efficient and consistent


Thermostatically controlled temperature range is 125°F to 575°F

Power switch and ready lights remove the guesswork


Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 19- x 9-in (48.26- x 22.9-cm)


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | TS18012-C    |
| UPC   | 029419520916 |

## Unit Dimensions

|                                 |        |
|---------------------------------|--------|
| (W) Width (IN)                  | 24     |
| (D) Depth (IN)                  | 15.625 |
| (H) Height (IN)                 | 9.875  |
| Product Opening Dimensions (IN) | 21     |
| (W) Width (CM)                  | 60.8   |
| (D) Depth (CM)                  | 39.5   |
| (H) Height (CM)                 | 25     |
| Product Opening Dimensions (CM) | 53.4   |

## Electrical

|      |       |
|------|-------|
| Amps | 13-15 |
|------|-------|

|         |             |
|---------|-------------|
| Hz      | 50/60       |
| Plug    | NEMA 6-20P  |
| Voltage | 208 - 240   |
| Watts   | 2700 - 3600 |

### Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

### PRODUCT PARTS

| Name                           | Part #      |
|--------------------------------|-------------|
| HI-LIMIT THERMOSTAT COVER      | 351788-03-1 |
| 240V PILOT LIGHT               | 351788-18-1 |
| Control Knob                   | 351788-06-1 |
| SHP/DHP PANINI BEZEL & OVERLAY | 354194-1    |
| 350C HIGH LIMIT THERMOSTAT     | 352751-1    |
| DHP HANDLE KIT                 | 354093-1    |
| M6X25 PIN                      | 352775-1    |
| WIRE BRUSH                     | 352760      |
| 300C REGULATING THERMOSTAT     | 352750-1    |
| DHP DRIP TRAY                  | 352742-07-1 |
| TENSIONER SILICONE PLUG        | 352764-1    |
| DHP TOP HEATING ELEMENT        | 352752-1    |
| HANDLE SPRING                  | 352761-1    |
| Rect Power Switch 240V Dpst    | 352774-1    |
| TENSIONER                      | 352759-1    |
| DHP OVERLAY                    | 352742-01-1 |
| DHP HINGE AXLE BACK            | 352742-09-1 |

| Name                           | Part #      |
|--------------------------------|-------------|
| RIGHT WIRE TUBE                | 352757-1    |
| DHP FLAT TOP RIGHT PLATE       | 352743-23-1 |
| DHP FLAT TOP LEFT PLATE        | 352743-21-1 |
| LEFT WIRE TUBE                 | 352758-1    |
| DHP FLAT BOTTOM PLATE          | 352742-21-1 |
| 6-20 POWER CORD W/ STRN RELIEF | 354098-1    |
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1    |
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1    |
| DHP BTM HEATING ELEMENT        | 352744-1    |



## 208- to 240-volt double panini sandwich grill with cast-iron grooved plates and NEMA 6-15P Plug

Double the groovy grilling in your kitchen with this Vollrath® panini sandwich grill. It features two grooved cooking areas, each side with its own separate temperature control, for a versatility that'll keep your kitchen running smoothly. Heavy-duty cast-iron grooved plates

are perfect for everything from warm and toasty Cuban, English and Italian sandwiches, to fish, chicken, burgers and vegetables with presentation-perfect grill marks.

Cast-iron plates provide exceptional heat retention and durability

Pivot-action top plate adjusts to food thickness for an even press

High-power heating element is efficient and consistent


Thermostatically controlled temperature range is 125°F to 575°F

Power switch and ready lights remove the guesswork


Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 19- x 9-in (48.26- x 22.9-cm)


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | TS18002      |
| UPC   | 029419520404 |

## Unit Dimensions

|                                 |        |
|---------------------------------|--------|
| (W) Width (IN)                  | 24     |
| (D) Depth (IN)                  | 15.625 |
| (H) Height (IN)                 | 9.875  |
| Product Opening Dimensions (IN) | 21     |
| (W) Width (CM)                  | 60.8   |
| (D) Depth (CM)                  | 39.5   |
| (H) Height (CM)                 | 25     |
| Product Opening Dimensions (CM) | 53.4   |

## Electrical

|      |       |
|------|-------|
| Amps | 13-15 |
|------|-------|



|         |             |
|---------|-------------|
| Hz      | 50/60       |
| Plug    | NEMA 6-15P  |
| Voltage | 208 - 240   |
| Watts   | 2700 - 3600 |

### Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

### PRODUCT PARTS

| Name                           | Part #      |
|--------------------------------|-------------|
| SHP/DHP PANINI BEZEL & OVERLAY | 354194-1    |
| DHP RIB TOP LEFT PLATE         | 352743-22-1 |
| DHP RIB TOP RIGHT PLATE        | 352743-24-1 |
| 350C HIGH LIMIT THERMOSTAT     | 352751-1    |
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1    |
| HI-LIMIT THERMOSTAT COVER      | 351788-03-1 |
| 240V PILOT LIGHT               | 351788-18-1 |
| DHP HANDLE KIT                 | 354093-1    |
| M6X25 PIN                      | 352775-1    |
| WIRE BRUSH                     | 352760      |
| 6-15 POWER CORD W/ STRN RELIEF | 354097-1    |
| 300C REGULATING THERMOSTAT     | 352750-1    |
| DHP DRIP TRAY                  | 352742-07-1 |
| TENSIONER SILICONE PLUG        | 352764-1    |
| DHP TOP HEATING ELEMENT        | 352752-1    |
| HANDLE SPRING                  | 352761-1    |
| Rect Power Switch 240V Dpst    | 352774-1    |

| Name                         | Part #      |
|------------------------------|-------------|
| TENSIONER                    | 352759-1    |
| DHP OVERLAY                  | 352742-01-1 |
| DHP HINGE AXLE BACK          | 352742-09-1 |
| RIGHT WIRE TUBE              | 352757-1    |
| Control Knob                 | 351788-06-1 |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |
| DHP RIBBED BOTTOM PLATE      | 352742-22-1 |
| LEFT WIRE TUBE               | 352758-1    |
| DHP BTM HEATING ELEMENT      | 352744-1    |



## 208- to 240-volt double panini sandwich grill with cast-iron grooved plates and NEMA 6-20P Plug

Double the groovy grilling in your kitchen with this Vollrath® panini sandwich grill. It features two grooved cooking areas, each side with its own separate temperature control, for a versatility that'll keep your kitchen running smoothly. Heavy-duty cast-iron grooved plates

are perfect for everything from warm and toasty Cuban, English and Italian sandwiches, to fish, chicken, burgers and vegetables with presentation-perfect grill marks.

Cast-iron plates provide exceptional heat retention and durability

Pivot-action top plate adjusts to food thickness for an even press

High-power heating element is efficient and consistent


Thermostatically controlled temperature range is 125°F to 575°F

Power switch and ready lights remove the guesswork


Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 19- x 9-in (48.26- x 22.9-cm)


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | TS18002-C    |
| UPC   | 029419520435 |

## Unit Dimensions

|                                 |        |
|---------------------------------|--------|
| (W) Width (IN)                  | 24     |
| (D) Depth (IN)                  | 15.625 |
| (H) Height (IN)                 | 9.875  |
| Product Opening Dimensions (IN) | 21     |
| (W) Width (CM)                  | 60.8   |
| (D) Depth (CM)                  | 39.5   |
| (H) Height (CM)                 | 25     |
| Product Opening Dimensions (CM) | 53.4   |

## Electrical

|      |       |
|------|-------|
| Amps | 13-15 |
|------|-------|

|         |             |
|---------|-------------|
| Hz      | 50/60       |
| Plug    | NEMA 6-20P  |
| Voltage | 208 - 240   |
| Watts   | 2700 - 3600 |

### Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

### PRODUCT PARTS

| Name                           | Part #      |
|--------------------------------|-------------|
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1    |
| HI-LIMIT THERMOSTAT COVER      | 351788-03-1 |
| 240V PILOT LIGHT               | 351788-18-1 |
| SHP/DHP PANINI BEZEL & OVERLAY | 354194-1    |
| DHP RIB TOP LEFT PLATE         | 352743-22-1 |
| DHP RIB TOP RIGHT PLATE        | 352743-24-1 |
| 350C HIGH LIMIT THERMOSTAT     | 352751-1    |
| DHP HANDLE KIT                 | 354093-1    |
| M6X25 PIN                      | 352775-1    |
| WIRE BRUSH                     | 352760      |
| 300C REGULATING THERMOSTAT     | 352750-1    |
| DHP DRIP TRAY                  | 352742-07-1 |
| TENSIONER SILICONE PLUG        | 352764-1    |
| DHP TOP HEATING ELEMENT        | 352752-1    |
| HANDLE SPRING                  | 352761-1    |
| Rect Power Switch 240V Dpst    | 352774-1    |
| TENSIONER                      | 352759-1    |

| Name                           | Part #      |
|--------------------------------|-------------|
| DHP OVERLAY                    | 352742-01-1 |
| DHP HINGE AXLE BACK            | 352742-09-1 |
| RIGHT WIRE TUBE                | 352757-1    |
| DHP RIBBED BOTTOM PLATE        | 352742-22-1 |
| Control Knob                   | 351788-06-1 |
| 6-20 POWER CORD W/ STRN RELIEF | 354098-1    |
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1    |
| LEFT WIRE TUBE                 | 352758-1    |
| DHP BTM HEATING ELEMENT        | 352744-1    |



## 120-volt single panini sandwich grill with cast-iron flat plates and NEMA 5-15P Plug

The Vollrath® panini sandwich grill handles melts and much more with smooth ease. Compact yet powerful single panini press features smooth, flat plates for even browning and consistently great results. You'll love the versatility, helping you prepare everything from warm and toasty sandwiches, to fish, chicken, burgers and vegetables. Cast-iron plates provide exceptional heat retention and durability, and the pivot-action top plate adjusts to food thickness for an even press.



Heavy-duty cast-iron flat plates brown foods evenly

High-power heating element is efficient and consistent


Thermostatically controlled temperature range is 125°F to 575°F

Power switch and ready lights remove the guesswork


Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 13.25- x 9.25-in (33.66- x 23.5-cm)


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | TS17011      |
| UPC   | 029419520466 |

## Unit Dimensions

|                                 |        |
|---------------------------------|--------|
| (W) Width (IN)                  | 17.625 |
| (D) Depth (IN)                  | 15.625 |
| (H) Height (IN)                 | 9.875  |
| Product Opening Dimensions (IN) | 21     |
| (W) Width (CM)                  | 44.6   |
| (D) Depth (CM)                  | 39.5   |
| (H) Height (CM)                 | 25     |
| Product Opening Dimensions (CM) | 53.4   |

## Electrical

|      |    |
|------|----|
| Amps | 15 |
|------|----|

|         |            |
|---------|------------|
| Hz      | 50/60      |
| Plug    | NEMA 5-15P |
| Voltage | 120        |
| Watts   | 1800       |

### Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

### PRODUCT PARTS

| Name                           | Part #      |
|--------------------------------|-------------|
| SHP/DHP PANINI BEZEL & OVERLAY | 354194-1    |
| 350C HIGH LIMIT THERMOSTAT     | 352751-1    |
| M6X25 PIN                      | 352775-1    |
| WIRE BRUSH                     | 352760      |
| 300C REGULATING THERMOSTAT     | 352750-1    |
| 5-15 POWER CORD W/ STRN RELIEF | 354095-1    |
| TENSIONER SILICONE PLUG        | 352764-1    |
| HANDLE SPRING                  | 352761-1    |
| HI-LIMIT THERMOSTAT COVER      | 351788-03-1 |
| Control Knob                   | 351788-06-1 |
| TENSIONER                      | 352759-1    |
| LEFT WIRE TUBE                 | 352758-1    |
| SHP TOP HEATING ELEMENT        | 352754-1    |
| SHP HINGE AXLE BACK            | 352746-09-1 |
| SHP BTM HEATING ELEMENT        | 352753-1    |
| SHP HANDLE KIT                 | 354092-1    |
| SHP DRIP TRAY                  | 352746-07-1 |

| Name                         | Part #      |
|------------------------------|-------------|
| SHP FLAT TOP PLATE           | 352748-07-1 |
| 120V PILOT LIGHT             | 351788-17-1 |
| SHP FLAT BOTTOM PLATE        | 352746-13-1 |
| SHP OVERLAY                  | 352746-01-1 |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |



## 120-volt single panini sandwich grill with cast-iron flat plates and NEMA 5-20P Plug

The Vollrath® panini sandwich grill handles melts and much more with smooth ease. Compact yet powerful single panini press features smooth, flat plates for even browning and consistently great results. You'll love the versatility, helping you prepare everything from warm and toasty sandwiches, to fish, chicken, burgers and vegetables. Cast-iron plates provide exceptional heat retention and durability, and the pivot-action top plate adjusts to food thickness for an even press.

Heavy-duty cast-iron flat plates brown foods evenly

High-power heating element is efficient and consistent


Thermostatically controlled temperature range is 125°F to 575°F

Power switch and ready lights remove the guesswork


Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 13.25- x 9.25-in (33.66- x 23.5-cm)


## PRODUCT SPECIFICATIONS



FRONT VIEW



SIDE VIEW



TOP VIEW

## Model Information

|       |              |
|-------|--------------|
| Model | TS17011-C    |
| UPC   | 029419520497 |

## Unit Dimensions

|                                 |        |
|---------------------------------|--------|
| (W) Width (IN)                  | 17.625 |
| (D) Depth (IN)                  | 15.625 |
| (H) Height (IN)                 | 9.875  |
| Product Opening Dimensions (IN) | 21     |
| (W) Width (CM)                  | 44.6   |
| (D) Depth (CM)                  | 39.5   |
| (H) Height (CM)                 | 25     |
| Product Opening Dimensions (CM) | 53.4   |

## Electrical

|      |    |
|------|----|
| Amps | 15 |
|------|----|

|         |            |
|---------|------------|
| Hz      | 50/60      |
| Plug    | NEMA 5-20P |
| Voltage | 120        |
| Watts   | 1800       |

## Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

## PRODUCT PARTS

| Name                           | Part #      |
|--------------------------------|-------------|
| SHP/DHP PANINI BEZEL & OVERLAY | 354194-1    |
| 5-20 POWER CORD W/ STRN RELIEF | 354096-1    |
| 350C HIGH LIMIT THERMOSTAT     | 352751-1    |
| M6X25 PIN                      | 352775-1    |
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1    |
| HI-LIMIT THERMOSTAT COVER      | 351788-03-1 |
| Control Knob                   | 351788-06-1 |
| WIRE BRUSH                     | 352760      |
| 300C REGULATING THERMOSTAT     | 352750-1    |
| TENSIONER SILICONE PLUG        | 352764-1    |
| HANDLE SPRING                  | 352761-1    |
| TENSIONER                      | 352759-1    |
| LEFT WIRE TUBE                 | 352758-1    |
| SHP TOP HEATING ELEMENT        | 352754-1    |
| SHP HINGE AXLE BACK            | 352746-09-1 |
| SHP BTM HEATING ELEMENT        | 352753-1    |
| SHP HANDLE KIT                 | 354092-1    |



| Name                         | Part #      |
|------------------------------|-------------|
| SHP DRIP TRAY                | 352746-07-1 |
| SHP FLAT TOP PLATE           | 352748-07-1 |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |
| 120V PILOT LIGHT             | 351788-17-1 |
| SHP FLAT BOTTOM PLATE        | 352746-13-1 |
| SHP OVERLAY                  | 352746-01-1 |



## 120-volt single panini sandwich grill with cast-iron grooved plates and NEMA 5-15P Plug

For groovy versatility, there's nothing like the Vollrath® panini sandwich grill. Compact yet powerful single panini press handles everything from warm and toasty Cuban, English and Italian sandwiches, to fish, chicken, burgers and vegetables with presentation-perfect grill marks. Heavy-duty cast-iron plates provide exceptional heat retention and durability, with a pivot-action top plate that adjusts to food thickness for an even press.

Cast-iron grooved plates create grilled-food presentation

High-power heating element is efficient and consistent

Thermostatically controlled temperature range is 125°F to 575°F


Power switch and ready lights remove the guesswork

Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 13.25- x 9.25-in (33.66- x 23.5-cm)



PRODUCT **SPECIFICATIONS**



**Model Information**

|       |              |
|-------|--------------|
| Model | TS17001      |
| UPC   | 029419520503 |

**Unit Dimensions**

|                |        |
|----------------|--------|
| (W) Width (IN) | 17.625 |
|----------------|--------|

|                                 |        |
|---------------------------------|--------|
| (D) Depth (IN)                  | 15.625 |
| (H) Height (IN)                 | 9.875  |
| Product Opening Dimensions (IN) | 21     |
| (W) Width (CM)                  | 44.6   |
| (D) Depth (CM)                  | 39.5   |
| (H) Height (CM)                 | 25     |
| Product Opening Dimensions (CM) | 53.4   |

### Electrical

|         |            |
|---------|------------|
| Amps    | 15         |
| Hz      | 50/60      |
| Plug    | NEMA 5-15P |
| Voltage | 120        |
| Watts   | 1800       |

### Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

### PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1 |
| SHP/DHP PANINI BEZEL & OVERLAY | 354194-1 |
| 350C HIGH LIMIT THERMOSTAT     | 352751-1 |
| M6X25 PIN                      | 352775-1 |
| WIRE BRUSH                     | 352760   |
| 300C REGULATING THERMOSTAT     | 352750-1 |
| 5-15 POWER CORD W/ STRN RELIEF | 354095-1 |

| Name                         | Part #      |
|------------------------------|-------------|
| TENSIONER SILICONE PLUG      | 352764-1    |
| HANDLE SPRING                | 352761-1    |
| TENSIONER                    | 352759-1    |
| LEFT WIRE TUBE               | 352758-1    |
| HI-LIMIT THERMOSTAT COVER    | 351788-03-1 |
| Control Knob                 | 351788-06-1 |
| SHP TOP HEATING ELEMENT      | 352754-1    |
| SHP HINGE AXLE BACK          | 352746-09-1 |
| SHP BTM HEATING ELEMENT      | 352753-1    |
| SHP HANDLE KIT               | 354092-1    |
| 120V PILOT LIGHT             | 351788-17-1 |
| SHP RIB BOTTOM PLATE         | 352746-14-1 |
| SHP RIB TOP PLATE            | 352748-08-1 |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |
| SHP DRIP TRAY                | 352746-07-1 |
| SHP OVERLAY                  | 352746-01-1 |



## 120-volt single panini sandwich grill with cast-iron grooved plates and NEMA 5-20P Plug

For groovy versatility, there's nothing like the Vollrath® panini sandwich grill. Compact yet powerful single panini press handles everything from warm and toasty Cuban, English and Italian sandwiches, to fish, chicken, burgers and vegetables with presentation-perfect grill marks. Heavy-duty cast-iron plates provide exceptional heat retention and durability, with a pivot-action top plate that adjusts to food thickness for an even press.

Cast-iron grooved plates create grilled-food presentation

High-power heating element is efficient and consistent

Thermostatically controlled temperature range is 125°F to 575°F

Power switch and ready lights remove the guesswork


Low-profile brushed stainless design fits seamlessly in any kitchen

Cooking area is 13.25- x 9.25-in (33.66- x 23.5-cm)





PRODUCT SPECIFICATIONS



Model Information

|       |              |
|-------|--------------|
| Model | TS17001-C    |
| UPC   | 029419520510 |

Unit Dimensions

|                |        |
|----------------|--------|
| (W) Width (IN) | 17.625 |
|----------------|--------|

|                                 |        |
|---------------------------------|--------|
| (D) Depth (IN)                  | 15.625 |
| (H) Height (IN)                 | 9.875  |
| Product Opening Dimensions (IN) | 21     |
| (W) Width (CM)                  | 44.6   |
| (D) Depth (CM)                  | 39.5   |
| (H) Height (CM)                 | 25     |
| Product Opening Dimensions (CM) | 53.4   |

### Electrical

|         |            |
|---------|------------|
| Amps    | 15         |
| Hz      | 50/60      |
| Plug    | NEMA 5-20P |
| Voltage | 120        |
| Watts   | 1800       |

### Construction

|                  |                |
|------------------|----------------|
| Product Function | Sandwich press |
|------------------|----------------|

### PRODUCT PARTS

| Name                           | Part #   |
|--------------------------------|----------|
| Kit, Foot, 1.00" OD, 20Mm LG   | 351775-1 |
| SHP/DHP PANINI BEZEL & OVERLAY | 354194-1 |
| 5-20 POWER CORD W/ STRN RELIEF | 354096-1 |
| 350C HIGH LIMIT THERMOSTAT     | 352751-1 |
| M6X25 PIN                      | 352775-1 |
| WIRE BRUSH                     | 352760   |
| 300C REGULATING THERMOSTAT     | 352750-1 |

| Name                         | Part #      |
|------------------------------|-------------|
| TENSIONER SILICONE PLUG      | 352764-1    |
| HANDLE SPRING                | 352761-1    |
| TENSIONER                    | 352759-1    |
| LEFT WIRE TUBE               | 352758-1    |
| HI-LIMIT THERMOSTAT COVER    | 351788-03-1 |
| Control Knob                 | 351788-06-1 |
| SHP TOP HEATING ELEMENT      | 352754-1    |
| SHP HINGE AXLE BACK          | 352746-09-1 |
| SHP BTM HEATING ELEMENT      | 352753-1    |
| SHP HANDLE KIT               | 354092-1    |
| Kit, Foot, 1.00" OD, 20Mm LG | 351775-1    |
| SHP DRIP TRAY                | 352746-07-1 |
| SHP OVERLAY                  | 352746-01-1 |
| 120V PILOT LIGHT             | 351788-17-1 |
| SHP RIB BOTTOM PLATE         | 352746-14-1 |
| SHP RIB TOP PLATE            | 352748-08-1 |



| По вопросам продаж и поддержки обращайтесь:                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Алматы (727)345-47-04<br>Ангарск (3955)60-70-56<br>Архангельск (8182)63-90-72<br>Астрахань (8512)99-46-04<br>Барнаул (3852)73-04-60<br>Белгород (4722)40-23-64<br>Благовещенск (4162)22-76-07<br>Брянск (4832)59-03-52<br>Владивосток (423)249-28-31<br>Владикавказ (8672)28-90-48<br>Владимир (4922)49-43-18<br>Волгоград (844)278-03-48<br>Вологда (8172)26-41-59<br>Воронеж (473)204-51-73<br>Екатеринбург (343)384-55-89 | Иваново (4932)77-34-06<br>Ижевск (3412)26-03-58<br>Иркутск (395)279-98-46<br>Казань (843)206-01-48<br>Калининград (4012)72-03-81<br>Калуга (4842)92-23-67<br>Кемерово (3842)65-04-62<br>Киров (8332)68-02-04<br>Коломна (4966)23-41-49<br>Кострома (4942)77-07-48<br>Краснодар (861)203-40-90<br>Красноярск (391)204-63-61<br>Курск (4712)77-13-04<br>Курган (3522)50-90-47<br>Липецк (4742)52-20-81 | Магнитогорск (3519)55-03-13<br>Москва (495)268-04-70<br>Мурманск (8152)59-64-93<br>Набережные Челны (8552)20-53-41<br>Нижний Новгород (831)429-08-12<br>Новокузнецк (3843)20-46-81<br>Ноябрьск (3496)41-32-12<br>Новосибирск (383)227-86-73<br>Омск (3812)21-46-40<br>Орел (4862)44-53-42<br>Оренбург (3532)37-68-04<br>Пенза (8412)22-31-16<br>Петрозаводск (8142)55-98-37<br>Псков (8112)59-10-37<br>Пермь (342)205-81-47 | Ростов-на-Дону (863)308-18-15<br>Рязань (4912)46-61-64<br>Самара (846)206-03-16<br>Санкт-Петербург (812)309-46-40<br>Саратов (845)249-38-78<br>Севастополь (8692)22-31-93<br>Саранск (8342)22-96-24<br>Симферополь (3652)67-13-56<br>Смоленск (4812)29-41-54<br>Сочи (862)225-72-31<br>Ставрополь (8652)20-65-13<br>Сургут (3462)77-98-35<br>Сыктывкар (8212)25-95-17<br>Тамбов (4752)50-40-97<br>Тверь (4822)63-31-35 | Тольятти (8482)63-91-07<br>Томск (3822)98-41-53<br>Тула (4872)33-79-87<br>Тюмень (3452)66-21-18<br>Ульяновск (8422)24-23-59<br>Улан-Удэ (3012)59-97-51<br>Уфа (347)229-48-12<br>Хабаровск (4212)92-98-04<br>Чебоксары (8352)28-53-07<br>Челябинск (351)202-03-61<br>Череповец (8202)49-02-64<br>Чита (3022)38-34-83<br>Якутск (4112)23-90-97<br>Ярославль (4852)69-52-93 |
| <b>Россия</b> +7(495)268-04-70                                                                                                                                                                                                                                                                                                                                                                                               | <b>Казахстан</b> +7(727)345-47-04                                                                                                                                                                                                                                                                                                                                                                    | <b>Беларусь</b> +(375)257-127-884                                                                                                                                                                                                                                                                                                                                                                                           | <b>Узбекистан</b> +998(71)205-18-59                                                                                                                                                                                                                                                                                                                                                                                    | <b>Киргизия</b> +996(312)96-26-47                                                                                                                                                                                                                                                                                                                                        |

эл.почта: [vha@nt-rt.ru](mailto:vha@nt-rt.ru) || сайт: <https://vollrath.nt-rt.ru/>